

Received September 1, 2021, accepted September 22, 2021, date of publication September 24, 2021, date of current version October 7, 2021.

Digital Object Identifier 10.1109/ACCESS.2021.3115554

Mapping of the Covid-19 Vaccine Uptake Determinants From Mining Twitter Data

ANNA BAJ-ROGOWSKA 

Department of Informatics in Management, Gdańsk University of Technology, 80-233 Gdańsk, Poland

e-mail: anna.baj-rogowska@pg.edu.pl


ABSTRACT Opinion polls on vaccine uptake clearly show that Covid-19 vaccine hesitancy is increasing worldwide. Thus, reaching herd immunity not only depends on the efficacy of the vaccine itself, but also on overcoming this hesitancy of uptake in the population. In this study, we revealed the determinants regarding vaccination directly from people's opinions on Twitter, based on the framework of the 6As taxonomy. Covid-19 vaccine acceptance depends mostly on the characteristics of new vaccines (i.e. their safety, side effects, effectiveness, etc.), and the national vaccination strategy (i.e. immunization schedules, quantities of vaccination points and their localization, etc.), which should focus on increasing citizens' awareness, among various other factors. The results of this study point to areas for potentially improving mass campaigns of Covid-19 immunization to increase vaccine uptake and its coverage and also provide insight into possible directions of future research.

INDEX TERMS 6As taxonomy, Covid-19, determinants of vaccine uptake, immunization hesitancy, SARS-CoV-2, vaccination, vaccine acceptance, vaccine hesitancy.

I. INTRODUCTION

According to current knowledge, mass vaccination is the only way to contain the spread of the SARS-CoV-2 virus, the cause of the Covid-19 pandemic. To bring this pandemic to an end, a large proportion of the world needs to be immune to the SARS-CoV-2 virus. Herd immunity is a key concept for pandemic control and its extinction [9]. However, to achieve herd immunity and cut the transmission chain, using a vaccine with a claimed 95% efficacy, we need to vaccinate at least 63% to 76% of the population [7]. This required vaccine coverage is certainly very high, and may not be easily attained for many reasons. This is a huge challenge not only for pharmaceutical companies and finite healthcare resources, but also for government agencies and regulatory authorities [8], [9], [31].

Reference [10] highlighted the role of vaccination programmes, which must be effective and widely adopted. The observed poor uptake of vaccines in the population makes it difficult to limit the negative impact of Covid-19 on health worldwide. Statistics show that the percentage of citizens who have received at least one dose of the vaccine in the European Union (EU) is around 50% [6]. Some countries exceed this average, such as Germany - 53%, and Finland - almost 60%; however, vaccination rates are significantly off

The associate editor coordinating the review of this manuscript and approving it for publication was Derek Abbott .

target. While, previously, the biggest problem with the vaccination program was low supply, today it is low demand. Many people do not want to be vaccinated.

Despite the fact that governments are taking a wide range of measures in response to the Covid-19 outbreak, effective ways to encourage citizens to vaccinate are hard to find. To achieve the goals of the vaccination policy, in addition to overcoming the logistical and supply challenges, it is extremely important to counteract the reluctance to vaccinate, which is steadily growing. Vaccine hesitancy is a complex issue driven by a mix of demographic, social and behavioral factors. Determinants concerning vaccine uptake are complex and context-specific, as they vary according to the time, place and severity of the disease and the vaccine characteristics [5].

Many reviews have focused on the classification of possible determinants of vaccine aversion and the wider uptake of different vaccines, for example, the uptake of the influenza vaccine by older people [3], the tetanus/diphtheria/polio vaccine for children [4] or childhood vaccines till ≤ 7 years of age [5]. In the face of the current Covid-19 pandemic, a pragmatic methodology (beyond questionnaire experiments) is needed to reach the main determinants of Covid-19 vaccine acceptance, which is lacking in the literature. For that reason, this study aims to fill this gap. The study is based on text data obtained from Twitter regarding vaccines in Poland. By applying (i) a taxonomy model of 5As, and

(ii) a bottom-up approach during data analysis - the mining of tweets from the public discussion provided the topics, and finally, after further analysis, a set of key determinants of vaccine uptake was obtained, and the model was expanded with another dimension labeled *Assurance*, thus forming 6As.

The proposed approach (i) examines the main determinants of vaccine uptake, (ii) identifies possible root causes of non-vaccination, (iii) outlines the relevance of the determinants for citizens' perceptions, and (iv) can support the subsequent design of robust and evidence-based interventions by governments. Reaching the main determinants of vaccine uptake can help with designing and targeting vaccination strategies, in order to gain extensive acceptance in the population. This is a key path to ensuring a fast liberation from the Covid-19 pandemic.

The main contribution of this paper is (i) the identification of an additional sixth dimension in the 5As taxonomy, labeled *Assurance*; (ii) a preliminary proof-of-concept of the 6As; (iii) a validation of the usability of textual data from public discussions in identifying and classifying the determinants of vaccine uptake; (iv) the development of a bottom-up methodology for the examined issues.

The remainder of this paper is structured as follows. First, we review the background and relevant literature in Section 2. Section 3 introduces the research methodology. Section 4 presents the empirical results obtained in the study, with a discussion of the findings and implications. Finally, Section 5 concludes the study.

II. THEORETICAL BACKGROUND AND RELATED STUDIES

Vaccine 'hesitancy' is an emerging term in the scientific literature and public discourse (i.e. social media) on vaccine decision-making and the determinants of vaccine uptake. The reasons behind decisions to refuse or delay vaccination are varied and context-specific, thus there is no single form that vaccine hesitancy takes [11]. According to [2], the acceptance and adherence to public health recommendations by the population depend largely on the way people perceive a threat. The study of [12] revealed a comprehensive list of concerns related to the Covid-19 immunization of people who do not wish to be vaccinated. Respondents most frequently reported: lack of proper testing of vaccines (74.1%), vaccine adverse effects (65.1%), lack of vaccine effectiveness (44.9%) and improper transport/storage of vaccines (14%). However, the results of campaigns to encourage vaccination are not only dependent on vaccine efficacy and safety. Effective communication campaigns are needed, based on transparency and focusing on restoring trust in authorities, the government and medical professionals [14]. According to [13], vaccine acceptance among the general public and healthcare workers plays a crucial role in the successful control of the pandemic. We can consider immunization programs to be effective when there are high rates of coverage and acceptance in the population [15]. To achieve this, detecting the determinants of Covid-19 vaccine acceptance is crucial.

Reference [16] distinguished the determinants of Covid-19 vaccine acceptance, based on textual data collected from Weibo, a crucial public opinion platform in China. The main determinants of Covid-19 vaccine acceptance in China included the price and side effects. In turn, the study of [17] aimed to assess the prevalence of the acceptance of the Covid-19 vaccine, and the determinants of this among people in Saudi Arabia. By usage of a questionnaire, the researchers found perceived risk and trust in the health system to be significant predictors of the uptake of the Covid-19 vaccine.

The work of [18] focused on examining Covid-19 vaccine acceptance rates in Russia. The study identified a wide range of factors associated with Covid-19 vaccine uptake, which were grouped into the following main areas: sociodemographic and health-related characteristics, cues to action, perceived benefits and barriers. When the vaccine was proven to be safe and effective, the rate of vaccine acceptance increased. Moreover, gender and income significantly influenced the acceptance rates. Whereas [19] examined the individual, communication, and social determinants associated with vaccine uptake. Their study identified ethnicity, risk perceptions, exposure to different media for Covid-19 news, party identification, and confidence in scientists as factors that would affect Covid-19 vaccine uptake.

A review of previous research on vaccine uptake (see: Table 1) indicates that this phenomenon is increasingly gaining academic attention. Facing the fast-paced dynamic of the coronavirus pandemic, researchers use the different environments to collect data and use a variety of methods for data analysis. The rapid and easily accessible environment of social media, here namely Twitter, is popular and very often used to gain international insights into public opinion on the Covid-19 vaccination. However, a lack of research dedicated to the usage of the 5As framework is clearly visible.

The studies previously referred to above provide evidence that vaccine uptake may be determined by a complex mix of demographic, social and behavioral factors. To order these factors, the present study was based on the 5As taxonomy according to [1]. They identified the determinants of vaccine uptake as 5As dimensions: *Access*, *Affordability*, *Awareness*, *Acceptance* and *Activation*. Determinants extracted from a systematic literature review had been assigned to each dimension, and this approach facilitated their understanding. Their study proved that the 5As taxonomy captured all the identified determinants of vaccine uptake. Therefore, in this study we decided to use this framework in our methodology to develop a structured classification.

A sixth dimension, labeled *Assurance*, was uncovered during the empirical stage of this study. Table 2 includes a definition for each of these six dimensions. By knowing the major determinants of vaccine uptake, actions can be better tailored to effectively improve the success rate of the vaccination program.



TABLE 1. Overview of studies with different approaches to analysis.

No	Authors	The main goal of the study	Country	Source of data	Methods used	Results/Conclusion	Determinants	Taxonomy/model
1	[46]	Analyzing public sentiment on the Covid-19 vaccination and the aftermath of vaccination regarding health safety measures.	US	Tweets in English, collected in April–May 2021	Natural language processing and sentiment analysis techniques	People have positive sentiments towards taking Covid-19 vaccines despite certain adverse effects of some of the vaccines. Their forecast model predicted that around 62.44% and 48% of the US population would receive at least one dose of vaccine and be fully vaccinated, respectively, by the end of July 2021.	Not applied	Not applied
2	[47]	Examining public discussions and emotions using Covid-19 related messages on Twitter.	Worldwide	Tweets only in English, collected from March 1 to April 21 in 2020	Machine learning approach, Latent Dirichlet Allocation (LDA) and sentiment analysis	Identification of popular unigrams and topics. Real-time monitoring and assessment of the Twitter discussion and concerns raised can be promising for public health emergency responses and planning.	Not applied	Not applied
3	[48]	Understanding the public’s perception of the safety and acceptance of Covid-19 vaccines in real-time by using Twitter polls.	Worldwide, English, Spanish, or other languages	Two polls by using Twitter’s built-in, anonymous polling tool	Twitter Poll Analysis	Despite the perceived high level of uncertainty regarding the safety of the available Covid-19 vaccines, the authors observed an elevated willingness to undergo vaccination among their study sample.	Not applied	Not applied
4	[49]	Identification of the topics and sentiments in the public Covid-19 vaccine-related discussion on social media.	Global perspective	Twitter chatter dataset from March 11, 2020 to January 31, 2021	Machine learning approach, Latent Dirichlet Allocation (LDA) and sentiment analysis	16 topics were obtained, which were grouped into 5 overarching themes. The topics mirrored the active news in the mainstream media. The positive sentiment around Covid-19 vaccines and the dominant emotion of trust shown in the social media discussion may imply a higher acceptance of vaccines.	Not applied	Not applied
5	[50]	The illustrating of public attitudes towards mask usage during the Covid-19 pandemic, from Twitter data.	Worldwide in the English language	Twitter data only in English, collected from March 17, 2020 to July 27, 2020	NLP, clustering and sentiment analysis techniques	Topic clustering based on mask-related Twitter data offers revealing insights into societal perceptions of Covid-19 and techniques for its prevention. The volume and polarity of mask-related tweets greatly increased.	Not applied	Not applied
6	[16]	Conducting a country-specific study of real-time public awareness and behavioral responses to Covid-19 vaccines and vaccination in China.	China	Weibo chatter data in Chinese (Simplified Chinese and Traditional Chinese) collected from January to October 2020	Natural language processing and sentiment analysis techniques	The Chinese public is divided in terms of vaccination prices and has differing expectations. Topics on Covid-19 vaccine acceptance in China include price and side effects.	Price and side effects	Not applied
7	[51]	The investigation of determinants, describing a diverse set of socio-economic characteristics, in explaining the outcome of the first wave of the coronavirus pandemic.	Worldwide	A review of the literature describing the social and economic factors which contribute to the spread of an epidemic.	The Bayesian model averaging (BMA) technique	The examination of a total of 31 potential determinants that describe a diverse ensemble of social and economic factors, including healthcare infrastructure, societal characteristics, economic performance, demographic structure, etc.	Socio-economic determinants: the level of economic development, the population size	Not applied
8	[52]	A content analysis based on the	Worldwide	Tweets posted in	A theory-based	Researchers identified tweets that contained behavioral intentions	Misinformation or	COM-B model

TABLE 1. (Continued.) Overview of studies with different approaches to analysis.

		capability, opportunity, motivation–behavior (COM-B) model to characterize the determinants influencing behavioral intentions toward Covid-19 vaccines.		English from November 1-22, 2020	content analysis and coding of textual data	regarding Covid-19 vaccines and mapped them to constructs in the adapted model. Then, nine themes were generated that influence Twitter users’ intentions to receive Covid-19 vaccines.	conspiracy theories about Covid-19; the positive value of vaccination to society; the mistrust of vaccines and the government	
9	[1]	A practical taxonomy for the determinants of vaccine uptake	Worldwide	Scientific research from 1970 to 2016	Literature review	The 5As taxonomy facilitates a mutual understanding of the root causes of poor uptake.	23 possible primary determinants of vaccination coverage	5As
10	Present work	Revealing the main determinants of Covid-19 vaccine uptake from Twitter data	Poland	Tweets in Polish collected in May 2021	Text mining, analyzing and coding textual data	(i) The identification of an additional sixth dimension, labeled <i>Assurance</i> , in the 5As taxonomy; (ii) a preliminary proof-of-concept of the 6As; (iii) a validation of the usability of textual data from public discussions in identifying and classifying determinants of vaccine uptake.	17 determinants have been identified; they are presented in Table IV.	6As

TABLE 2. Factors creating the 6As with their definitions.

Root cause	Definition with examples
<i>Access</i>	The ability of individuals to be reached by, or to reach, recommended vaccines (e.g. location or convenience of access, etc.).
<i>Affordability</i>	The ability of individuals to afford vaccination, both in terms of financial and non-financial costs (e.g. time, etc.).
<i>Awareness</i>	The degree to which individuals know the need for, and availability of, recommended vaccines and their objective benefits and risks (e.g. availability of detailed information about vaccines and vaccination schedules, etc.).
<i>Acceptance</i>	The degree to which individuals accept, contest or refuse vaccination (e.g. severity of disease, safety and efficacy of a vaccine, social responsibility, etc.).
<i>Activation</i>	The degree to which individuals are nudged towards vaccine uptake (e.g. advertising, calling or sending an SMS, etc.).
<i>Assurance</i>	The degree to which individuals have trust and certainty with regard to being protected, supported and cared for associated with the vaccination (e.g. preliminary medical tests before vaccination, post-vaccination medical support, insurance, etc.).

III. METHODOLOGY

This section provides the research methodology adopted in the current study. Section A aims to presents the method of data collection. Section B describes data analysis. Section C explains the bottom-up approach taken in the present study.

A. DATA COLLECTION AND PREPARATION

The starting point in the empirical part of the study were textual data obtained from Twitter. Discussions between users on Twitter, which constitute opinions, insights and comments on vaccines, are valuable material that, after appropriate processing, will provide new knowledge. A scraping of Twitter data was conducted via QDA Miner software, using the keywords:

“covid-19” OR “vaccination”¹ OR “vaccine”² OR “covid” OR “coronavirus” OR “SARS-CoV-2” OR “Johnson & Johnson” OR “Moderna” OR “Oxford / AstraZeneca” OR “Pfizer / BioNTech”, with the period between 1st to 30th May 2021. This query was designed to obtain a broad spectrum of data from discussions among Twitter users about vaccinations and vaccines. We collected in total 125 495 tweets only in Polish. The Polish language is so unique that it is not used outside of Poland. The assumption of focusing only on Polish tweets was aimed at: (i) selecting only one country for evaluation as a case study; (ii) providing access to discussions regarding homogeneous government regulations on vaccination; and (iii) guaranteeing the relative universality of the results for other European Union countries, given that Poland is also a member. After collecting the data, we performed the pre-processing steps. Tweets in a language other than Polish were deleted, duplicate or empty tweets were removed, and finally, we obtained a set of 105 849 tweets ready for further data analysis.

B. DATA ANALYSIS

First, topic modeling was performed to extract the latent topics in the tweet data using the QDA Miner software. A 33-topic model was found to be optimal in terms of the average semantic coherence of the model. As a result of this phase, we obtained topics, described by top-weighted keywords. Next, an iterative process of topic labeling was performed.

Second, we employed coding to identify relevant interactions between the topics and then aggregate them into higher-order concepts (categories of determinants). The topics were coded and classified under each dimension of the

¹In Polish: “szczepienie”.

²In Polish: “szczepionka”.

As framework. For example, the tweet extract “I came for a vaccination, but it is a pity that the vaccines did not come 😞”³ was classified as evidence of the topic concerning problems with delays in Covid-19 vaccine deliveries. When there are problems with the supply of vaccines, people who want to be vaccinated generally have a problem with vaccine uptake. Therefore, this topic was included in the *Access* dimension. Finally, as a result of this phase, we obtained 17 determinants. Then, each determinant was categorized as a representative of *Access*, *Affordability*, *Awareness*, *Acceptance*, *Activation* or other using the definitions of each dimension according to Table 1.

C. THE BOTTOM-UP APPROACH

The methodology developed for this study is presented in Figure 1. The activities performed, and the methods and software used at each stage of the bottom-up approach are discussed in more detail below.

1) DATA COLLECTION

Involves sourcing relevant data according to a chosen set of keywords and a defined time period. For this study they have already been determined in *Section A*. Data collection was conducted using the commercial software QDA Miner, which is part of the ProSuite software [45]. The ProSuite program provides advanced tools for a thorough analysis of data and consists of the following modules: (i) QDA Miner for qualitative data analysis, (ii) WordStat intended for content analysis and text mining, (iii) SimStat designed for statistical analysis. It also offers the option of scraping tweets. In other words, data extraction from Twitter was automated with QDA Miner. In total, 125 495 tweets were collected in this phase. The following information for each tweet was downloaded: (i) tweet full text, (ii) the numbers of favorites and retweets, (iii) user geolocation; (iv) user description/self-created profile, (v) tweet date and hour. In order to check whether the data are balanced, we divided all tweets into subsets (covering a period of 7 days) to identify tweets in the material in terms of a place and date of publication. The content in each subset was then compared to see if the data were evenly distributed. This experiment proved that the data was well balanced. It should be stressed that the research material collected at this stage is represented by unorganized data, with colloquial language, slang, abbreviations or extensions, etc. Thus, the subsequent stage of preparing the data is needed.

2) TEXT PREPARATION

Consists of the following tasks: (a) parsing, which means analyzing data and breaking them down into smaller blocks, which separately can be easily interpreted and managed; and (b) preprocessing, also called text cleaning of data, which includes the following jobs: (i) tokenization, where the words

³In Polish: "Przyjechałem na szczepienie, ale szkoda że szczepionki nie przyjechały 😞"




FIGURE 1. The bottom-up approach: from Twitter data to 6As dimensions of vaccine uptake.

are transformed from the text into structured sets of elements called tokens; (ii) compiling a stop word list, where the words which have low informative value or are semantically insignificant (e.g. and, a, or, the) are eliminated; and (iii) stemming, where the words are reduced to their basic form, i.e. word stems are identified. At this phase, we used the WordStat software. We also detected the language of the tweets and retained only tweets in Polish resulting in a dataset with 105 849 tweet documents for further analysis.

3) TOPIC MODELING

is a method for finding a group of words (i.e. topic) from a collection of documents. This is a way to achieve recurring patterns of words in textual data. There are many techniques possible to obtain topic models (e.g. the Latent Dirichlet Allocation, LDA). However, ours was based on an algorithm implemented in the WordStat software. Unsupervised learning was chosen because it is commonly used and allows us to conduct exploratory analyses of large text data in social science research [47]. As a result of topic modeling with the usage of the WordStat software, 33 topics, described by top-weighted keywords, were obtained. Next, an iterative process of topic labeling was performed: (i) topics were labeled to create the first version of labels based on the keywords with the greatest weight, (ii) names of labels were polished through in-depth reading of the most representative topic tweets, and (iii) the final set of topic labels was created. Similar to [47], [49] and [52], our thematic approach relied on human interpretation. Thus, this approach could be significantly influenced by personal understanding of the topics and a variety of biases. The results of this stage are part of the supplementary material: Table B. Next, the proportions of occurring topics were calculated as a percentage (TP, %).

TABLE 3. Comparison of research approaches.

No	Authors	Search query	Method of data collection	Software used	Aim of data analysis	A qualitative approach to develop themes further
1	[47]	Using a list of 25 hashtags as search terms to fetch tweets (e.g. #coronavirus, #2019nCoV, #COVID19, #coronaoutbreak, #quarantine, #StayHome, #SARsCov2, etc.)	Twitter’s open application programming interface (API)	Python and the NRC Emotion Lexicon	13 topics were identified by topic modeling, and sentiment analysis (SA) was performed.	(1) Becoming familiar with the keyword data, (2) generating initial codes, (3) searching for themes, (4) reviewing potential themes, (5) defining themes, and (6) reporting. The thematic approach relied on human interpretation. Coding in NVivo.
2	[50]	Explicit Covid-19 keywords such as “coronavirus”, and keywords such as “school” and “cancelled” in order to include tweets about a wider array of topics impacted by the pandemic.	Twitter streaming API	ANOVA, VADER software	Clustering & subclustering and sentiment analysis Clustering techniques organized tweet data into 15 high-level themes and 15 specific topics within each theme.	(1) Tweets were embedded with Universal Sentence Encoder, (2) a single label was computed using the eight words with the highest overall frequencies, (3) then manual annotations were provided of the prominent themes that arose, by inspecting small samples of tweets within each cluster. To augment human interpretations of each cluster and subcluster, the authors generated summaries using DistilBART, which aims to generate concise summaries without relying on extractive summarization strategies. The BART-based decoder.
3	[52]	A combination of relevant keywords and hashtags: (#covid OR covid OR #covid19 OR covid19) AND (#vaccine OR vaccine OR #vacine OR vaccine OR vaccinate OR immunization OR immune OR vax).	Not mentioned	Python	Behavioral intentions regarding Covid-19 vaccines were mapped to constructs (capability, opportunity, motivation) in the adapted COM-B model.	(1) The coding schema was developed iteratively based on the definitions of constructs in the adapted COM-B model, (2) two reviewers independently coded 1000 tweets in each round, (3) after completing one round of coding, the two reviewers met with a third reviewer to discuss disagreements and update the coding schema until a consensus was reached. The thematic approach relied on human interpretation. The coding tool was not mentioned.
4	[49]	13 keywords: COVID19, CoronavirusPandemic, COVID-19, 2019nCoV, CoronaOutbreak, coronavirus, WuhanVirus, covid19, coronaviruspandemic, covid-19, 2019ncov, coronaoutbreak, and wuhanvirus.	Tweets were collected by the Panacea Lab	R, RStudio Version 1.4.1103 and the National Research Council of Canada Emotion Lexicon	16 topics were identified by topic modelling and SA was performed.	(1) The textmineR package topic label function was used to generate initial labeling for the topics, (2) the authors labeled topics by reading representative tweets for each topic, (3) through discussions, they further grouped the topics into 5 overarching themes. The thematic approach relied on human interpretation. The coding tool was not mentioned.
5	Present work	Keywords: “covid-19” OR “vaccination” OR “vaccine” OR “covid” OR “coronavirus” OR “SARS-CoV-2” OR “Johnson & Johnson” OR “Moderna” OR “Oxford / AstraZeneca” OR “Pfizer / BioNTech”.	QDA Miner software	ProSuite software	33 topics were identified by topic modeling and then the topics were mapped to determinants.	(1) Topics were labeled to create the first version of labels based on the keywords with the greatest weight, (2) the names of labels were polished through in-depth reading of the most representative topic tweets, and (3) a final set of topic labels was created. The thematic approach relied on human interpretation. Coding in Excel.

Note: For more information on the details of each study (e.g. the goal, findings, etc.), see Table I.

4) AGGREGATION OF TOPICS INTO DETERMINANT CONCEPTS

As a result of an in-depth analysis of textual material, by aggregating topics we created 17 determinants from 33 topics representing some kind of problem. It was assumed

that each problem/topic could be linked by several determinants. So-called card sorting [53], which means that each topic written on an individual card was assigned to a logically coherent group, was used for creating a determinant. Then the obtained data were entered into the table. The results

MOST WIEDZY Downloaded from mostwiedzy.pl

TABLE 4. The Contributing factors of immunization uptake identified under each of the 6As dimensions.

Name of As group	Determinants
1. Access	1.1. Convenience access
	1.2. Clear procedures and regulations
	1.3. Location of vaccination
	1.4. Help and facilities from the government
2. Affordability	2.1. Price of additional services
	2.2. Time costs
3. Awareness	3.1. Availability of actual information
	3.2. Knowledge about vaccines
	3.3. Consideration of the vaccination and its side effects
	3.4. Knowledge of the vaccination schedule
4. Acceptance	4.1. Perceived vaccine safety
	4.2. Perceived vaccine efficacy
5. Activation	5.1. Prompts and reminders
	5.2. Workplace policies
	5.3. Incentives
6. Assurance	6.1. Protection
	6.2. Insurance

were presented in the supplementary material: Table C and Table D. Two determinants outside the 5As framework were revealed at this stage. These were referred to as *Protection* and *Insurance*. A similar type of topic classification, not into determinants but overriding themes, was done in the works [47], [52] and [49]. There are many approaches for extracting knowledge from a short text (tweets). A comparison of selected research approaches can be traced in Table 3.

5) LINKING DETERMINANTS WITH 6As

Having applied the method used in the previous stage, 17 determinants were assigned to suitable dimensions of the 5As model. This analysis resulted in discovering an additional dimension, which was labeled *Assurance*. Thus, the research extended the model to 6As. The main topics (including the determinants of vaccine uptake emerging from the tweet topics) along with examples of comments were included in Table 5 in Appendix.

By following the steps presented in Fig. 1, it is possible to access relevant knowledge and discover hot threads raised in social media discussions regarding the Covid-19 vaccination. This, in turn, provides a good basis for designing governmental guidelines for improving vaccination policies and increasing their effectiveness.

IV. RESULTS AND DISCUSSION

A set of 33 topics was extracted from the large text dataset representing tweets on the topic of the Covid-19 vaccination. In the next phase of the study, a total of 17 determinants influencing vaccine uptake were identified. They are included in Table 4.

Moreover, the list of topics, extended by sample comments providing evidence for each identified factor, is presented in Table 5 (in Appendix). The calculation of topic proportions




FIGURE 2. 6As dimensions containing the main groups of determinants of Covid-19 vaccine uptake.

(TP%) made it possible to calculate the share of each As dimension (Fig. 2).

The results of this study show that Covid-19 vaccine uptake mostly depends on the dimensions defined as *Awareness* (39.4 %) and *Access* (27.3 %) to the vaccine. *Awareness* covers the availability of a wide range of actual and detailed information regarding vaccines in the population, such as immunization schedules, vaccine side effects, safety and efficacy. Whereas *Access* is linked to the organization of the national vaccination strategy in terms of the following factors: problems with scheduling vaccinations and long queues, delays in vaccine deliveries, poor organization of vaccinations, too few vaccination points, and localization problems, e.g. too far from home. These findings are consistent with the study of [20], who tested Covid-19 vaccine hesitancy in a representative working-age population in France. Their survey experiment showed that detailed knowledge regarding new vaccine characteristics and the national vaccination strategy determine Covid-19 vaccine uptake. The percentage share of all factors identified under each of the 6As dimensions is presented in Fig. 3.

The following subsections summarize the evidence identified for each dimension of the 6As framework.

A. ACCESS FACTORS ASSOCIATED WITH VACCINE UPTAKE

According to the WHO’s guidelines, a COVID-19 vaccine allocation strategy should ensure that vaccines are free at the medical point of service, are allocated transparently, and with a participatory prioritization process. Due to this, vaccines in EU countries are free of charge, so a determinant related to the price was not included in the *Access* group. However, the role of access on vaccine uptake was reflected in obstacles concerning scheduling vaccinations, long queues, and delays in vaccine deliveries. These problems, highlighted in the Twitter discussions, related to the improper organization of many steps in the immunization process, are major barriers to convenient access. Thus, they need urgent improvement and reinforcement.

Another group constitutes unclear procedures and regulations. Many problems were reported in the discussions, such as inconsideration of people from risk groups, exclusion of immobile and non-digital groups, and poor organization of




FIGURE 3. Share of the individual factors identified under each of the 6As dimensions.

vaccinations for the partially disabled, all of which significantly hinder access to vaccination. The location of vaccination points also had an impact on uptake. Prior studies showed that the organization of vaccinations with convenient access, e.g. in a workplace [22] or at a school [23], results in increased vaccine uptake.

The inclusion of help and facilities from the government is also an important determinant of convenient access to immunization. The analysis of the tweets revealed that, especially in the context of elderly people, there is a lack of assistance with registration and reaching the vaccination points. Mobile home vaccination teams would be a good solution.

B. AFFORDABILITY FACTORS ASSOCIATED WITH VACCINE UPTAKE

The affordability factors identified in the present study consist of two main groups of determinants. First, is the *price of additional services*, which concerns a payment, e.g. assistance with registration and reaching the vaccination points. This is especially true for elderly or disabled people who need the support of third parties to undergo the vaccination procedure. Not everyone can count on free support from their family members. This follows indirectly from the study [40], which found that seniors who lived alone had a lower likelihood of having received the vaccine than those who lived with others. Some have to pay for the help of an assistant in this process.

The second determinant is *time cost*, which is influenced by the lack of clear rules for the vaccination procedure. Twitter comments identify time losses resulting from unclear laws and regulations. An example of such a tweet is: “@Szczepimysie Hello. Where should my friend who is allergic and had an anaphylactic shock, register in Pabianice? She was already registered for today and went to be immunized but was refused vaccination due to risk”.⁴ Prior studies

⁴In Polish: “@szczepimysie Witam. W jakim miejscu w Pabianicach ma się zarejestrować moja znajoma, która jest alergiczka i miała kiedyś wstrząs anafilaktyczny. Była już zarejestrowana na dzisiaj i poszła na szczepienie ale odmówiono jej szczepienia ze względu na ryzyko”.

revealed that time cost was a significant predictor of MMR (measles, mumps and rubella) non-vaccination in university students [24], and was a declared disincentive to receive vaccinations in 22% of health professionals surveyed [25].

C. AWARENESS FACTORS ASSOCIATED WITH VACCINE UPTAKE

As mentioned earlier, the determinant group belonging to the *Awareness* dimension covers the largest range (39.4%) in the entire 6As framework. It groups several threads covered in tweets, constituting ‘hot’ topics. Four determinants are included in *Awareness*. First, for increased vaccine uptake, people value the *availability of actual information*. A study of tweets revealed that the continuous volatility and inconsistency of information, the low quality of shared statistical data posted on the administration portal, as well as the lack of transparency of information from the government are factors that need improvement to increase vaccination coverage. The research of [42] stated that respondents reporting higher levels of trust in information from government sources were more likely to be vaccinated.

Second, *detailed knowledge about vaccines* plays a crucial role. This is in line with the work of [26], who found that more knowledge regarding vaccines improved uptake among health professionals. Moreover, according to the study of [25], people who were given more information concerning personal benefits and risks were more likely to be vaccinated.

Third, another diagnosed determinant is *consideration of the vaccination and its side effects*. This determinant was also identified in the research of [1] and [27]. The main topics on Twitter concerned fear caused by the increased number of deaths after vaccination, and captured the health risks vs. the usefulness of vaccination. Our findings are similar to the study of [22], who proved that the main reasons given for not receiving the vaccine were the belief that it had significant side effects, and concerns about its effectiveness.

Finally, the last factor was the *awareness of the vaccination schedule*. Lack of knowledge in this area is an obvious factor




FIGURE 4. Preview of a single tweet in QDA Miner with the translation (all user-related information has been deleted).

contributing to non-vaccination. Thus, thorough information campaigns are necessary so that people do not have to undertake a long search for where to go and at what times to get vaccinated. This is in line with [32], who pointed to an important factor being campaigns, which support people in gaining proper information and help build effective community engagement, and local vaccine acceptability and confidence.

D. ACCEPTANCE FACTORS ASSOCIATED WITH VACCINE UPTAKE

In the present study, the *Acceptance* dimension, comprising 15.2%, consists of two determinants (i) *perceived vaccine safety*, and (ii) *perceived vaccine efficacy*. Many studies confirm that safety concerns and vaccine side effects contribute to a decline in vaccine uptake in the population [40], [35], [21], [29], [25], [22], [28]. Similarly, belief in vaccine efficacy was an important factor of vaccine uptake [22], [30], [25], [40].

In addition, we found that inconsistent risk messages in terms of the Covid-19 vaccine safety and efficacy from officials, public health experts and individuals, which were expressed in mass media, may contribute to a decrease in the acceptance of vaccination, due to a decline of confidence. This is consistent with the study of [21], who found distrust in vaccine safety to be a crucial determinant of Covid-19 vaccine hesitancy. Twitter users often expressed opinions about vaccine safety and questioned its effectiveness due not only to vaccine novelty, but also other factors (Fig. 4).

There is agreement with many prior studies [2], [25], [26] and [28] that efficacy and safety concerns, including side effects associated with vaccination, can have hugely detrimental effects on the uptake.

E. ACTIVATION FACTORS ASSOCIATED WITH VACCINE UPTAKE

Activation refers to the actions taken that will make individuals more likely to receive vaccines. Three types of incentive techniques have been identified to stimulate activation: (i) *prompts and reminders*, (ii) *workplace policies*, (iii) *incentives*. The first group included two topics with negative sentiment. The need for direct (or telephone) contact especially with seniors regarding vaccination was pointed out, as this group is constantly overlooked in government programs due to digital exclusion [34], [44]. This result is also consistent with [40], who revealed that receiving a reminder from a doctor (67.7%) was an important influence on accepting a

vaccination. According to [22], providing reminders to staff in aged care facilities significantly increased influenza vaccine uptake. Thus, sending reminders about vaccination terms to people is a good idea, and according to [33], for the elderly generation, also in the form of a personal letter. In addition, another theme of negative sentiment was the lack of contextualization advertising, best represented by the tweet: “The vaccine isn’t yogurt, but that’s a bit how it’s advertised??”⁵. In this area, an important element for improvement is the creation of thoughtful advertising. To support an effective launch of new Covid-19 vaccines, a government needs to understand the community’s concerns, and design such advertising strategies that will neutralize them, and eventually encourage vaccine uptake. Since “one size does not fit all”, the work of [41] recommended avoiding generic messages and instead, considering the different emotional states of the community in tailored vaccine communication efforts.

Another determinant, labeled as *Workplace policies*, included the idea of compulsory vaccination, especially in certain professions (e.g. compulsory vaccination for all medical personnel and teachers). The tone of the tweets reflected the split of opinions on mandatory vaccination from acceptance to outright rejection of such a proposal. Examples were shared of forced vaccination by some employers, and the legal implications of this approach were discussed. The study of [38] suggests that obligatory mandates of the Covid-19 vaccination may be ineffective or, worse still, induce a backlash. In turn, the research of [42] reported that 48.1% of respondents would accept their employer’s recommendation to vaccinate. They also claimed an attentive balance is required between educating the public about the necessity for universal vaccine coverage and avoiding any suggestion of coercion.

Finally, the last group of determinants, called *Incentives*, covered such encouragements as lotteries, Covid certificates, and the development of incentive measures for vaccination (e.g. a discount code to get to the vaccination point). When planning vaccination policies, it is worth considering in-depth the strategy for introducing incentives, as the study of [35] found that financial incentives failed to increase vaccination willingness across income levels. Moreover, [36] claimed that payment for vaccination is morally suspect, likely unnecessary, and may be counterproductive. Similarly, [39] argued that financial incentives are likely to discourage vaccination (particularly among those most concerned about adverse effects), and instead, contingent nonfinancial incentives are the desired approach.

F. ASSURANCE FACTORS ASSOCIATED WITH VACCINE UPTAKE

A few topics mentioned factors associated with vaccine uptake which were not anticipated by the 5As taxonomy, triggering a sixth dimension, which we labeled *Assurance*.

⁵ In Polish: “Szczepionka to nie jogurt, a trochę tak próbuje się to reklamować??”

TABLE 5. Determinants of vaccine uptake emerging from tweet topics along with examples of comments highly associated with the topics (original spelling).

Name of As group	Determinants	TP (%)	Topics (problems)	Sample comments in Polish	Sample comments in English
I. Access	1.1. Convenience access	6,1 %	Problems with scheduling vaccinations and long queues	„Przyjechałem na szczepienie, ale szkoda że szczepionki nie przyjechały 🙄”	“I came for a vaccination, but it is a pity that the vaccines did not come 🙄”
				„@szczepimysie @Dawid95001263 A z Moderna też są jakieś problemy z dostawą? Tacie kolejny raz przesunęli termin 2 dawki, zaraz zbliża się data graniczna jej podania.W punkcie mówią, że jest straszny bałagan z dostawami i Moderny na 2.dawkę nie dostają i muszą przedkładać. @szczepimysie znacie Państwo problem?”	“@szczepimysie @ Dawid95001263 And there are also some problems with the delivery with Moderna? Dads have postponed the second dose once again, the cut-off date of its administration is approaching. At this point, they say that there is a terrible mess with supplies and Moderny for the 2nd dose are not getting and they have to submit. @szczepimysie Do you know the problem?”
			Delays in vaccine deliveries	„@belchatowiec Dzięki! Póki co, mam nadzieję, że to szczepienie wgl. dojdzie do skutku, bo wczoraj do mnie dzwonili, żebym nie przychodziła na umówioną godzinę, tylko później, bo nie wiedzą, kiedy dostawa dojedzie 😊”	“@belchatowiec Thanks! For now, hopefully this vaccination will happen, because yesterday they called me so that I would not come at the agreed time, but later, because they do not know when the delivery will arrive 😊”
	1.2. Clear procedures and regulations	9,1 %	Inclusion of immobile and non-digital groups	„Michał Dworczyk: #AstraZeneca kolejny raz opóźnia dostawy. Firma poinformowała, że 800 tys. dawek szczepionki nie zostanie dostarczone. Zdecydowaliśmy, że w czerwcu będziemy kłaść nacisk na szczepienia innymi preparatami”	“Michał Dworczyk: #AstraZeneca is delaying deliveries once again. The company announced that 800,000 vaccine doses will not be delivered. We have decided that in June we will emphasize vaccinations with other preparations”
				„Jak starsze osoby mają się zaszczepić, skoro nawet jak ktoś pomoże im się zarejestrować, to potem termin jest kilkakrotnie zmieniany i powiadomienie przychodzi SMSem, który nie każda starsza osoba potrafi odczytać? Wtedy termin przepada. W ostatnich dniach jest jakaś plaga zmieniania terminu. Sam dostałem przez dwa dni już trzy SMSy ze zmianą terminu.”	“How are older people supposed to get vaccinated, if even if someone helps them register, then the deadline is changed several times and the notification comes via SMS, which not every elderly person can read? Then the deadline is lost. In the last days, there is a plague of changing the date. For two days I have already received three SMSes with the rescheduling.”
				„Dlaczego bijemy kolejne rekordy śmiertelności na Covid-19? Min. z powodu głupiej i bezdusznej polityki szczepień. Mądre kraje szczepią w pierwszej kolejności najbardziej narażonych najstarszych. U nas szczepieni są o wiele liczniej młodzi, kosztem najstarszych. https://t.co/4fqdb8YImL ”	“Why are we breaking new records for Covid-19 mortality? For example, because of a stupid and heartless vaccination policy. Wise countries vaccinate the most vulnerable first. In our country, the young are vaccinated much more often, at the expense of the oldest. https://t.co/4fqdb8YImL ”
1.3. Location of vaccination	3,0 %	More vaccination points and closer to villages	„Od 25 maja wszystkie osoby z orzeczeniem o umiarkowanym stopniu niepełnosprawności będą mogły zaszczepić się w punktach szczepień powszechnych poza kolejką. W spotkaniu z @michaldworezyk brała udział również Prezes @Koalicja_na https://t.co/sF0nrOhZWF ”	“From 25 May, all persons with a certificate of moderate disability will be able to vaccinate at common vaccination centres outside the queue. The President of @Koalicja_na https://t.co/sF0nrOhZWF also participated in the meeting with @michaldworezyk”	
			„Mam 46 lat, jestem już zaszczepiony. Moja mama, lat 80, nie jest. Za pierwszym razem było za daleko, bo w miasteczku oddalonym o 160km. Za drugim razem było ok ale...nie dowieźli szczepionkę. Za trzecim razem była chora. Czekamy na czwarty termin.”	“I am 46 years old, I am already vaccinated. My mother, 80, is not. The first time was too far, because in a city 160 km away. The second time was ok, but ... they did not deliver vaccines. The third time was sick. We are waiting for the fourth date. ”	
1.4. Help and facilities from the government	9,1 %	Improvement logistic issues of moving vaccines between vaccination points	Mobile home vaccination teams	„RT @zych_jacek: #walbrzych osoby 60+ będą mogły zaszczepić się we własnym domu szczepionka Johnson&Johnson - zadeklarował prezydent Walbrzycha”	“RT @zych_jacek: #walbrzych people 60+ will be able to get vaccinated in their own home with the Johnson & Johnson vaccine - declared the president of Walbrzych”
			Assistance with registration and getting to the vaccination points	„RT @WalbrzychMM: Ruszamy z akcją szczepień domowych dla walbrzyszan 60+. Jeżeli jesteście Państwo taką osobą. lub znacie osobę, która chce która chce się zaszczepić w domu. dzwońcie: 74 664 09 09. Osoby takie będą szczepione jednodawkowym preparatem firmy Johnson & Johnson”	“RT @WalbrzychMM: We are starting a home vaccination campaign for the inhabitants of Walbrzych 60+. If you are such a person. or you know the person. who wants to get vaccinated at home. call: 74 664 09 09. Such persons will be vaccinated with a single-dose preparation of Johnson & Johnson ”
			„@JacekJaworskiGd @awa2501 @KasiakMarek @michaldworezyk Prawdą jest to co pisaaliśmy wyżej i powtarzamy to wielokrotnie. Z uwagi na zaburzenia dostaw niektóre terminy prewencyjne zostały przesunięte. Proponowane alokacje zmieniały się bardzo często. Dlatego konieczne było przesunięcie, które pozwoli na szczepienie w ramach ChPL”	“@JacekJaworskiGd @awa2501 @KasiakMarek @michaldworezyk It is true what we wrote above and we repeat it many times. Due to supply disruptions, some preventive deadlines have been postponed. The proposed allocations changed very frequently. Therefore, an offset was needed that would allow vaccination under the ChPL”	

TABLE 5. (Continued.) Determinants of vaccine uptake emerging from tweet topics along with examples of comments highly associated with the topics (original spelling).

2. Affordability	2.1. Price of additional services	6,1 %	Assistance with registration and getting to the vaccination points	„Może starszym trzeba pomóc w szybkim zarejestrowaniu się na szczepienie? Z jednego numeru tel można zapisać trzy osoby, w smartfonie szybko znaleźć punkt szczepień najwygodniejszy dla seniora. Po prostu, rozejrzeć się wokół i pomóc.”	"Maybe the elderly need help in quickly registering for vaccination? Three people can be registered from one phone number, and a smartphone can quickly find the most convenient vaccination point for a senior. Just take a look around and help."
			Mobile home vaccination teams	„Samorządy będą zobowiązane do nawiązania kontaktu z seniorami 70 + i rozmowę o szczepieniu przeciw #COVID19. Chętnych zaszczepi zespół wyjazdowy - mówi @michaldworczyk @szczepimysie https://t.co/CsYYwQubpJ "	"Local governments will be required to engage with 70+ seniors and talk about vaccination against # COVID19. The away team will vaccinate those willing - says @michaldworczyk @szczepimysie https://t.co/CsYYwQubpJ "
	2.2. Time costs	3,0 %	Lack of clear rules for the vaccination procedure	“@szczepimysie @KasiakMarek Moj maz miał juz dwukrotnie odwołane szczepienie”	"@szczepimysie @KasiakMarek My husband had his vaccination canceled twice"
				“@szczepimysie Witam. W jakim miejscu w Pabianicach ma się zarejestrować moja znajoma, która jest alergiczka i miała kiedyś wstrząs anafilaktyczny. Była już zarejestrowana na dzisiaj i poszła na szczepienie ale odmówiono jej szczepienia ze względu na ryzyko”	“@szczepimysie Hello. Where should my friend who is allergic and had an anaphylactic shock, register in Pabianice? She was already registered for today and went to be immunized but was refused vaccination due to risk"
3. Awareness	3.1. Availability of actual information	12,1 %	Low awareness of people of rural and remote areas	“@michaldworczyk @acosta_re_nata Trzeba zacząć docierać do małych gmin z akcją informacyjną i zmobilizować gminne ośrodki zdrowia oraz gminne ośrodki pomocy społecznej, żeby dotarli do ludzi 50+. Szczepienie na prowincji chyba nie jest tak bardzo popularne.”	"@michaldworczyk @acosta_re_nata We need to start reaching small municipalities with an information campaign and mobilize municipal health centres and municipal social welfare centres to reach people aged 50+. Vaccination in the provinces is probably not that popular."
				"(...) punkty szczepień szczególnie poza dużymi ośrodkami są trudniej dostępne i (...) kampania profrekwencyjna pojawia się tak późno."	"(...) vaccination points, especially outside large centres, are more difficult to access and (...) the turnout campaign appears so late."
			Volatility and inconsistency of information	“Szczepionkowy zawrót głowy. 17.05 z rana rejestruje młodego na szczepienie. Najbliższy wolny termin - 24 czerwca. Ok. Popołudniu w telewizorze ludzie z polikliniki mówią, że małe zainteresowanie i że są terminy na już. Piszę do nich i okazuje się, że terminów jednak nie ma. https://t.co/7YLioLnkA2 "	"Vaccine vertigo. At 17.05 in the morning, he registers the young for vaccination. The next available date - June 24. Ok. In the afternoon, on the TV, people from the polyclinic say that there is little interest and that there are deadlines already. I write to them and it turns out that there are no deadlines. https://t.co/7YLioLnkA2 "
				„Jak to jest, że 3 miesiące temu 'szczepionka' musiała być przewożona specjalnymi lodówkami w temperaturze -70 i użyta w ciągu kilku dni, a dzisiaj może leżeć miesiąc w lodówce. Odstępy w szczepieniu mogą mieć kilka tygodni, a tę samą osobę można szczepić różnymi wersjami?...??>?"	"How is it that 3 months ago the 'vaccine' had to be transported in special refrigerators at -70 and used within a few days, and today it can be stored in the refrigerator for a month. Vaccination intervals may be several weeks old and the same person can be vaccinated with different versions? ... ??>?"
Lack of transparency of information from the government	“@KlimczewskiPawel @OrdoMedicus @Facebook Czy wie Pan, że Ministerstwo Zdrowia odmówiło odpowiedzi na pytania lekarzy i naukowców o szczepionkę Covid-19. W przesłanej odpowiedzi nacelnik departamentu oświadczyła, że postawione pytania nie kwalifikują się.”	“@ KlimczewskiPawel @ OrdoMedicus @Facebook Do you know that the Ministry of Health has refused to answer the questions of doctors and scientists about the Covid-19 vaccine. In the reply sent, the head of department stated that the questions posed did not qualify. "			
Low quality of shared statistical data posted on the portal	„@PBasiukiewicz Trzeba by w analizie uwzględnić relacje zgonów do liczby szczepień w danym okresie i podziale na przedziały wiekowe różniące się prawdopodobieństwem zgonu z przyczyn innych niż szczepienie”	"@PBasiukiewicz The analysis would have to take into account the ratios of deaths to the number of vaccinations in a given period and the division into age groups that differ in the probability of dying for reasons other than vaccination"			

TABLE 5. (Continued.) Determinants of vaccine uptake emerging from tweet topics along with examples of comments highly associated with the topics (original spelling).

	3.2. Knowledge about vaccines	18,2 %	<p>Lack of reliable and in-depth knowledge about vaccine biological mechanisms</p> <p>„@Buster335 Szczepienie ozdrowieńców ma w ogóle sens? Z tego co mi się wydaje, to naturalnie wytworzona odporność jest lepsza, niż ta wywołana szczepionką. Były nawet na ten temat badania, chyba w Izraelu.”</p> <p>„RT @NiezalenyM: Senator Rand Paul oświadczył dziś, że nie przyjmie szczepionki dopóki nie udowodnią mu, że szczepienie jest lepsze niż naturalne przechorowanie”</p>	<p>“@ Buster335 Vaccinating convalescents makes sense at all? From what I think naturally produced immunity is better than vaccine induced immunity. There were even studies on it, probably in Israel.”</p> <p>“RT @NiezalenyM: Senator Rand Paul has stated today that he will not be vaccinated until proven to him that vaccination is better than natural disease.”</p>
			<p>Fear about long-term effects after vaccination</p> <p>“RT @maritosa1: "CDC bada dziesiątki zgłoszeń zapalenia serca u nastolatków i młodych dorosłych, które występują cztery dni po drugiej dawce”</p>	<p>“RT @ maritosa1:" The CDC is investigating dozens of reports of heart inflammation in adolescents and young adults that occur four days after the second dose "</p>
			<p>Lack of awareness about vaccine adverse reactions</p> <p>“RT @jzpinski: Przecież jest oczywiste, że będą zawsze wypadki iż szczepionka jednostkom zaszkodzi, a w skrajnym wypadku może spowodować zgon”</p>	<p>“RT @jzpinski: It is obvious, that there will always be accidents that the vaccine will harm individuals, and in extreme cases, it may cause death”</p>
			<p>Detailed knowledge about the effectiveness of vaccines</p> <p>“RT @SanofiPolska: Jaki jest poziom skuteczności szczepionek przeciwko #COVID19 w przypadku indyjskiej, a jaki w przypadku brytyjskiej mutacji?”</p>	<p>“RT @SanofiPolska: What is the effectiveness of the # COVID19 vaccines for the Indian vaccine, and the British mutation?”</p>
			<p>Lack of relevant information COVID mutations</p> <p>“RT @drhalat: Nowe badanie PHE mówi, że szczepionka AstraZeneca jest skuteczna tylko w 66%. Co się stało z „90% osób powyżej 65 roku życia”</p> <p>„RT @StarszyLeszek: @KotSzary Brak badań przesiewowych to jedno. Zasadniczym pytaniem jest to, jaki poziom przeciwciał zapobiega chorobie?”</p>	<p>“RT @drhalat: A new PHE study says AstraZeneca is only 66% effective. What Happened to "90% of People Over 65" ”</p> <p>“RT @StarszyLeszek: @KotSzary No screening tests are one thing. The key question is what antibody levels are preventing disease?”</p>
			<p>The need to collect and study data on vaccine side effects</p> <p>“RT @KreplewiczRoman: Dla myślących inaczej....Nie ma czegoś takiego jak szczepionka przeciw koronawirusowa. A dla czego ? BO WIRUS MUTUJE.”</p> <p>“RT @PBeatap: 59-letnia kobieta ze Szkocji zmarła 48 godzin po zastrzyku AstraZeneca. Otrzymała drugą dawkę eksperymentalnego wektora wirusowego. Dlaczego się tego nie bada???”</p>	<p>“RT @KreplewiczRoman: For those who think differently There is no such thing as a coronavirus vaccine. And for what? BECAUSE THE VIRUS MUTES.”</p> <p>“RT @PBeatap: A 59-year-old female from Scotland died 48 hours after an AstraZeneca injection. She received a second dose of the experimental viral vector. Why is it not tested ??? ”</p>
	3.3. Consideration of the vaccination and its side effects	6,1 %	<p>Fear caused by the increased number of deaths after vaccination</p> <p>“@zdyrman1 @gig2404 Po Pfizerze wczoraj zmarła mama mojej koleżanki. Trzy tyg. po drugiej dawce. Już po pierwszej wystąpił ból brzucha, kręgosłupa, gorączka. Zmarła wczoraj rano, córce na rękach. Wydzielina krwi i płynu z jamy ustnej i z płuc. Masakra.”</p> <p>“@AlicjaJesz Jak nie było w sieci NAWET informacji od osób bliskich tym, którzy ciężko przechodzili tzw. covid(nie liczę celebrowidiotów), tak teraz co i rusz pojawiają się w sieci dziesiątki doniesień o ZGONACH bliskich, znajomych po podaniu eksperymentalnego preparatu!”</p> <p>„RT @Michali49393358: Zmarła 34-letnia Kalina Mróz, dziennikarka "Gazety Wyborczej". 8 maja pisała o swojej ciężkiej reakcji na szczepionkę”</p>	<p>„@ zdyrman1 @ gig2404 After Pfizer, my friend's mom passed away yesterday. Three weeks after the second dose. Already after the first, there was a pain in the abdomen, spine and fever. She died yesterday morning with her daughter in her arms. Discharge of blood and fluid from the mouth and lungs. Massacre.”</p> <p>“@AlicjaJesz As there was no information on the network EVEN from people close to those who had a hard time going through the so-called covid (I do not count celebrowidiot), so now dozens of reports about the DEATH of loved ones, friends after administering an experimental preparation appear on the web now and then!”</p> <p>“RT @ Michali49393358: 34-year-old Kalina Mróz, journalist of" Gazeta Wyborcza "has passed away. On May 8, she wrote about her severe reaction to the vaccine "</p>
			<p>Concerns of health risks vs usefulness of vaccination</p> <p>“@OsieckaNguyet @Magorza84783552 @MagdaCDN Moja kuzynka zachorowała na covid po pierwszej dawce, lekarz zalecił przesunąć szczepienie drugą dawką. Takich osób jest dużo, wiele z nich nie odwołuje szczepienia. Nie wiem czy system ich widzi”</p>	<p>“@OsieckaNguyet @ Magorza84783552 @MagdaCDN My cousin got covid after the first dose, the doctor recommended that the vaccination be delayed with the second dose. There are many such people, many of them do not cancel their vaccination. I don't know if the system sees them "</p>
	3.4. Knowledge of the vaccination schedule	3,0 %	<p>Vaccination schedule issues</p> <p>“RT @Dawid95001263: Jest 18.05, jesteśmy bliżej końca niż początku Maja, a wiecie co xd? Dalej nie ma opublikowanego harmonogramu dostaw szczepień!”</p>	<p>“RT @ Dawid95001263: It's 18.05, we're closer to the end than the beginning of May, and you know what xd? There is still no published vaccination delivery schedule!”</p>

TABLE 5. (Continued.) Determinants of vaccine uptake emerging from tweet topics along with examples of comments highly associated with the topics (original spelling).

4. Acceptance	4.1. Perceived vaccine safety	9,1 %	Mistrust of vaccination safety due to severe effects and mortality after vaccination	<p>„RT @literka1: Szok!- spojrzcie ☹️"Ponad 84 tys. osób zakazilo się koronawirusem już po szczepieniu – wynika z najnowszych danych Ministerstwa”</p> <p>„RT @ChopAntoni1: Loteria dla zaszczepionych? Zdziwieni? Przecież samo szczepienie to loteria. Albo przeżyjesz, albo nie”</p> <p>„RT @Spychacz2: Brytyjka zmarła w wyniku „incydentu związanego z krzepnięciem krwi” po wstrzyknięciu AstraZeneca!! ☹️ Thank you very much Liz.”</p>	<p>"RT @ literka1: Shock! - look ☹️" Over 84,000 people contracted the coronavirus after vaccination, according to the latest data from the Ministry.”</p> <p>”RT @ ChopAntoni1: Lottery for the vaccinated? Surprised? After all, vaccination itself is a lottery. Either you will live or you will not!"</p> <p>“RT @ Spychacz2: British girl died from "blood clotting incident" after injecting AstraZeneca !! ☹️ Thank you very much Liz.”</p>
			Fake medical news and disinformation on Covid-19 vaccines	<p>Liz.”</p> <p>“Zwierzęta umierają po zaszczepieniu szczepionką przeciwko Covid19... A co dopiero ludzie? Jackowski słynny polski jasnowidz mówi że w swoich wizjach widzi dużo ślepych ludzi!!! https://t.co/UjLFuJrT7”</p> <p>„RT @maritosa1: Fizyk i kardiolog nuklearny dr. #RichardFleming: "Covid-19 i szczepienia Covid to sztuczna broń biologiczna”</p>	<p>“Animals die after being vaccinated with the Covid19 vaccine ... What about humans? Jackowski, the famous Polish clairvoyant, says that he sees a lot of blind people in his visions !!! https://t.co/UjLFuJrT7”</p> <p>”RT @ maritosa1: Nuclear physicist and cardiologist Dr. #RichardFleming: "Covid-19 and Covid Vaccinations are an artificial biological weapon”</p>
			Fearing about long-term effects after vaccination	<p>“@MichaZienkiewi1 @PBasiukiewicz Tego nikt nie wie jaki, i czy w ogóle, wpływ może mieć szczepionka na ludzki organizm w długiej perspektywie. Szczepieni są testerami.”</p> <p>“Zarówno długofalowe skutki po szczepieniu jak i po Covid są nieznanne”</p>	<p>“@ MichaZienkiewi1 @PBasiukiewicz Nobody knows what, or if at all, the impact of a vaccine on the human body in the long term. The vaccinated are testers.”</p> <p>”Both the long-term effects after vaccination and after Covid are unknown.”</p>
4.2. Perceived vaccine efficacy	6,1 %	Lack of trust in the vaccine due to the short testing period	<p>“@feirpatak @ann56502906 @BettyElaWhite Moim argumentem jest oświadczenie w grudniu ub.roku Europejskiej Agencji Leków, że szczepionka Pfizer została dopuszczona do stosowania WARUNKOWO ponieważ badania trwają i zakończą się w 2023 r”</p>	<p>” @feirpatak @ ann56502906 @BettyElaWhite My argument is the statement in December last year by the European Medicines Agency that the Pfizer vaccine was CONDITIONALLY approved because the research is ongoing and will end in 2023”</p>	
		Low perception of the population against the effectiveness of vaccines	<p>“@PBasiukiewicz Panie Doktorze dlaczego nie analizuje się systemu immunologicznego tych, którzy "gładko" przechodzą covid do tych którzy sobie nie radzą? Takie porównanie dałoby odpowiedź co organizm potrzebuje, jakich witamin, substancji, aby być odpornym. Tak powinna wyglądać walka z wirusem”</p>	<p>“@PBasiukiewicz Doctor why is the immune system not analyzed of those who pass covid "smoothly" to those who cannot cope? Such a comparison would answer what the body needs, what vitamins, substances to be resistant to. This is how the fight against the virus should look like”</p>	
5. Activation	5.1. Prompts and reminders	3,0 %	<p>The need for direct (or telephone) contact with seniors for vaccination</p> <p>Lack of contextualization advertising</p>	<p>“@marko_karolina @wszczeklik @FinancialTimes Jeśli chodzi o 60+ to bezpośredni kontakt z POZ i zaproszenie na szczepienie rozwiązałyby problem. Jeśli chodzi o 60- to sprawa jest raczej przegrana.”</p> <p>“Szczepionka to nie jogurt, a trochę tak próbuje się to reklamować?? #szczepimysię”</p>	<p>“@marko_karolina @wszczeklik @FinancialTimes When it comes to 60+, direct contact with POZ and an invitation to vaccinate would solve the problem. As for the 60's, the case is rather lost.”</p> <p>“The vaccine isn't yogurt, but that's a bit how it's advertised?? #szczepimysię”</p>
	5.2. Workplace policies	3,0 %	<p>The idea of compulsory vaccination</p>	<p>“Samorządowcy apelują o obowiązkowe szczepienia. List do rządu https://t.co/35nrAPetGd”</p>	<p>”Local government officials are calling for compulsory vaccinations. Letter to the government https://t.co/35nrAPetGd”</p>
	5.3. Incentives	6,1 %	Lottery and Covid certificates	<p>“Rząd kombinuje i przedstawia różne pomysły, by zachęcić Polaków do szczepienia się przeciw Covid-19. Jednym z nich ma być loteria dla osób zaszczepionych. Loteria przygotowywana jest wraz z Totalizatorem Sportowym.https://t.co/LN94idUg4w”</p>	<p>“The government is combining and presenting various ideas to encourage Poles to vaccinate against Covid-19. One of them is to be a lottery for vaccinated people. The lottery is being prepared together with Totalizator Sportowy.https://t.co/LN94idUg4w”</p>
			Development of incentive measures for vaccination	<p>„Bawi mnie fakt, że Uber zachęca do szczepień i oferuje mi kod zniżkowy na dojazd do punktu, bo jak jechałam z chłopem na jego szczepienie kierowca Ubera zamilkł kiedy usłyszał gdzie jedziemy, chociaż był bardzo rozmowny jeszcze chwilę wcześniej xD”</p>	<p>”I am amused by the fact that Uber encourages vaccinations and offers me a discount code to get to the point, because when I was going with the peasant for his vaccination, the Uber driver fell silent when he heard where we were going, although he was very talkative a moment earlier xD”</p>
6. Assurance	6.1. Protection	3,0 %	Discrimination against people, who are not vaccinated	<p>“@JeremiW_Gdansk @MarcinRola89 ubezpieczenie na życie podobno nie obejmuje śmierci na covid.”</p> <p>„Chory na gruźlicę nie może być</p>	<p>”@JeremiW_Gdansk @ MarcinRola89 life insurance reportedly does not cover death from covid.”</p> <p>”A person with tuberculosis cannot be</p>

TABLE 5. (Continued.) Determinants of vaccine uptake emerging from tweet topics along with examples of comments highly associated with the topics (original spelling).

				kucharzem, więc niezaszczepiony przeciw Covid powinien również mieć ograniczony dostęp do pewnych funkcji. No brawo, geniusze w rządzie, geniusze wszędzie https://t.co/H53Sw6KPue "	a cook, so an unvaccinated person against Covid should also have limited access to certain functions. Well done, geniuses in government, geniuses everywhere https://t.co/H53Sw6KPue "
				„RT @KonradBerkowicz: Doradca premiera, który proponuje godzinę policyjną i zakaz przemieszczania się dla niezaszczepionych”	"RT @KonradBerkowicz: Advisor to the prime minister who proposes a curfew and a travel ban for the unvaccinated"
	6.2. Insurance	6,1 %	Lack of insurance for the severe vaccine adverse reactions	“@MariaLe85219860 @iga_swiatek Szczepionka „odpowiednio silna”? Są mniej silne i bardziej silne? Może, jeszcze powiesz, że szczepionka chroni przed zachorowaniem, przeszła pełen termin testów oraz, że ubezpieczalnie wypłacą odszkodowania? https://t.co/Kz1Tygjz1V ”	“@ MariaLe85219860 @iga_swiatek "Vaccine" strong enough"? Are they less strong and more strong? Maybe you will also say that the vaccine protects you from getting sick, has passed the full test date and that the insurance companies will pay you compensation? https://t.co/Kz1Tygjz1V ”
„RT @Laurunia3: W razie śmierci twoja rodzina nie dostanie odszkodowania - Szczepienia na Covid-19 nie objęte ubezpieczeniami”				"RT @ Laurunia3: In the event of death, your family will not be compensated - Vaccinations against Covid-19 not covered by insurance"	
„Co z Funduszem Kompensacyjnych dla tych co mają powikłania poszczepienne czyli NOPy? co nie ma bo wychodzi że za dużo trzeba by wyłożyć, bo tyle tego będzie w przyszłości?”			"What about the Compensation Fund for those who have vaccine complications, i.e. NOPs? what is not because it comes out that too much would have to be put into place, because so much will be in the future?"		
			The need for preliminary medical tests before vaccination	“@Tomasz_Obremski Mama miała choroby: nadciśnienie, chorobę wieńcową NYHA, przebyty bezobjawowo zawał, uchyłkowatość jelita grubego. Żaden z lekarzy nie odradzał i nie widział przeciwwskazań do szczepienia. Zachęcający do szczepień mają krew na rękach.”	“@Tomasz_Obremski My mother had diseases: hypertension, NYHA coronary disease, a history of asymptomatic infarction, colon diverticulosis. None of the doctors advised against and saw any contraindications to vaccination. They have blood on their hands to encourage vaccinations."

Note: Topics marked in red are characterized by negative sentiment.

Three main themes emerged in this dimension: (i) discrimination against people who are not vaccinated, (ii) lack of insurance for severe vaccine adverse reactions, (iii) the need for preliminary medical tests before vaccination. The first of these created the *Protection* determinant, which includes comments presenting a wide range of discrimination against unvaccinated people (e.g. a curfew and travel ban for the unvaccinated, etc.). According to the public health principle of least harm to achieve a public health goal, policymakers should implement the option that least impairs individual liberties [43]. The next two topics were labeled *Insurance*. In this group of tweets, there were threads related to the lack of compensation in the case of death related to the Covid-19 vaccination, and insurance in the event of vaccine complications. The necessity of testing people before the vaccination itself was also indicated to diagnose possible contraindications and eliminate post-vaccination complications.

Taking action in the scope described above would certainly increase confidence and contribute to increased vaccine uptake in the population. [37] examined whether compensation can significantly increase Covid-19 vaccine demand. The results showed that, for vaccines, compensation needs to be high enough because low compensation can backfire.

V. CONCLUSION

The goal of this study was to determine whether the five dimensions (5As) of *Access, Affordability, Awareness, Acceptance* and *Activation* could correctly cover and organize all the determinants identified from tweets regarding Covid-19 vaccine uptake. This study proved: (i) the existence of a further sixth dimension, labeled *Assurance*; (ii) a preliminary proof-of-concept of the 6As; (iii) the usability and importance of textual data from public discussions in identifying and classifying the different determinants of vaccine uptake. Besides the above-mentioned contributions of this research, another added value to the theory and literature is also the development of the bottom-up methodology used during data analysis.

The empirical part of the present study showed that opinions expressed on social media, i.e. Twitter, constitute a valuable source of data. Knowledge hidden in this information and the discovered relationships should help design immunization campaigns in such a way as to fulfil the suggested needs of citizens and allay their fears as well. Policymakers need to design a well-researched immunization strategy to remove vaccination obstacles, false rumors, and misconceptions regarding the Covid-19 vaccines. Thus, the knowledge

of determinants influencing Covid-19 vaccine acceptance can help to create communication strategies that are much needed to strengthen trust in government and health authorities. The study recognized that those interested in vaccination pay the greatest attention to the determinants in the area of *Awareness* and *Acceptance*. For this reason, the promotion of broad and detailed information regarding the vaccines and their side effects, safety and efficacy becomes a key direction in favor of Covid-19 vaccine uptake.

In summary, knowledge about why people avoid the Covid-19 vaccination and which problems could act as obstacles during the immunization process may help government agencies, officials, and other authorities to (i) develop guidance for policies of immunization programs, (ii) create preventative measures against vaccine avoidance, (iii) increase public information campaigns designed to raise confidence in the effectiveness and safety of the vaccine, and finally (iv) design more tailored activities to increase the overall level of vaccine uptake in the population.

However, the present study bears several limitations. First, this research focuses on the discussion via the Twitter platform and includes a short data retrieval period. Data that were collected and reported here are only a snapshot taken at an arbitrarily chosen point in time. These data were scraped in a highly changing environment of social media, with dynamic daily volatility in the perceived threat of the Covid-19 disease and issues of vaccines. Second, the study was narrowed down to only one country. Therefore, a generalization of results is difficult and it can be assumed that other threads may appear on social media discussions depending on the temporal and geographical scope of the study. Third, the study deliberately omitted the performance of a sentiment analysis of tweet data as this was not included in the purpose of the paper. In future, it is worth focusing on a task categorizing tweets for each topic into negative, neutral and positive.

Nevertheless, the 6As taxonomy successfully captured all the determinants of Covid-19 vaccine uptake. Thus, future research may use this taxonomy to structure, classify and compare the significance of each of the 6As in explaining the immunization gap for different vaccines.

In future research, a literature review could also be conducted to reveal current implementation strategies for Covid-19 vaccine promotion and to map them to the 6As framework identified in this study in order to determine gaps in recent research.

APPENDIX

See Table 5.

REFERENCES

- [1] A. Thomson, K. Robinson, and G. Vallée-Tourangeau, "The 5As: A practical taxonomy for the determinants of vaccine uptake," *Vaccine*, vol. 34, no. 8, pp. 1018–1024, Feb. 2016, doi: [10.1016/j.vaccine.2015.11.065](https://doi.org/10.1016/j.vaccine.2015.11.065).
- [2] L. M. Gargano, J. E. Painter, J. M. Sales, C. Morfaw, L. M. Jones, D. Murray, G. M. Wingood, R. J. DiClemente, and J. M. Hughes, "Seasonal and 2009 H1N1 influenza vaccine uptake, predictors of vaccination, and self-reported barriers to vaccination among secondary school teachers and staff," *Hum. Vaccines*, vol. 7, no. 1, pp. 89–95, Jan. 2011, doi: [10.4161/hv.7.1.13460](https://doi.org/10.4161/hv.7.1.13460).
- [3] L. Ward and J. Draper, "A review of the factors involved in older people's decision making with regard to influenza vaccination: A literature review," *J. Clin. Nursing*, vol. 17, no. 1, Mar. 2007, Art. no. 070621074500046, doi: [10.1111/j.1365-2702.2006.01861.x](https://doi.org/10.1111/j.1365-2702.2006.01861.x).
- [4] J. Crocker, G. Porter-Jones, A. McGowan, R. J. Roberts, and S. Cottrell, "Teenage booster vaccine: Factors affecting uptake," *J. Public Health*, vol. 34, no. 4, pp. 498–504, Dec. 2012, doi: [10.1093/pubmed/fds047](https://doi.org/10.1093/pubmed/fds047).
- [5] H. J. Larson, C. Jarrett, E. Eckersberger, D. M. D. Smith, and P. Paterson, "Understanding vaccine hesitancy around vaccines and vaccination from a global perspective: A systematic review of published literature, 2007–2012," *Vaccine*, vol. 32, no. 19, pp. 2150–2159, Apr. 2014.
- [6] OurWorldInData. *Global Change Data Lab*. England. Accessed: Jul. 4, 2021. [Online]. Available: <https://ourworldindata.org/covid-vaccinations>
- [7] K. Kadkhoda, "Herd immunity to COVID-19," *Amer. J. Clin. Pathol.*, vol. 155, no. 4, pp. 471–472, Mar. 2021, doi: [10.1093/ajcp/aqaa272](https://doi.org/10.1093/ajcp/aqaa272).
- [8] H. E. Randolph and L. B. Barreiro, "Herd immunity: Understanding COVID-19," *Immunity*, vol. 52, no. 5, pp. 737–741, May 2020.
- [9] E. A. Iboi, C. N. Ngonghala, and A. B. Gumel, "Will an imperfect vaccine curtail the COVID-19 pandemic in the US?" *Infectious Disease Model.*, vol. 6, pp. 510–524, Aug. 2020.
- [10] S. B. Omer, I. Yildirim, and H. P. Forman, "Herd immunity and implications for SARS-CoV-2 control," *J. Amer. Med. Assoc.*, vol. 324, no. 20, pp. 2095–2096, Oct. 19, 2020.
- [11] B. Hickler, S. Guirguis, and R. Obregon, "Vaccine special issue on vaccine hesitancy," *Vaccine*, vol. 33, no. 34, pp. 4155–4156, Aug. 2015, doi: [10.1016/j.vaccine.2015.04.034](https://doi.org/10.1016/j.vaccine.2015.04.034).
- [12] M. Babicki and A. Mastalerz-Migas, "Attitudes toward vaccination against COVID-19 in Poland. A longitudinal study performed before and two months after the commencement of the population vaccination programme in Poland," *Vaccines*, vol. 9, no. 5, p. 503, May 2021, doi: [10.3390/vaccines9050503](https://doi.org/10.3390/vaccines9050503).
- [13] M. Sallam, "COVID-19 vaccine hesitancy worldwide: A concise systematic review of vaccine acceptance rates," *Vaccines*, vol. 9, no. 2, p. 160, Feb. 2021, doi: [10.3390/vaccines9020160](https://doi.org/10.3390/vaccines9020160).
- [14] C. Lin, P. Tu, and L. M. Beitsch, "Confidence and receptivity for COVID-19 vaccines: A rapid systematic review," *Vaccines*, vol. 20, pp. 9–16, Dec. 2021.
- [15] A. A. Malik, S. M. McFadden, J. Elharake, and S. B. Omer, "Determinants of COVID-19 vaccine acceptance in the US," *EclinicalMedicine*, vol. 26, Sep. 2020, Art. no. 100495, doi: [10.1016/j.eclim.2020.100495](https://doi.org/10.1016/j.eclim.2020.100495).
- [16] F. Yin, Z. Wu, X. Xia, M. Ji, Y. Wang, and Z. Hu, "Unfolding the determinants of COVID-19 vaccine acceptance in China," *J. Med. Internet Res.*, vol. 23, no. 1, Jan. 2021, Art. no. e26089.
- [17] M. Al-Mohaithef and B. K. Padhi, "Determinants of COVID-19 vaccine acceptance in Saudi Arabia: A web-based national survey," *J. Multidisciplinary Healthcare*, vol. 13, pp. 1657–1663, Nov. 2020, doi: [10.2147/JMDH.S276771](https://doi.org/10.2147/JMDH.S276771).
- [18] V. D. Tran, T. V. Pak, E. I. Gribkova, G. A. Galkina, E. E. Loskutova, V. V. Dorofeeva, R. S. Dewey, K. T. Nguyen, and D. T. Pham, "Determinants of COVID-19 vaccine acceptance in a high infection-rate country: A cross-sectional study in Russia," *Pharmacy Pract.*, vol. 19, no. 1, p. 2276, Mar. 2021, doi: [10.18549/PharmPract.2021.1.2276](https://doi.org/10.18549/PharmPract.2021.1.2276).
- [19] K. Viswanath, M. Bekalu, D. Dhawan, R. Pinnamaneni, J. Lang, and R. McCloud, "Individual and social determinants of COVID-19 vaccine uptake," *BMC Public Health*, vol. 21, no. 1, pp. 1–10, Apr. 2021.
- [20] M. Schwarzingler, V. Watson, P. Arwidson, F. Alla, and S. Luchini, "COVID-19 vaccine hesitancy in a representative working-age population in france: A survey experiment based on vaccine characteristics," *Lancet Public Health*, vol. 6, no. 4, pp. e210–e221, Apr. 2021.
- [21] L. Thunström, M. Ashworth, D. Finnoff, and S. C. Newbold, "Hesitancy toward a COVID-19 vaccine," *EcoHealth*, vol. 18, no. 1, pp. 44–60, Mar. 2021, doi: [10.1007/s10393-021-01524-0](https://doi.org/10.1007/s10393-021-01524-0).
- [22] L. Halliday, J. A. Thomson, L. Roberts, S. Bowen, and C. Mead, "Influenza vaccination of staff in aged care facilities in the ACT: How can we improve the uptake of influenza vaccine?" *Austral. New Zealand J. Public Health*, vol. 27, no. 1, pp. 70–75, Feb. 2003, doi: [10.1111/j.1467-842X.2003.tb00383.x](https://doi.org/10.1111/j.1467-842X.2003.tb00383.x).
- [23] C. S. Ambrose and F. Sifakis, "Factors associated with increased vaccination in 2009 H1N1 school-located influenza vaccination programs," *Hum. Vaccines*, vol. 7, no. 8, pp. 864–867, Aug. 2011, doi: [10.4161/hv.7.8.16281](https://doi.org/10.4161/hv.7.8.16281).

- [24] K. Hamilton-West, "Factors influencing MMR vaccination decisions following a mumps outbreak on a university campus," *Vaccine*, vol. 24, pp. 5183–5191, Apr. 2006, doi: [10.1016/j.vaccine.2006.03.084](https://doi.org/10.1016/j.vaccine.2006.03.084).
- [25] J. Smedley, J. Poole, E. Waclawski, A. Stevens, J. Harrison, J. Watson, A. Hayward, and D. Coggon, "Influenza immunisation: Attitudes and beliefs of U.K. Healthcare workers," *Occupational Environ. Med.*, vol. 64, no. 4, pp. 223–227, Dec. 2006, doi: [10.1136/oem.2005.023564](https://doi.org/10.1136/oem.2005.023564).
- [26] J. Zhang, A. E. While, and I. J. Norman, "Nurses' knowledge and risk perception towards seasonal influenza and vaccination and their vaccination behaviours: A cross-sectional survey," *Int. J. Nursing Stud.*, vol. 48, no. 10, pp. 1281–1289, Oct. 2011, doi: [10.1016/j.ijnurstu.2011.03.002](https://doi.org/10.1016/j.ijnurstu.2011.03.002).
- [27] M. V. Holm, P. R. Blank, and T. D. Szucs, "Developments in influenza vaccination coverage in England, Scotland and Wales covering five consecutive seasons from 2001 to 2006," *Vaccine*, vol. 25, no. 46, pp. 7931–7938, Nov. 2007, doi: [10.1016/j.vaccine.2007.09.022](https://doi.org/10.1016/j.vaccine.2007.09.022).
- [28] S. Kumar, S. C. Quinn, K. H. Kim, D. Musa, K. M. Hilyard, and V. S. Freimuth, "The social ecological model as a framework for determinants of 2009 H1N1 influenza vaccine uptake in the United States," *Health Educ. Behav.*, vol. 39, no. 2, pp. 229–243, Apr. 2012, doi: [10.1177/1090198111415105](https://doi.org/10.1177/1090198111415105).
- [29] L. C. Karlsson, A. Soveri, S. Lewandowsky, L. Karlsson, H. Karlsson, S. Nolvi, M. Karukivi, M. Lindfeldt, and J. Antfolk, "Fearing the disease or the vaccine: The case of COVID-19," *Personality Individual Differences*, vol. 172, Apr. 2021, Art. no. 110590, doi: [10.1016/j.paid.2020.110590](https://doi.org/10.1016/j.paid.2020.110590).
- [30] P. W. Horby, A. Williams, M. A. Burgess, and H. Wang, "Prevalence and determinants of influenza vaccination in Australians aged 40 years and over—A national survey," *Austral. New Zealand J. Public Health*, vol. 29, no. 1, pp. 35–37, Feb. 2005, doi: [10.1111/j.1467-842X.2005.tb00745.x](https://doi.org/10.1111/j.1467-842X.2005.tb00745.x).
- [31] H. Tewarson, K. Greene, and M. R. Fraser, "State strategies for addressing barriers during the early US COVID-19 vaccination campaign," *Amer. J. Public Health*, vol. 111, no. 6, pp. 1073–1077, Jun. 2021, doi: [10.2105/AJPH.2021.306241](https://doi.org/10.2105/AJPH.2021.306241).
- [32] R. A. Burgess, R. H. Osborne, K. A. Yongabi, T. Greenhalgh, D. Gurdasani, G. Kang, A. G. Falade, A. Odore, R. Bussé, J. M. Martin-Moreno, and S. Reicher, "The COVID-19 vaccines rush: Participatory community engagement matters more than ever," *Lancet*, vol. 397, no. 10268, pp. 8–10, Jan. 2021, doi: [10.1016/S0140-6736\(20\)32642-8](https://doi.org/10.1016/S0140-6736(20)32642-8).
- [33] P. Blank, M. Schwenkglens, and T. D. Szucs, "The impact of European vaccination policies on seasonal influenza vaccination coverage rates in the elderly," *Hum. Vaccines Immunotherapeutics*, vol. 8, no. 3, pp. 328–335, Mar. 2012, doi: [10.4161/hv.18629](https://doi.org/10.4161/hv.18629).
- [34] N. Rizun, M. Ciesielska, and A. Baj-Rogowska, "Side effects of national immunization program: E-governance support toward elders' digital inclusion," in *Proc. Int. Conf. Syst. Sci. (HICSS)*, Honolulu, HI, USA, 2022.
- [35] S. Kreps, N. Dasgupta, J. S. Brownstein, Y. Hswen, and D. L. Kriner, "Public attitudes toward COVID-19 vaccination: The role of vaccine attributes, incentives, and misinformation," *NPJ Vaccines*, vol. 6, no. 1, pp. 1–7, May 2021.
- [36] E. A. Largent and F. G. Miller, "Problems with paying people to be vaccinated against COVID-19," *J. Amer. Med. Assoc.*, vol. 325, no. 6, pp. 534–535, Jan. 2021.
- [37] M. Serra-Garcia and N. Szech, "Choice architecture and incentives increase COVID-19 vaccine intentions and test demand," *Wissenschaftszentrum Berlin für Sozialforschung gGmbH, Berlin, Germany*, Tech. Rep. SSRN 3818182, Apr. 2021.
- [38] E. A. Largent, G. Persad, S. Sengenito, A. Glickman, C. Boyle, and E. J. Emanuel, "US public attitudes toward COVID-19 vaccine mandates," *JAMA Netw. Open*, vol. 3, no. 12, Dec. 2020, Art. no. e2033324, doi: [10.1001/jamanetworkopen.2020.33324](https://doi.org/10.1001/jamanetworkopen.2020.33324).
- [39] K. G. Volpp, G. Loewenstein, and A. M. Buttenheim, "Behaviorally informed strategies for a national COVID-19 vaccine promotion program," *J. Amer. Med. Assoc.*, vol. 325, pp. 125–126, Dec. 2020, doi: [10.1001/jama.2020.24036](https://doi.org/10.1001/jama.2020.24036).
- [40] M. Malesza and M. Bozym, "Factors influencing COVID-19 vaccination uptake in an elderly sample in Poland," *MedRxiv*, pp. 1–19, Mar. 2021. [Online]. Available: <https://www.medrxiv.org/content/10.1101/2021.03.21.21254047v1.full.pdf>, doi: [10.1101/2021.03.21.21254047](https://doi.org/10.1101/2021.03.21.21254047).
- [41] W. Y. S. Chou and A. Budenz, "Considering emotion in COVID-19 vaccine communication: Addressing vaccine hesitancy and fostering vaccine confidence," *Health Commun.*, vol. 35, no. 14, pp. 1718–1722, Oct. 2020, doi: [10.1080/10410236.2020.1838096](https://doi.org/10.1080/10410236.2020.1838096).
- [42] J. V. Lazarus, S. C. Ratzan, A. Palayew, L. O. Gostin, H. J. Larson, K. Rabin, S. Kimball, and A. El-Mohandes, "A global survey of potential acceptance of a COVID-19 vaccine," *Nature Med.*, vol. 27, no. 2, pp. 225–228, Feb. 2021, doi: [10.1038/s41591-020-1124-9](https://doi.org/10.1038/s41591-020-1124-9).
- [43] T. Osama, M. S. Razai, and A. Majeed, "COVID-19 vaccine passports: Access, equity, and ethics," *Brit. Med. Assoc.*, vol. 2021, p. n861, Apr. 2021, doi: [10.1136/bmj.n861](https://doi.org/10.1136/bmj.n861).
- [44] M. Ciesielska, N. Rizun, and J. Chabik, "Assessment framework of E government inclusion policies toward seniors," *Telecommun. Policy*, Tech. Rep., 2022.
- [45] Provalis Research. (2021). *ProSuite*. Canada. [Online]. Available: <https://provalisresearch.com/products/qualitative-data-analysis-software/>
- [46] N. S. Sattar and S. Arifuzzaman, "COVID-19 vaccination awareness and aftermath: Public sentiment analysis on Twitter data and vaccinated population prediction in the USA," *Appl. Sci.*, vol. 11, no. 13, p. 6128, Jun. 2021, doi: [10.3390/app11136128](https://doi.org/10.3390/app11136128).
- [47] J. Xue, J. Chen, R. Hu, C. Chen, C. Zheng, Y. Su, and T. Zhu, "Twitter discussions and emotions about the COVID-19 pandemic: Machine learning approach," *J. Med. Internet Res.*, vol. 22, no. 11, Nov. 2020, Art. no. e20550, doi: [10.2196/20550](https://doi.org/10.2196/20550).
- [48] F. Eibensteiner, V. Ritschl, F. A. Nawaz, S. S. Fazel, C. Tsagkaris, S. T. Kulnik, R. Crutzen, E. Klager, S. Völk-Kernstock, E. Schaden, M. Kletecka-Pulker, H. Willschke, and A. G. Atanasov, "People's willingness to vaccinate against COVID-19 despite their safety concerns: Twitter poll analysis," *J. Med. Internet Res.*, vol. 23, no. 4, Apr. 2021, Art. no. e28973, doi: [10.2196/28973](https://doi.org/10.2196/28973).
- [49] J. C. Lyu, E. L. Han, and G. K. Luli, "COVID-19 vaccine-related discussion on Twitter: Topic modeling and sentiment analysis," *J. Med. Internet Res.*, vol. 23, no. 6, Jun. 2021, Art. no. e24435, doi: [10.2196/24435](https://doi.org/10.2196/24435).
- [50] A. C. Sanders, R. C. White, L. S. Severson, R. Ma, R. McQueen, H. C. A. Paulo, Y. Zhang, J. S. Erickson, and K. P. Bennett, "Unmasking the conversation on masks: Natural language processing for topical sentiment analysis of COVID-19 Twitter discourse," *MedRxiv*, Mar. 2021. [Online]. Available: <https://www.medrxiv.org/content/medrxiv/early/2021/03/20/2020.08.28.20183863.full.pdf>, doi: [10.1101/2020.08.28.20183863](https://doi.org/10.1101/2020.08.28.20183863).
- [51] V. Stojkoski, Z. Utkovski, P. Jolakoski, D. Tevdovski, and L. Kocarev, "The socio-economic determinants of the coronavirus disease (COVID-19) pandemic," *MedRxiv*, Apr. 2020. [Online]. Available: <https://www.medrxiv.org/content/10.1101/2020.04.15.20066068v1.full-text>, doi: [10.2139/ssrn.3576037](https://doi.org/10.2139/ssrn.3576037).
- [52] S. Liu and J. Liu, "Understanding behavioral intentions toward COVID-19 vaccines: Theory-based content analysis of tweets," *J. Med. Internet Res.*, vol. 23, no. 5, May 2021, Art. no. e28118, doi: [10.2196/28118](https://doi.org/10.2196/28118).
- [53] J. Tomaszczyk, "Taksonomia jako narzędzie organizacji informacji," *Zagadnienia Informatyki Naukowej*, Wydawnictwo Uniwersytetu Śląskiego, Katowice, Poland, Tech. Rep., 2007, pp. 40–49.



ANNA BAJ-ROGOWSKA received the Ph.D. degree in economic sciences from the University of Gdańsk, Poland, with a focus on management. She is currently an Assistant Professor with the Department of Informatics in Management, Gdańsk University of Technology, Poland. Her scientific interest is strongly focused on the intersection of management and IT. She deals primarily with research regarding the technological and economic aspects of IT in organizations as well as innovations and IT-based organizational creativity. Her current research interests include issues of extracting information from web content using text mining algorithms and sentiment analysis techniques. She examines the impact of knowledge acquired from textual data on the contemporary business.

...