

Edge and Pair Queries—Random Graphs and Complexity

Dariusz Dereniowski*

Faculty of Electronics, Telecommunications and Informatics
Gdansk University of Technology
Gdańsk, Poland

deren@eti.pg.edu.pl.

Przemysław Gordinowicz

Institute of Mathematics
Lodz University of Technology
Łódź, Poland

pgordin@p.lodz.pl

Paweł Prałat

Department of Mathematics
Toronto Metropolitan University
Toronto, ON, Canada

pralat@torontomu.ca

Submitted: Mar 30, 2022; Accepted: May 4, 2023; Published: Jun 2, 2023

© The authors. Released under the CC BY-ND license (International 4.0).

Abstract

We investigate two types of query games played on a graph, pair queries and edge queries. We concentrate on investigating the two associated graph parameters for binomial random graphs, and showing that determining any of the two parameters is \mathcal{NP} -hard for bounded degree graphs.

Mathematics Subject Classifications: 05C12, 05C57, 68R10

1 Introduction

Consider a query game played on a graph whose goal is to locate a vertex v^* that is unknown to an adaptive query algorithm. Each query points to a pair of vertices u and v , and the reply provides an answer that indicates which of those vertices is closer to v^* , breaking ties arbitrarily. The aim is to construct an algorithm performing as few queries as possible in the worst case. In this work we consider two types of queries: *edge queries* in which u and v need to be adjacent and *pair queries* in which there is no restriction on the choice of u and v . The latter have not been considered in the literature before while

*Partially supported by National Science Centre, Poland, grant number 2018/31/B/ST6/00820.

the former have been extensively studied but only for trees. We note that both models generalize the classical binary search on a path to arbitrary graphs.

The game is formally defined in Subsection 1.1. Our results are summarized in Subsection 1.3 and previously known results are highlighted in Subsection 1.4. We provide three types of results. First, we reformulate the problem of finding an invisible target in the language of combinatorial game theory in which two perfect players play the game having complete information (Subsection 2.1). We also show some universal bounds and provide a construction that shows the two graph parameters related to edge and, respectively, pair queries can be drastically different (Subsection 2.2). Then, we investigate the behaviour of the two parameters in binomial random graphs $\mathcal{G}(n, p)$ (Section 3). For a wide range of the parameter $p = p(n)$, the two graph parameters are predictable with high probability and turn out to be of the same order. Finally, we show that determining any of the two parameters is \mathcal{NP} -hard for bounded degree graphs (Section 4).

1.1 Problem Statement

For an arbitrary simple graph G , we consider two types of *query games*, which differ by the types of allowed queries. We first define the dynamics of the game and then we define the queries. The game is played between an (adaptive) *algorithm* and an *adversary*. The adversary picks in advance a vertex v^* of G , that we call the *target*. The target is unknown to the algorithm and its goal is to locate v^* by asking as few queries as possible. In each step of the game the algorithm performs a query by selecting two vertices u and v as outlined below depending on the type of the query. Then, the adversary reveals which of those vertices is closer to v^* , providing any of them when their distance to the target is the same. The *distance* $d_G(u, v)$ between any two vertices u and v is measured as the length of any shortest path between u and v in G . The vertex pointed by the adversary is called the *reply* to the query. Note that the algorithm is adaptive in the sense that it is making its next query based on the graph and the replies to the previous queries.

In this work we consider two types of graph queries for the game played on G . The more general one, called a *pair query*, selects two arbitrary vertices u and v of G . The second one, called an *edge query*, selects two adjacent vertices u and v . Let $\text{pq}(G)$ be the least integer t such that the algorithm can locate the target in at most t pair queries, regardless of the strategy of the adversary. The graph parameter $\text{eq}(G)$ is defined similarly with the only difference that the algorithm has to perform edge queries instead. Since the latter version puts more restriction on the algorithm, for any graph G we have $\text{pq}(G) \leq \text{eq}(G)$.

The above definition of the process might suggest that this is an incomplete information game in which the target vertex is selected by one of the players (the adversary) but is hidden from the other player (the algorithm). However, because we concentrate on the worst-case scenario (that is, we search for the least number of queries that guarantees success, regardless where the target is and regardless of the strategy of the adversary), we can alternatively think about this game as a combinatorial game in which both players have perfect information. In particular, it implies that the graph parameters $\text{pq}(G)$ and $\text{eq}(G)$ are well-defined. We reformulate the process in this language in Subsection 2.1.



1.2 Notation

In this paper, we present results obtained for the *binomial random graph* $\mathcal{G}(n, p)$. More precisely, $\mathcal{G}(n, p)$ is a distribution over the class of graphs with vertex set $[n] := \{1, \dots, n\}$ in which every pair $\{i, j\} \in \binom{[n]}{2}$ appears independently as an edge in G with probability p . Note that $p = p(n)$ may (and usually does) tend to zero as n tends to infinity. We say that $\mathcal{G}(n, p)$ has some property *asymptotically almost surely* or a.a.s. if the probability that $\mathcal{G}(n, p)$ has this property tends to 1 as n goes to infinity. For more about this model see, for example, [5, 28, 29].

Given two functions $f = f(n)$ and $g = g(n)$, we will write $f(n) = \mathcal{O}(g(n))$ if there exists an absolute constant $c \in \mathbb{R}_+$ such that $|f(n)| \leq c|g(n)|$ for all n , $f(n) = \Omega(g(n))$ if $g(n) = \mathcal{O}(f(n))$, $f(n) = \Theta(g(n))$ if $f(n) = \mathcal{O}(g(n))$ and $f(n) = \Omega(g(n))$, and we write $f(n) = o(g(n))$ or $f(n) \ll g(n)$ if $\lim_{n \rightarrow \infty} f(n)/g(n) = 0$. In addition, we write $f(n) \gg g(n)$ if $g(n) = o(f(n))$ and we write $f(n) \sim g(n)$ if $f(n) = (1 + o(1))g(n)$, that is, $\lim_{n \rightarrow \infty} f(n)/g(n) = 1$.

We will use $\log n$ to denote a natural logarithm of n . For a given $n \in \mathbb{N} := \{1, 2, \dots\}$, we will use $[n]$ to denote the set consisting of the first n natural numbers, that is, $[n] := \{1, 2, \dots, n\}$. Finally, as typical in the field of random graphs, for expressions that clearly have to be an integer, we round up or down but do not specify which: the choice of which does not affect the argument.

1.3 Our Results

Let us start with presenting results for binomial random graphs. The behaviour of $\text{pq}(G)$ and $\text{eq}(G)$ change drastically when the random graph changes its diameter. In order to control when this happens, we will use the following well-known result.

Lemma 1 ([5], Corollary 10.12). *Suppose that $d = pn \gg \log n$ and for some $i = i(n) \in \mathbb{N}$,*

$$d^{i+1}/n - 2 \log n \rightarrow \infty \quad \text{and} \quad d^i/n - 2 \log n \rightarrow -\infty.$$

Then the diameter of $\mathcal{G}(n, p)$ is equal to $i + 1$ a.a.s.

This result was proved in [4, Theorem 6] for graphs with $d \gg \log^3 n$ but in [5, Corollary 10.12] the condition was relaxed and it is now required only that $d \gg \log n$.

In order to state the results in a simple form, let us concentrate on relatively dense graphs (that is, $d > n^\varepsilon$ for some $\varepsilon > 0$) and values of d for which we are relatively far away from the places when the diameter changes its value.

Corollary 2. *Suppose that $d = pn = n^{\xi+o(1)}$, where $\xi \in (\frac{1}{i+1}, \frac{1}{i})$ for some $i \in \mathbb{N}$ (i is an arbitrarily large but fixed constant). Then, the following properties hold a.a.s. for $G \in \mathcal{G}(n, p)$.*

$$\text{pq}(G) = \Theta(\text{eq}(G)) = \Theta\left(\frac{n \log n}{d^i}\right).$$



Note that for any $\xi \in (\frac{1}{i+1}, \frac{1}{i})$ there exists $\varepsilon = \varepsilon(\xi) > 0$ such that $d^i/n = n^{i\xi-1+o(1)} \leq n^{-\varepsilon} = o(1) \ll \log n$ whereas $d^{i+1}/n = n^{(i+1)\xi-1+o(1)} \geq n^\varepsilon \gg \log n$. So, by Lemma 1, the diameter of $\mathcal{G}(n, p)$ is equal to $i + 1$ a.a.s. More importantly, it implies that the assumptions stated in Theorems 9, 11, and 12 are satisfied. The first of them yields the desired lower bound for $\text{pq}(G)$ whereas the last two yield upper bounds for $\text{pq}(G)$ and, respectively, $\text{eq}(G)$. The corollary implies that a.a.s. both $\text{pq}(G)$ and $\text{eq}(G)$ are equal to $n^{f(\xi)+o(1)}$, where the function $f(\xi)$ is depicted in Figure 1.




Figure 1: An illustration for Corollary 2: the function $f(\xi)$.

The above corollary ignores the cases when $\xi = 1/i$ for some constant $i \in \mathbb{N}$ and very sparse graphs (that is, when $d = n^{o(1)}$). The three theorems mentioned above provide some useful bounds for these regimes but not everything is known. For example, to keep the argument relatively short, we did not consider the cases when $i = i(n)$ is the largest natural number such that $d^i = o(n)$ but also $d^{i+1}/n - 2 \log n \rightarrow -\infty$ (say, $d^{i+1} = cn$ for some constant $c > 0$). Having said that, we provided a short argument dealing with a rather simple case when $p \in (0, 1)$ is a fixed constant. The next corollary follows immediately from Theorem 14 which states an explicit upper bound and Observation 5 which provides a trivial lower bound but of matching order.

Corollary 3. Fix $p \in (0, 1)$. The following property holds a.a.s. for $G = (V, E) \in \mathcal{G}(n, p)$:

$$\text{pq}(G) = \Theta(\text{eq}(G)) = \Theta(\log n).$$

In terms of complexity, we prove the following result.

Theorem 4. Given a graph of diameter at most 3 and an integer ℓ , deciding whether $\text{pq}(G) \leq \ell$ or $\text{eq}(G) \leq \ell$ is \mathcal{NP} -complete.

1.4 Related Work

The edge query model has been studied for trees and paths as a special case. This is due to the fact that the problem for paths is the classical binary search, where most of the focus has been on noisy comparison models, see e.g. [3, 15, 18, 19, 24, 30]. As for the case of trees, they generalize binary search to searching partial orders with some interesting applications e.g. in automated program testing [2]. It turns out that $\text{eq}(T)$ for a tree T can be computed in linear time [37]. Interestingly, this problem re-appeared under various different names like minimum height elimination trees [34], LIFO-search [26], tree-depth [38], or edge ranking. Due to the latter connection, a linear-time algorithm has been independently shown for trees in [32]. Edge queries in trees are also of interest in applications like parallel database query processing, where one wants to find a spanning tree T of the graph representing a database query that minimizes $\text{eq}(T)$ [35]. For some research on random partial orders in this context see [11].

It is natural to further generalize edge queries to the weighted variant, where the weight of an edge represents the duration of a query [31]. Such an extension turns out to be \mathcal{NP} -complete for some quite narrow subclasses of trees [13, 14, 16]. On the other hand, there has been a series of results on approximation algorithms [13, 14, 16] with the best approximation ratio to date being $\mathcal{O}(\sqrt{\log n})$ that was proved in [17]. Finally, let us mention another generalization of binary search in linear orders to graphs [23, 19] with some interesting applications in machine learning [22].

Another related graph parameter is the the centroidal dimension of a graph [25], which may be viewed as a variant of the well known metric dimension [27, 40] that provides less information. Indeed, the idea is similar to the pair query model but the goal is to localize the hidden target by just a single query (usually involving more than two vertices), minimizing the number of vertices to probe. For the metric dimension, the reply returns a vector of distances between the target and each of the examined vertices. On the other hand, for the centroidal variant, the reply informs the player when the distance is zero; otherwise, for every pair of examined vertices the result of comparison of distances is returned (that is, which vertex is closer or whether distances are equal). Game theoretical variants of the above parameters have recently been intensively studied: the localization game [7, 10, 12, 39] and centroidal localization game [9]. During the game, more queries are considered but the target can move to a neighbouring vertex between queries. The main goal is typically to minimize the number of vertices examined in each round but the number of rounds may also be minimized [1].

Although the query games have not yet been studied for random graphs, there are some known results for the closely related graph parameters mentioned above. An asymptotic behaviour of the metric dimension of dense binomial random graphs $\mathcal{G}(n, p)$ is obtained in [6], while for sparse, subcritical $\mathcal{G}(n, p)$ and uniform random trees and forests, its asymptotic distribution is shown in [36]. The localization number for dense binomial random graphs (in particular, in the regime in which $\mathcal{G}(n, p)$ has diameter two a.a.s.) was studied in [21]. The bounds for dense graphs were consecutively improved in [20], and the arguments were extended to sparse graphs. The localization game was also recently



studied for random geometric graphs [33]. We direct the reader to the book [8] for more graph searching games in the context of random graphs.

2 Preliminaries

2.1 Reformulation of the Process

In this subsection, we provide a reformulation of the game that will be easier to deal with when proving our results. In particular, this reformulation will show that the process can be viewed as a combinatorial game. Indeed, it is convenient to think about this game as the target is *not* selected a priori by the adversary but rather as a process in which after a t -th query the set V_t of *potential targets* is maintained by both players.

Let us denote by $d_G(u, v)$ the distance between u and v in a given graph $G = (V, E)$. For any pair of vertices u and v , let

$$\mathcal{C}(u, v) = \{x \in V \mid d_G(u, x) \leq d_G(v, x)\},$$

that is, $\mathcal{C}(u, v)$ is the set of vertices that are closer to u than to v , or at the same distance from both u and v . For a reply u to the query on u, v , we say that a vertex x is *compatible* with the reply if $x \in \mathcal{C}(u, v)$.

With these definitions at hand, we may formally define V_t to be the set of vertices of G that are compatible with each of the first t replies. In other words, each vertex from the set V_t satisfies all inequalities associated with the first t queries and the corresponding replies. On the other hand, no vertex from $V \setminus V_t$ has this property. The game starts with $V_0 = V$. At the beginning of round $t \in \mathbb{N}$, the first player (the algorithm) presents a pair of vertices (u_t, v_t) which partitions V_{t-1} , the set of potential targets from the previous round, into three sets:

- $V_t^< := V_{t-1} \cap (\mathcal{C}(u_t, v_t) \setminus \mathcal{C}(v_t, u_t))$, the set of vertices of V_{t-1} that are closer to u_t than to v_t ,
- $V_t^> := V_{t-1} \cap (\mathcal{C}(v_t, u_t) \setminus \mathcal{C}(u_t, v_t))$, the set of vertices of V_{t-1} that are closer to v_t than to u_t ,
- $V_t^= := V_{t-1} \cap (\mathcal{C}(u_t, v_t) \cap \mathcal{C}(v_t, u_t))$, the set of vertices of V_{t-1} that are at the same distance from both u_t and v_t .

The second player (the adversary) has now two options: fix $V_t = V_{t-1} \cap \mathcal{C}(u_t, v_t) = V_t^< \cup V_t^=$ (that is, reply with vertex u_t) or fix $V_t = V_{t-1} \cap \mathcal{C}(v_t, u_t) = V_t^> \cup V_t^=$ (that is, reply with vertex v_t). After making the decision, the round is over and we move to the next round. The game ends when $|V_t| = 1$ since the only element in V_t must be the target. With this point of view, one may think about the adversary as also being adaptive in the sense that the goal of the adversary is to provide replies which result in maximizing the value of t for which V_t is a singleton.



2.2 Some Basic Properties

In order to warm-up, let us start with a few simple observations highlighting some properties of the two graph parameters we are concerned with in this paper.

Observation 5. *For any connected graph G on n vertices,*

$$\log_2 n \leq \text{pq}(G) \leq \text{eq}(G) \leq n - 1.$$

In fact, there exists a strategy of the algorithm that in each round eliminates at least one vertex from the search space. (This, of course, implies an upper bound of $n - 1$.)

Proof. The inequality $\text{pq}(G) \leq \text{eq}(G)$ follows immediately from the fact that pair queries are more general than edge queries. Hence, any strategy asking edge queries can be used by more flexible algorithm asking pair queries.

The lower bound of $\log_2 n$ is due to the fact that there exists a strategy (simple and greedy) for the adversary that guarantees that each pair query reduces the search space by at most half. Indeed, recall that in round $t \in \mathbb{N}$, set V_{t-1} is partitioned into three sets, $V_t^<$, $V_t^>$, and $V_t^=$ (the partition depends on the algorithm) and then $V_t = V_t^< \cup V_t^=$ or $V_t = V_t^> \cup V_t^=$ (the choice belongs to the adversary). Hence, indeed, there exists a strategy for the adversary that guarantees that for each $t \in \mathbb{N}$ we have $|V_t| \geq |V_{t-1}|/2$. Hence, $|V_t| \geq |V_0|/2^t = n/2^t$ implying that $|V_t| > 1$ if $t < \log_2 n$. The lower bound holds.

To prove the upper bound of $n - 1$, let us present another simple strategy for the algorithm, this time performing edge queries, that guarantees that in each round at least one vertex is eliminated from the search space. Assume that $|V_{t-1}| \geq 2$, and let $x, y, x \neq y$, be any two vertices from V_{t-1} . Let $(x = z_0, z_1, \dots, z_k = y)$ be any shortest path between x and y . The algorithm, for example, may select vertices $u_t = x = z_0$ and $v_t = z_1$ as its edge query to eliminate x or y from the search space, giving $|V_t| \leq |V_{t-1}| - 1$. This finishes the proof of the observation. \square

The next observation shows that the two easy bounds we proved above are sharp. We leave it as an easy exercise for the reader and only provide a hint that edge queries can mimic the binary search on a path.

Observation 6. *For any $n \in \mathbb{N} \setminus \{1\}$, $\text{eq}(K_n) = \text{pq}(K_n) = n - 1$, $\text{eq}(K_{1,n-1}) = \text{pq}(K_{1,n-1}) = n - 1$, $\text{eq}(P_n) = \text{pq}(P_n) = \lceil \log_2 n \rceil$.*

The last observation shows that the difference between the two variants of the game may be asymptotically as large as possible.

Observation 7. *For any $n \in \mathbb{N} \setminus \{1\}$, there exists a graph G on $\Theta(n)$ vertices such that $\text{eq}(G) = \Omega(n)$ and $\text{pq}(G) = \mathcal{O}(\log n)$.*

Proof. For a fixed $n \in \mathbb{N} \setminus \{1\}$, let $k = k(n) = \lfloor \log_2 n \rfloor$. Let T_k be a full binary tree of height k . (The height is measured as the length of a path from the root to any of the leaves.) We say that the vertices at distance i from the root in T_k are at *level i* , $i \in \{0, \dots, k\}$. We denote the set of vertices at level i by L_i ; in particular, L_k is the set of



the leaves of T_k and L_0 consists of only one vertex, the root of T_k . It will be convenient to use $T_k(x)$, $x \in V(G)$, to denote the subtree of T_k induced by the set consisting of x and all of its descendants in T_k .

We construct a graph $G = G_k$ on the same vertex set as T_k (that is, $V(G_k) = V(T_k)$). Note that $|V(G_k)| = 2^{k+1} - 1$, hence $n \leq |V(G_k)| < 2n$. The edge set $E(G_k)$ is defined as follows. First of all, we join any two leaves of T_k by an edge, that is, the set L_k induces a complete graph in G_k . Then, for any non-leaf u of T_k (that is, $u \in V(T_k) \setminus L_k$) we join u to all the leaves of the subtree $T_k(u)$ of T_k rooted at u . Note that not all edges of tree T_k are present in G_k —see Figure 2 for an example of this construction.




Figure 2: The graph G_3 . The dashed edges are edges of T_3 that are *not* present in G_3 .

Let us start with providing a strategy for the algorithm that proves that $\text{pq}(G_k) \leq 2k$, hence $\text{pq}(G_k) = \mathcal{O}(\log n)$. We will distinguish two phases. During the first phase the algorithm performs k pair queries starting from vertices that are close to the root and moving toward the leaves, each time essentially removing one branch of T_k from the search space.

Formally, as always, the algorithm starts with $V_0 = V(G_k) = V(T_k)$ and u_0 being the root of T_k . In the first round, the algorithm queries two children of u_0 that we denote by v_0^1 and v_0^2 . By symmetry of graph G_k , without loss of generality we may assume that the reply is v_0^1 . Note that all vertices in $T_k(v_0^1)$ are closer to v_0^1 than to v_0^2 . The only vertex that is at the same distance from both v_0^1 and v_0^2 is the root of T_k (that is, $V_1^- = \{u_0\}$). Hence, the algorithm moves to the next round with $V_1 = V_0 \cap \mathcal{C}(v_0^1, v_0^2) = V_0 \setminus V(T_k(v_0^2))$ and we prepare ourselves for the next round by fixing $u_1 = v_0^1$. Note that $V_1 = V(T_k(u_1)) \cup \{u_0\}$, where $\{u_0\}$ is the set of ancestors of u_1 in T_k . We recursively follow the same strategy as for the first round. Suppose that at the end of round t , for some $1 \leq t < k$, we have a vertex u_t at level t identified such that $V_t = V(T_k(u_t)) \cup \{u_0, \dots, u_{t-1}\}$, where u_i is the ancestor of u_t at level $i < t$. At round $t + 1$, the algorithm queries two sons of u_t , v_t^1 and v_t^2 . As before, because of symmetry, without loss of generality we may assume that the reply is v_t^1 . Then, we fix $u_{t+1} = v_t^1$ such that

$$V_{t+1} = V_t \cap \mathcal{C}(v_t^1, v_t^2) = V_t \setminus V(T_k(v_t^2)) = V(T_k(u_{t+1})) \cup \{u_0, \dots, u_t\}.$$

It follows that after k pair queries, regardless of the strategy of the adversary, the algorithm learns that the target is hidden in the set $V_k = \{u_0, \dots, u_k\}$ where u_k is some leaf of T_k , while u_i for $i < k$ is the ancestor of u_k at level i .

During the second phase, by Observation 5, the algorithm may eliminate at least one vertex at a time. The target is then identified in at most k additional rounds and so the total number of pair queries is at most $2k = \mathcal{O}(\log n)$.

We now move to the proof of the fact that $\text{eq}(G_k) = \Omega(n)$. In order to simplify the argument, we assume that the algorithm is provided with some additional information, namely, that the target is in L_k . (In other words, we start the game with $V_0 = L_k$ instead of $V_0 = V(G_k)$.) We will show that even with this additional information, the algorithm cannot quickly identify the target.

Consider a query to an edge $uu' \in E(G_k)$. Since each edge of G_k has at least one leaf from T_k , without loss of generality we may assume that $u' \in L_k$. If $u \notin L_k$, then the adversary might reply with u' which provides no new information to the algorithm. Thus, the algorithm is forced to query edges within the complete graph induced by L_k . However, since all vertices in L_k are at distance one from each other, each such query eliminates at most one vertex from the search space. It follows that the number of edge queries that is needed to identify the target is at least $|L_k| - 1 = 2^k - 1 \geq \frac{n}{2}$. This finishes the proof of the lower bound of $\text{eq}(G_k)$ and so also the proof of the observation. \square

3 Random Graphs

Let us first state a specific instance of Chernoff's bound that we will find often useful. Let $X \in \text{Bin}(n, p)$ be a random variable with the binomial distribution with parameters n and p . Then, a consequence of Chernoff's bound (see e.g. [28, Corollary 2.3]) is that

$$\mathbb{P}\left(|X - \mathbb{E}[X]| \geq \varepsilon \mathbb{E}[X]\right) \leq 2 \exp\left(-\frac{\varepsilon^2 \mathbb{E}[X]}{3}\right) \quad (1)$$

for $0 < \varepsilon < 3/2$. However, at some point we will need need a stochastic upper bound for X when $\mathbb{E}[X]$ is small. In such situations the following bound can be applied instead of (1) (see e.g. [28, Theorem 2.1]):

$$\mathbb{P}(X \geq \mathbb{E}[X] + u) \leq \exp\left(-\frac{u^2}{2(\mathbb{E}[X] + u/3)}\right). \quad (2)$$

3.1 Lower Bound

Let us start with the following expansion properties of random graphs. For a vertex $v \in V$, let $N_i(v)$ and $N_{\leq i}(v) = \bigcup_{j=0}^i N_j(v)$ denote the set of vertices at distance i from v and the set of vertices at distance at most i from v , respectively. For any $Z \subseteq V$, let $N_i(Z) = \bigcup_{v \in Z} N_i(v)$ and $N_{\leq i}(Z) = \bigcup_{v \in Z} N_{\leq i}(v)$.



Lemma 8. Suppose that $\omega \log n \leq d = pn \leq n/\omega = o(n)$, where $\omega = \omega(n)$ is any function tending to infinity as $n \rightarrow \infty$ such that $\omega \leq \log n$.

Then, the following properties hold a.a.s. for $G = (V, E) \in \mathcal{G}(n, p)$.

(a) Suppose that for some $i = i(n) \in \mathbb{N}$ and $Z \subseteq V$ with $z = |Z|$ we have $zd^i = o(n)$. Then,

$$|N_{\leq i}(Z)| = \left(1 + \mathcal{O}\left(\frac{1}{\sqrt{\omega}}\right) + \mathcal{O}\left(\frac{zd^i}{n}\right)\right) d^i |Z| \sim d^i |Z|,$$

and so also

$$|N_i(Z)| = \left(1 + \mathcal{O}\left(\frac{1}{\sqrt{\omega}}\right) + \mathcal{O}\left(\frac{zd^i}{n}\right)\right) d^i |Z| \sim d^i |Z|.$$

(b) Let $i = i(n) \in \mathbb{N}$ be the largest integer such that $d^i = o(n)$. Let

$$z := \frac{n}{d^i} \log(d^i) \left(1 - \frac{1}{\omega^{1/3}}\right) = \Theta\left(\frac{n}{d^i} \log n\right).$$

Then, for any $Z \subseteq V$ with $|Z| = z$ there are at least two vertices at distance at least $i + 1$ from Z , that is, $|N_{\leq i}(Z)| \leq n - 2$.

Proof. In order to investigate the expansion property of neighbourhoods, let $Z \subseteq V$, $z = |Z|$, and consider the random variable $X = X(Z) = |N_{\leq 1}(Z)|$. We will bound X in a stochastic sense. There are two things that need to be estimated: the expected value of X , and the concentration of X around its expectation.

Since for $x = o(1)$ we have $(1 - x)^z = e^{-xz(1 + \mathcal{O}(x))}$ and also $e^{-x} = 1 - x + \mathcal{O}(x^2)$, it is clear that

$$\begin{aligned} \mathbb{E}[X] &= n - \left(1 - \frac{d}{n-1}\right)^z (n-z) \\ &= n - \exp\left(-\frac{dz}{n}(1 + \mathcal{O}(d/n))\right) (n-z) \\ &= dz(1 + \mathcal{O}(dz/n)), \end{aligned} \tag{3}$$

provided $dz = o(n)$. It follows from Chernoff's bound (1) applied with $\varepsilon = 3/\sqrt{\omega}$ that the expected number of sets Z satisfying

$$\left||N_{\leq 1}(Z)| - \mathbb{E}[|N_{\leq 1}(Z)|]\right| > \varepsilon d |Z|$$

is at most

$$2 \binom{n}{z} \exp\left(\frac{-\varepsilon^2 dz}{3 + o(1)}\right) \leq 2n^z \exp\left(\frac{-\varepsilon^2 (\omega \log n) z}{3 + o(1)}\right) = 2n^z \exp(-(3 + o(1))z \log n) = o(1),$$

since $d \geq \omega \log n$. Hence the statement holds for $i = 1$ a.a.s.



Now, we will estimate the cardinalities of $N_{\leq i}(Z)$ up to the i 'th iterated neighbourhood, provided $zd^i = o(n)$ and thus $i = O(\log n / \log \log n)$. Suppose then that for some $i \geq 2$, $Y = N_{\leq i-1}(Z)$ satisfies $|Y| \sim d^{i-1}z$ and $|Y| = o(n/d)$. It follows from (3) and (1) (this time applied with $\varepsilon = 4d^{-(i-1)/2}\omega^{-1/2}$) that with probability at least $1 - \beta$,

$$|N_{\leq 1}(Y)| = d|Y| \left(1 + \mathcal{O}(d|Y|/n) + \mathcal{O}(d^{-(i-1)/2}\omega^{-1/2})\right),$$

where the bounds in $\mathcal{O}()$ notation are uniform. The failure probability is at most

$$\beta = 2 \exp\left(\frac{-\varepsilon^2 d|Y|}{3 + o(1)}\right) = 2 \exp\left(\frac{-\varepsilon^2 d^i z}{3 + o(1)}\right) \leq \exp(-5dz/\omega) \leq \exp(-5z \log n) \leq n^{-z} n^{-4}.$$

As we want a result that holds a.a.s., we may assume this statement holds deterministically, since there are only $\mathcal{O}(n^z \log n)$ choices for Z and i .

Given this assumption, we have good bounds on the ratios of the cardinalities of $N_{\leq 1}(Z)$, $N_{\leq 1}(N_{\leq 1}(Z)) = N_{\leq 2}(Z)$, and so on. Since $i = O(\log n / \log \log n)$ and $\sqrt{\omega} \leq (\log n)^{1/2}$, the cumulative multiplicative error term is

$$\begin{aligned} & (1 + \mathcal{O}(dz/n) + \mathcal{O}(1/\sqrt{\omega})) \prod_{j=2}^i (1 + \mathcal{O}(d^j z/n) + \mathcal{O}(\omega^{-1/2} d^{-(j-1)/2})) \\ &= (1 + \mathcal{O}(1/\sqrt{\omega}) + \mathcal{O}(d^i z/n)) \prod_{j=5}^{i-2} (1 + \mathcal{O}(\log^{-2} n)) = (1 + \mathcal{O}(1/\sqrt{\omega}) + \mathcal{O}(d^i z/n)), \end{aligned}$$

and the proof of part (a) is complete.

In order to prove part (b), let us fix any set of vertices $Z \subseteq V$ of size

$$|Z| = z = \frac{n}{d^i} \log(d^i) \left(1 - \frac{1}{\omega^{1/3}}\right),$$

where $i = i(n) \in \mathbb{N}$ is the largest integer such that $d^i = o(n)$. Note that, by the definition of i ,

$$\left(\frac{1}{2} + o(1)\right) \frac{n \log n}{d^i} \leq z \leq \frac{n \log n}{d^i}.$$

Since $zd^{i-1}/n = \mathcal{O}(\log n/d) = \mathcal{O}(\omega^{-1})$, we may expose $N_{\leq i-1}(Z)$ and based on part (a) we may assume that

$$|N_{\leq i-1}(Z)| = (1 + \mathcal{O}(\omega^{-1/2})) zd^{i-1}.$$

There are $(1 + \mathcal{O}(\omega^{-1}))n$ vertices outside of $N_{\leq i-1}(Z)$. The probability that a given one of them is not adjacent to any vertex of $N_{\leq i-1}(Z)$ is $(1 - p)^{(1 + \mathcal{O}(\omega^{-1/2})) zd^{i-1}}$ and so the probability that all of them belong to $N_{\leq i}(Z)$ (that is, $N_{i+1}(Z) = \emptyset$) is equal to

$$\begin{aligned} q &= \left(1 - (1 - p)^{(1 + \mathcal{O}(\omega^{-1/2})) zd^{i-1}}\right)^{(1 + \mathcal{O}(\omega^{-1}))n} \\ &= \left(1 - \exp\left(-\frac{(1 + \mathcal{O}(\omega^{-1/2})) zd^i}{n}\right)\right)^{(1 + \mathcal{O}(\omega^{-1}))n} \\ &= \left(1 - \exp\left(-\left(1 - \frac{1 + o(1)}{\omega^{1/3}}\right) \log(d^i)\right)\right)^{(1 + \mathcal{O}(\omega^{-1}))n}. \end{aligned}$$

Since $\log(d^i) = \Theta(\log n)$ and $\omega \leq \log n$, $(1 + o(1)) \log(d^i)/\omega^{1/3} \geq 3 \log \log n$ and so

$$\begin{aligned} q &\leq (1 - \exp(-\log(d^i) + 3 \log \log n))^{(1+O(\omega^{-1}))n} \\ &= \left(1 - \frac{\log^3 n}{d^i}\right)^{(1+O(\omega^{-1}))n} \\ &= \exp\left(- (1 + o(1)) \frac{n \log^3 n}{d^i}\right). \end{aligned}$$

Similarly, the probability that all but exactly one vertex outside of $N_{\leq i-1}(Z)$ belong to $N_{\leq i}(Z)$ is equal to

$$\begin{aligned} (1 + o(1))n (1 - p)^{(1+O(\omega^{-1/2}))zd^{i-1}} \left(1 - (1 - p)^{(1+O(\omega^{-1/2}))zd^{i-1}}\right)^{(1+O(\omega^{-1}))n} \\ \leq nq \leq \exp\left(- (1 + o(1)) \frac{n \log^3 n}{d^i}\right). \end{aligned}$$

On the other hand, the number of sets of size z is, trivially, at most

$$\binom{n}{z} \leq n^z = \exp(z \log n) \leq \exp\left(\frac{n \log^2 n}{d^i}\right) = o(nq).$$

We get that the expected number of sets $Z \subseteq V$ with $|Z| = z$ with the property that at most one vertex is at distance at least $i + 1$ from Z is equal to $o(1)$ and so the desired property holds a.a.s. by the first moment method. This finishes part (b) and the proof of the lemma. \square

Now, we are ready to prove a lower bound for $\text{pq}(G)$.

Theorem 9. *Suppose that $\omega \log n \leq d = pn \leq n/\omega = o(n)$, where $\omega = \omega(n)$ is any function tending to infinity as $n \rightarrow \infty$ such that $\omega \leq \log n$. Let $i = i(n) \in \mathbb{N}$ be the largest integer such that $d^i = o(n)$. Suppose that $d^{i+1}/n - 2 \log n \rightarrow \infty$.*

Then, the following property holds a.a.s. for $G = (V, E) \in \mathcal{G}(n, p)$:

$$\text{eq}(G) \geq \text{pq}(G) \geq k := \frac{n}{2d^i} \log(d^i) \left(1 - \frac{1}{\omega^{1/3}}\right) = \Omega\left(\frac{n \log n}{d^i}\right).$$

Proof. Note that we assumed that $d^{i+1}/n - 2 \log n \rightarrow \infty$ and by definition of i we get that $d^i/n - 2 \log n \rightarrow -\infty$. Hence, by Lemma 1 we get that the diameter of $\mathcal{G}(n, p)$ is equal to $i + 1$ a.a.s.

Typically, in order to establish lower bounds for the length of the game, one needs to show a strategy for the second player (the adversary) and prove that this strategy guarantees that the game is not over after k rounds. However, our “board” (random graph $\mathcal{G}(n, p)$) has nice expansion properties that guarantee that the game cannot finish earlier *regardless of* what the adversary does.



Suppose then that the first player (the algorithm) presents a sequence of pairs of vertices $(u_t, v_t)_{t \in [k]}$ during the first k rounds of the game. Let

$$Z = \{u_t : t \in [k]\} \cup \{v_t : t \in [k]\}$$

be the set of all vertices presented during this part of the game. Clearly, $|Z| \leq 2k$. We may add some additional vertices to Z , if needed, so that $|Z| = 2k$. By Lemma 8(b), we may assume that there are at least two vertices (say, x and y) that are at distance at least $i + 1$ from Z . Since the diameter of G is equal to $i + 1$, these two vertices are at distance exactly $i + 1$ from any vertex in Z and so, in particular, from any vertex that was presented up to this point of the game. We get that $\{x, y\} \subseteq V_t^c$ for all $t \in [k]$, which implies that x and y are compatible with all replies so far. As a result, regardless of what the adversary does, $\{x, y\} \subseteq V_k$ and so the game is not over yet. This finishes the proof of the theorem. \square

3.2 Upper Bounds

As usual, let us start with some useful expansion properties of random graphs.

Lemma 10. *Suppose that $\omega \log n \leq d = pn \leq n/\omega = o(n)$, where $\omega = \omega(n)$ is any function tending to infinity as $n \rightarrow \infty$ such that $\omega \leq \log n$. Let $i = i(n) \in \mathbb{N}$ be the largest integer such that $d^i = o(n)$. Finally, let $\hat{\omega} = \hat{\omega}(n) = \min(\sqrt{\omega}, n/d^i) \rightarrow \infty$ as $n \rightarrow \infty$.*

The following properties hold a.a.s. for $G = (V, E) \in \mathcal{G}(n, p)$. For any vertices $x, y \in V$ ($x \neq y$) we partition the set of vertices V into the following 4 parts:

$$\begin{aligned} X &= N_i(x) \setminus N_{\leq i}(y) \\ Y &= N_i(y) \setminus N_{\leq i}(x) \\ Z &= V \setminus N_{\leq i}(\{x, y\}) \\ R &= V \setminus (X \cup Y \cup Z) = (N_i(x) \cap N_i(y)) \cup N_{\leq i-1}(\{x, y\}). \end{aligned}$$

Then, the following holds:

- (a) $|X| = (1 + \mathcal{O}(\hat{\omega}^{-1})) d^i \sim d^i$.
- (b) $|Y| = (1 + \mathcal{O}(\hat{\omega}^{-1})) d^i \sim d^i$.
- (c) $|Z| = n - (2 + \mathcal{O}(\hat{\omega}^{-1})) d^i \sim n$.
- (d) $|R| = \mathcal{O}(\hat{\omega}^{-1}) d^i = o(d^i)$.

Moreover, the following holds, provided that $d^{i+1}/n \gg \hat{\omega} \log n$:

- (e) *Each vertex in $X \cup Y \cup Z$ has $\mathcal{O}(\hat{\omega}^{-1}) d^{i+1}/n$ neighbours in R .*
- (f) *Each vertex in $X \cup Z$ has $(1 + \mathcal{O}(\hat{\omega}^{-1/2})) d^{i+1}/n \sim d^{i+1}/n$ neighbours in Y .*
- (g) *Each vertex in $Y \cup Z$ has $(1 + \mathcal{O}(\hat{\omega}^{-1/2})) d^{i+1}/n \sim d^{i+1}/n$ neighbours in X .*



Proof. Parts (a)–(d) follow immediately and deterministically from Lemma 8(a). Since we aim for a statement that holds a.a.s., we may assume that the property stated in Lemma 8(a) holds for any set $Z \subseteq V$ with $|Z| \leq 2$:

$$|N_i(Z)| = \left(1 + \mathcal{O}\left(\frac{1}{\sqrt{\omega}}\right) + \mathcal{O}\left(\frac{d^i}{n}\right)\right) d^i |Z| \sim d^i |Z|, \quad (4)$$

$$|N_{\leq i}(Z)| = \left(1 + \mathcal{O}\left(\frac{1}{\sqrt{\omega}}\right) + \mathcal{O}\left(\frac{d^i}{n}\right)\right) d^i |Z| \sim d^i |Z|. \quad (5)$$

Now, for a given $x, y \in V$ ($x \neq y$) we may apply (4)–(5) with $Z = \{x, y\}$, $Z = \{x\}$, and $Z = \{y\}$ to get the desired properties. This finishes the proof of parts (a)–(d).

In order to prove part (e), let us concentrate on any pair of vertices $x, y \in V$ ($x \neq y$). We first expose edges up to the $(i-1)$ th neighbourhood of $\{x, y\}$. Since we aim for a statement that holds a.a.s., by Lemma 8(a) we may assume that $|N_{\leq i-1}(\{x, y\})| \sim 2d^{i-1} = \mathcal{O}(\hat{\omega}^{-1})d^i$. For any vertex $v \notin N_{\leq i-1}(\{x, y\})$, let Q be the number of neighbours of v in $N_{\leq i-1}(\{x, y\})$. Clearly, Q is a binomial random variable with expectation equal to $|N_{\leq i-1}(\{x, y\})|d/n = \mathcal{O}(\hat{\omega}^{-1})d^{i+1}/n$. It follows from Chernoff's bound (2) that

$$\mathbb{P}(Q \geq \mathbb{E}[Q] + \hat{\omega}^{-1}d^{i+1}/n) \leq \exp(-\Omega(\hat{\omega}^{-1}d^{i+1}/n)) = o(1/n^3),$$

since it is assumed that $d^{i+1}/n \gg \hat{\omega} \log n$. By the union bound over x, y , and v , we may assume that all vertices outside of $N_{\leq i-1}(\{x, y\})$ have $\mathcal{O}(\hat{\omega}^{-1})d^{i+1}/n$ neighbours in $N_{\leq i-1}(\{x, y\})$.

Let us now expose edges up to the i th neighbourhood of $\{x, y\}$, which identifies sets X, Y, Z , and R . Since we aim for a statement that holds a.a.s., we may assume that




Figure 3: An illustration of the partition of V : X, Y, Z , and $R = (N_i(x) \cap N_i(y)) \cup N_{\leq i-1}(\{x, y\})$ (grey area).

properties (a)–(d) hold. More importantly, note that edges within $V \setminus N_{\leq i-1}(\{x, y\}) =$

$X \cup Y \cup Z \cup (N_i(x) \cap N_i(y))$ are not exposed yet—see Figure 3 for an illustration. For any $v \in X \cup Y \cup Z$, the expected number of neighbours of v in $N_i(x) \cap N_i(y)$ is at most $|R|d/n = \mathcal{O}(\hat{\omega}^{-1})d^{i+1}/n$. After applying Chernoff's bound (2) again we get that a.a.s., for all x, y , all vertices in $X \cup Y \cup Z$ have $\mathcal{O}(\hat{\omega}^{-1})d^{i+1}/n$ neighbours in $N_i(x) \cap N_i(y)$. This, together with the previous observation, implies the same bound for the number of neighbours in $R = (N_i(x) \cap N_i(y)) \cup N_{\leq i-1}(\{x, y\})$, which concludes the proof of part (e).

To prove part (f), let us expose edges up to the i th neighbourhood of $\{x, y\}$ and fix any $v \in X \cup Z$. Let Q be the number of neighbours of v in Y . Clearly, $\mathbb{E}[Q] = |Y|d/n = (1 + \mathcal{O}(\hat{\omega}^{-1}))d^{i+1}/n \gg \hat{\omega} \log n$. The conclusion follows from Chernoff's bound (1) (applied with $\varepsilon = \hat{\omega}^{-1/2}$), since

$$\mathbb{P}(|Q - \mathbb{E}[Q]| \geq \varepsilon \mathbb{E}[Q]) \leq 2 \exp(-\Omega(\varepsilon^2 \mathbb{E}[Q])) = o(1/n^3).$$

The proof of part (g) is exactly the same. This finishes the proof of the lemma. \square

Let us start with a proof of an upper bound for $\text{pq}(G)$. Of course, since $\text{pq}(G) \leq \text{eq}(G)$, any upper bound for $\text{eq}(G)$ implies the same bound for $\text{pq}(G)$. There are two reasons why we present them independently. First of all, the corresponding strategies for the first player (the algorithm) are slightly different but the proofs that they are winning strategies are almost identical. We present details for a slightly easier proof for $\text{pq}(G)$ and then we will discuss how to adjust it to deal with $\text{eq}(G)$. Moreover, the second proof requires slightly stronger assumptions for an asymptotic value of d^{i+1}/n .

Theorem 11. *Suppose that $\omega \log n \leq d = pn \leq n/\omega = o(n)$, where $\omega = \omega(n)$ is any function tending to infinity as $n \rightarrow \infty$ such that $\omega \leq \log n$. Let $i = i(n) \in \mathbb{N}$ be the largest integer such that $d^i = o(n)$. Suppose that $d^{i+1}/n - 2 \log n \rightarrow \infty$.*

Then, the following property holds a.a.s. for $G = (V, E) \in \mathcal{G}(n, p)$:

$$\text{pq}(G) \leq k := (2 + o(1)) \frac{n \log n}{d^i} = \mathcal{O}\left(\frac{n \log n}{d^i}\right).$$

Proof. Note that we assumed that $d^{i+1}/n - 2 \log n \rightarrow \infty$ and by definition of i we get that $d^i/n - 2 \log n \rightarrow -\infty$. Hence, by Lemma 1 we get that the diameter of $\mathcal{G}(n, p)$ is equal to $i + 1$ a.a.s.

Let $\hat{\omega} = \hat{\omega}(n) = \min(\sqrt{\omega}, n/d^i)$. Clearly, $\hat{\omega} \rightarrow \infty$ as $n \rightarrow \infty$. We say that a graph $G = (V, E)$ is *nice* if for any $x, y \in V$ ($x \neq y$) we have

$$\begin{aligned} |N_i(x) \setminus N_{\leq i}(y)| &= (1 + \mathcal{O}(\hat{\omega}^{-1}))d^i \sim d^i, \\ |N_{\leq i}(x) \cap N_{\leq i}(y)| &= \mathcal{O}(\hat{\omega}^{-1})d^i = o(d^i). \end{aligned}$$

We will show that for any nice graph G , $\text{pq}(G) \leq k$ (deterministically). This will finish the proof since, by Lemma 10(a), a.a.s. $G \in \mathcal{G}(n, p)$ is nice.

Let us then move away from random graphs and concentrate on any (deterministic) nice graph $G = (V, E)$ on $n = |V|$ vertices. The first player (the algorithm) will use a randomized strategy to play the game for the first k rounds. We will show that this strategy



is a winning one with probability at least $1/2$. By the trivial probabilistic method, it will imply that there exists a winning strategy and the bound $\text{pq}(G) \leq k$ will be established. To that end, it is enough to show that for any pair of vertices x and y , regardless of what the second player (the adversary) does, the randomized strategy eliminates at least one of them from being the target with probability at least $1 - n^{-2}$. Formally, we need to show that

$$\mathbb{P}(\{x, y\} \subseteq V_k) \leq n^{-2} \quad \text{for any } x, y \in V. \quad (6)$$

Indeed, if (6) is established, then by the union bound

$$\mathbb{P}(\text{the strategy fails}) = \mathbb{P}(|V_k| \geq 2) = \mathbb{P}(\exists x, y \in V : \{x, y\} \subseteq V_k) \leq \binom{n}{2} n^{-2} \leq 1/2.$$

Let us now describe the randomized strategy the algorithm is going to use. Fix $b > 1$, an arbitrarily large but fixed real number. The strategy consists of $a \log n$ independent *phases*, where $a = 2/(b-1)$. Each phase will last for bn/d^i rounds so the total number of rounds is equal to

$$k = (a \log n) \frac{bn}{d^i} = \frac{2b}{b-1} \frac{n \log n}{d^i}.$$

Since $2b/(b-1) \rightarrow 2$ as $b \rightarrow \infty$, we will get the desired upper bound.

At the beginning of each phase, the algorithm generates a sequence of $bn/d^i + 1$ random vertices, each of them selected independently and uniformly at random from V , all available vertices. During the first round, the algorithm presents the first two vertices from the sequence. Then, in each consecutive round, the algorithm presents the vertex the adversary replied with in the previous round together with the next vertex from the random sequence.

It remains to show that (6) holds. Let us fix any $x, y \in V$. We partition the set of vertices V into the following 4 parts:

$$\begin{aligned} X &= N_i(x) \setminus N_{\leq i}(y) \\ Y &= N_i(y) \setminus N_{\leq i}(x) \\ Z &= V \setminus N_{\leq i}(\{x, y\}) \\ R &= V \setminus (X \cup Y \cup Z) = (N_i(x) \cap N_i(y)) \cup N_{\leq i-1}(\{x, y\}). \end{aligned}$$

Since the diameter of G is $i+1$, we get that

- (i) vertices in X are at distance i from x and at distance $i+1$ from y ,
- (ii) vertices in Y are at distance $i+1$ from x and at distance i from y ,
- (iii) vertices in Z are at distance $i+1$ from both x and y ,
- (iv) vertices in R are at distance i from both x and y or less than i for at least one of x of y .



Since G is nice, we have that both X and Y consist of $(1 + \mathcal{O}(\hat{\omega}^{-1}))d^i \sim d^i$ vertices and $|R| = \mathcal{O}(\hat{\omega}^{-1})d^i = o(d^i)$. As a result, $|Z| = n - (2 + o(1))d^i \sim n$.

A given phase is *good* if the following three properties hold for the random sequence of $bn/d^i + 1$ vertices the algorithm generates at the beginning of that phase:

- (1) the sequence consists of only vertices from $X \cup Y \cup Z$,
- (2) the sequence has at least one vertex from X and at least one vertex from Y ,
- (3) the first vertex in the sequence is from Z .

First, let us note that if a phase is good, then the strategy guarantees that at least one of x and y is eliminated during that phase. Indeed, the properties (1)–(3) of being good, and the strategy used, imply that at some round during this phase, (u_t, v_t) is presented with $u_t \in Z$ and $v_t \in X \cup Y$. By symmetry, without loss of generality, we may assume that $v_t \in X$. If the adversary replies with u_t , then x gets eliminated: x is closer to v_t than to u_t . So assume that the adversary replies with v_t which does not eliminate any of the two vertices: x is closer to v_t than to u_t and y is at the same distance from both of them. Vertex v_t is kept by the algorithm and reused in the next round. During the following rounds, v_t can be presented together with some other vertices from Z but the only chance for x not to be eliminated is that the adversary keeps replying with a vertex from X . (Trivially, a vertex from X is transferred to the next round when two vertices from X are presented.) However, eventually, a vertex from X will be presented together with a vertex from Y eliminating either x or y .

Now, we will show that at least one phase must be good with probability at least $1 - n^{-2}$. Let ζ be the random variable counting the number of vertices from R that occur during a given phase. Clearly,

$$\mathbb{E}[\zeta] = \frac{|R|}{n} \left(\frac{bn}{d^i} + 1 \right) = \mathcal{O} \left(\frac{d^i}{n\hat{\omega}} \frac{bn}{d^i} \right) = \mathcal{O}(\hat{\omega}^{-1}) = o(1).$$

Hence, by the first moment method, the probability that a given phase does not satisfy property (1) can be estimated as follows:

$$\mathbb{P}(\zeta \geq 1) \leq \mathbb{E}[\zeta] = \mathcal{O}(\hat{\omega}^{-1}) = o(1).$$

On the other hand, by the union bound, the probability that a given phase does not satisfy property (2) is at most

$$\left(1 - \frac{|X|}{n} \right)^{bn/d^i+1} + \left(1 - \frac{|Y|}{n} \right)^{bn/d^i+1} \leq 2 \exp \left(-\frac{d^i}{n} \frac{bn}{d^i} (1 + o(1)) \right) = 2e^{-b} + o(1).$$

Trivially, property (3) is not satisfied with probability $o(1)$. Hence, all independent phases fail to be good with probability at most

$$\begin{aligned} (2e^{-b} + o(1))^{a \log n} &= \exp \left(\left((\log 2 - b)a + o(1) \right) \log n \right) \\ &= \exp \left(-2 \left(\frac{b - \log 2}{b - 1} + o(1) \right) \log n \right) \\ &\leq \exp(-2 \log n) = 1/n^{-2}. \end{aligned}$$



This finishes the proof of (6) and so also the entire proof of the theorem. \square

Now, let us adjust the proof of Theorem 11 to claim the same upper bound for $\text{eq}(\mathcal{G}(n, p))$.

Theorem 12. *Suppose that $\omega \log n \leq d = pn \leq n/\omega = o(n)$, where $\omega = \omega(n)$ is any function tending to infinity as $n \rightarrow \infty$ such that $\omega \leq \log n$. Let $i = i(n) \in \mathbb{N}$ be the largest integer such that $d^i = o(n)$. Let $\hat{\omega} = \hat{\omega}(n) = \min(\sqrt{\omega}, n/d^i) \rightarrow \infty$ as $n \rightarrow \infty$. Finally, suppose that $d^{i+1}/n \gg \hat{\omega} \log n$.*

Then, the following property holds a.a.s. for $G = (V, E) \in \mathcal{G}(n, p)$:

$$\text{eq}(G) \leq k := (2 + o(1)) \frac{n \log n}{d^i} = \mathcal{O}\left(\frac{n \log n}{d^i}\right).$$

Proof. We will use the same notation as in the proof of Theorem 11. As before, we will have $a \log n$ independent phases, each phase lasting for bn/d^i rounds. Since the first player (the algorithm) has to present edges, we need to modify the strategy slightly. During the first round of each phase, the algorithm presents a vertex selected uniformly at random from V . Then, in each consecutive round, the algorithm presents the vertex the adversary replied with in the previous round together with a random neighbour of that vertex. That is the only modification that is required. As before, we investigate any deterministic nice graph and independently consider each pair of vertices x, y ($x \neq y$). The goal, as before, is to show that with probability at least $1 - n^{-2}$, at the end of the last phase the target cannot be hidden in both x and y .

As before, a given phase is good if only vertices from $X \cup Y \cup Z$ are played during that phase, at least one vertex from X and at least one vertex from Y were played, and the first vertex is from Z . By Lemma 8(a), we may assume that each vertex has degree asymptotic to d . To show that a.a.s. at least one phase must be good, and so a.a.s. the strategy is a winning strategy, we will use Lemma 10. Let us concentrate on any given phase. By property (c), a.a.s. the first vertex is selected from Z . By property (e), provided that the first endpoint of an edge is in $X \cup Y \cup Z$, the second endpoint is in R with probability $o(d^{i+1}n^{-1})/d = o(d^i/n)$, which is of the same order as $|R|/n$. Since there are $\mathcal{O}(n/d^i)$ rounds in that phase, as in the previous proof, a.a.s. no vertex from R is presented during that phase. Similarly, by properties (f)–(g), provided that the first endpoint of an edge is in $X \cup Z$ ($X \cup Z$, respectively), the second endpoint is in Y (X , respectively) with probability asymptotic to $(d^{i+1}n^{-1})/d \sim d^i/n$, and so asymptotically the same as $|Y|/n$ ($|X|/n$, respectively). Hence, conditioning on the fact that no vertex from R is presented, the probability that no vertex from Y (X , respectively) is presented is at most

$$\left(1 - (1 + o(1)) \frac{d^i}{n}\right)^{bn/d^i+1} \leq e^{-b} + o(1).$$

We get that a given phase fails with probability at most $2e^{-b} + o(1)$ and the argument continues as before. This finishes the proof of the theorem. \square

Finally, let us deal with very dense random graphs, that is, when $p \in (0, 1)$ is a fixed constant. The following observation follows immediately from the Chernoff's bound (1) (applied with $\varepsilon = c\sqrt{\log n/n}$, where $c = c(p)$ is a sufficiently large constant) and the union bound. Since the reader is already warmed-up, we skip a simple proof and leave it as an exercise.

Lemma 13. Fix $p \in (0, 1)$. The following properties hold a.a.s. for $G = (V, E) \in \mathcal{G}(n, p)$.

- (a) For any vertex $x \in V$, $\deg(x) = |N_1(x)| = (1 + \mathcal{O}(\sqrt{\log n/n}))pn \sim pn$.
- (b) For any vertices $x, y \in V$ ($x \neq y$), $|N_1(x) \setminus N_{\leq 1}(y)| = (1 + \mathcal{O}(\sqrt{\log n/n}))p(1-p)n \sim p(1-p)n$.
- (c) For any vertices $x, y, u \in V$ (pairwise distinct),

$$|N_1(u) \cap (N_1(y) \setminus N_{\leq 1}(x))| = (1 + \mathcal{O}(\sqrt{\log n/n}))p^2(1-p)n \sim p^2(1-p)n.$$

Now, we are ready to prove our last upper bound.

Theorem 14. Fix $p \in (0, 1)$. The following property holds a.a.s. for $G = (V, E) \in \mathcal{G}(n, p)$:

$$\text{pq}(G) \leq \text{eq}(G) \leq k := \frac{3}{p^2(1-p)^2} \log n = \mathcal{O}(\log n).$$

Proof. We continue using the same proof strategy as in the previous two theorems, Theorems 11 and 12, but the strategy and the proof that it is a winning strategy a.a.s. are much easier than before. There are $a \log n$ rounds, where $a = 3p^{-2}(1-p)^{-2}$. In each round, the first player (the algorithm) presents an edge that is generated at random, that is, the first vertex, u , is selected uniformly at random from V and then a neighbour of u , vertex v , is selected uniformly at random from all neighbours of u . As in the previous two proofs, since we aim for a statement that holds a.a.s., we may assume that properties stated in Lemma 13 hold deterministically (that is, our graph is “nice”). We need to show that for any pair of vertices x, y ($x \neq y$), the above strategy guarantees that with probability at least $1 - n^{-2}$ the target cannot be hidden in both vertices.

Let us fix any pair of vertices x, y ($x \neq y$). If $u \in N_1(x) \setminus N_{\leq 1}(y)$ but $v \in N_1(y) \setminus N_{\leq 1}(x)$ (or vice-versa), then the goal is achieved, regardless what the second player (the adversary) does. By Lemma 13(b), $u \in N_1(x) \setminus N_{\leq 1}(y)$ with probability asymptotic to $p(1-p)$. Conditioning on this event, by Lemma 13(c), u has $(1 + o(1))p^2(1-p)n$ neighbours in $N_1(y) \setminus N_{\leq 1}(x)$. Hence, by Lemma 13(a), the (conditional) probability that $v \in N_1(y) \setminus N_{\leq 1}(x)$ is asymptotic to $p(1-p)$. We get that $u \in N_1(x) \setminus N_{\leq 1}(y)$ but $v \in N_1(y) \setminus N_{\leq 1}(x)$ happens with probability asymptotic to $p^2(1-p)^2$. By symmetry, the same is true if u and v are swapped. It follows that the strategy fails with probability at most

$$(1 - (2 + o(1))p^2(1-p)^2)^{a \log n} \leq \exp(-(2 + o(1))p^2(1-p)^2 a \log n) \leq n^{-2},$$

since $a = 3p^{-2}(1-p)^{-2}$. This finishes the proof of the theorem. \square



4 \mathcal{NP} -hardness

In this section, we prove that computing the parameters $\text{pq}(G)$ and $\text{eq}(G)$ is \mathcal{NP} -hard for a general family of graphs, that is, for graphs of diameter at most 3. This is done by a reduction from the 3-EXACT SET COVER problem: given a set of elements $A = \{a_1, \dots, a_n\}$, where $n = 3k$ for some natural number k , a family of sets $\mathcal{S} = \{S_1, \dots, S_m\}$, for $S_i \subseteq A$, $|S_i| = 3$ for $i \in [m]$ and $\bigcup_{i \in [m]} S_i = A$, the question is whether there exists a sub-family $\mathcal{SC} = \{S_{i_1}, \dots, S_{i_k}\}$ such that $\bigcup_{j \in [k]} S_{i_j} = A$. Note that, since $n = 3k$, if the answer to the above question is positive, then the sets in \mathcal{SC} are pairwise disjoint.

For each instance of the problem, we construct a graph G defined as follows. The vertex set of G is defined as follows:

$$V(G) = \{x, y\} \cup \left(\bigcup_{t \in [5]} A^t \right) \cup \left(\bigcup_{t \in [5]} \mathcal{S}^t \right) \cup L,$$

where A^t, \mathcal{S}^t , for $t \in [5]$, are copies of the sets A and \mathcal{S} , respectively, and $|L| = 5n(5(m - k) - 3) = n(25(m - k) - 15)$. The edge set of G is defined as follows (see Figure 4 for an illustration):

1. $G \left[\{y\} \cup \bigcup_{t \in [5]} A^t \right]$ induces a star centred at y (isomorphic to $K_{1,5n}$),
2. each vertex $a \in \bigcup_{t \in [5]} A^t$ is adjacent to $5(m - k) - 3$ leaves that belong to L ,
3. $G \left[\{x\} \cup \bigcup_{t \in [5]} \mathcal{S}^t \right]$ induces a star centered at x (isomorphic to $K_{1,5m}$),
4. for $t \in [5], i \in [n], j \in [m]$, vertices $a_i^t \in A^t$ and $S_j^t \in \mathcal{S}^t$ are adjacent if and only if $a_i \in S_j$ in the corresponding instance of the problem.

For any $i \in [n]$ and $t \in [5]$, we define $L_i^t = \{a_i^t\} \cup (N_1(a_i^t) \cap L)$, that is, the vertex set of a star centred at a_i^t (isomorphic to $K_{1,5(m-k)-3}$) defined by the second condition above.

Lemma 15. *Suppose that $n > m > k + 3 = n/3 + 3$ for some natural number k . For the graph G defined above, one has $\text{pq}(G) \leq \text{eq}(G) \leq 5m$ if and only if there exists a set cover of size k for the corresponding instance of the 3-EXACT SET COVER problem.*

Proof. (\Leftarrow) Suppose that the desired set cover $\mathcal{SC} = \{S_{i_1}, \dots, S_{i_k}\}$ exists. We introduce the following search strategy for the first player (the algorithm) implying that $\text{eq}(G) \leq 5m$. Query the $5k$ edges of the form $xS_{i_j}^t$ for $t \in [5], j \in [k]$. If every single reply is x , then the target is on a star induced by the graph $G \left[\{x\} \cup \bigcup_{t \in [5]} \mathcal{S}^t \setminus \bigcup_{t \in [5], j \in [k]} \{S_{i_j}^t\} \right]$ (isomorphic to $K_{1,5(m-k)}$), and can be easily localized in the next $5(m - k)$ rounds. (Actually, it can be done faster by querying edges of the form ya_i^t for some carefully selected values of $t \in [5]$ and $i \in [n]$.) The target is found in at most $5m$ rounds in total, yielding the desired upper bound for $\text{eq}(G)$.






Figure 4: A reduction from the 3-EXACT SET COVER.

Suppose then that the adversary replies with vertex $S_{i_j}^t$ at some round of the initial $5k$ queries. Without loss of generality, we may assume that it was S_1^1 and that this vertex is adjacent to a_1^1, a_2^1 , and a_3^1 . It is easy to see that the target must be in S_1^1, y , or at a vertex of some star L_i^1 centered at a_i^1 ($i \in [3]$). To locate it, the algorithm queries the 3 edges adjacent to S_1^1 , namely, edges $S_1^1 a_i^1$ ($i \in [3]$). If S_1^1 is the target, then S_1^1 is replied 3 times in a row. On the other hand, if y is the target, then S_1^1 is not selected by the adversary even once. Suppose then that the target is located in some vertex of a star L_i^1 ($i \in [3]$). Clearly, the adversary replies with a_i^1 when this vertex is queried and, otherwise, S_1^1 is selected. The algorithm learns which star needs to be investigated and the target can be found in the remaining $5(m-k) - 3$ queries. This proves that $\text{eq}(G) \leq 5m$ and the claim follows immediately from Observation 5.

(\implies) We will prove the implication using proof by contraposition. Suppose that there is no set cover of size k for the corresponding instance of the problem. Our goal is to show that $\text{pq}(G) \geq 5m + 1$. To that end, we will provide a strategy for the second player (the adversary) that guarantees that the target is not found after $5m$ rounds of the game, that is, $|V_{5m}| \geq 2$. In fact, we will help the first player (the algorithm) slightly and announce at the beginning of the game that the target is hidden in the set

$$V_0 = L \cup \bigcup_{t \in [5]} A^t = \bigcup_{i \in [n], t \in [5]} L_i^t \subseteq V$$

(instead of starting with $V_0 = V$). Note that $G[V_0]$ is a family of $5n$ independent stars, each isomorphic to $K_{1,5(m-k)-3}$. Even with that additional information, the algorithm will not be able to find the target in $5m$ rounds.

We consider two phases of the game. The first phase lasts for $5k + 4$ rounds. We will show that at the end of this phase, there exists at least one star L_i^t with the property that the target can be at any vertex of that star; that is, $L_i^t \subseteq V_{5k+4}$. Here is a strategy for

the adversary. Suppose that for some $i \in [5k + 4]$ the algorithm queried a pair u_i and v_i at round i .

1. $u_i = y$ and $v_i = a_j^t$ for some $j \in [n], t \in [5]$. The adversary replies with y . Then, $V_{i-1} \setminus V_i = V_{i-1} \setminus \mathcal{C}(y, a_j^t) \subseteq L_j^t$. At most one star is eliminated.
2. $u_i = y$ and $v_i \notin \bigcup_{t \in [5]} A^t$. The adversary replies with y . Then, only v_i is eliminated, provided $v_i \in L$. At most one star is (partially) eliminated.
3. $u_i = x$ and $v_i \in L_j^t$ for some $j \in [n], t \in [5]$. The adversary replies with x . Then, $V_{i-1} \setminus V_i = V_{i-1} \setminus \mathcal{C}(x, v_i) \subseteq L_j^t$. At most one star is eliminated.
4. $u_i = x$ and $v_i = S_\ell^t$ for some $\ell \in [m], t \in [5]$. Let $S_\ell = \{a_{\ell_1}, a_{\ell_2}, a_{\ell_3}\}$. The adversary replies with x . Then, $V_{i-1} \setminus V_i = V_{i-1} \setminus \mathcal{C}(x, S_\ell^t) \subseteq L_{\ell_1}^t \cup L_{\ell_2}^t \cup L_{\ell_3}^t$. At most three stars are eliminated.
5. $u_i = S_\ell^t$ and $v_i = S_j^s$ for some $\ell, j \in [m]$ and $t, s \in [5]$. Let $S_\ell = \{a_{\ell_1}, a_{\ell_2}, a_{\ell_3}\}$. The adversary replies with v_i . Then, $V_{i-1} \setminus V_i = V_{i-1} \setminus \mathcal{C}(v_i, S_\ell^t) \subseteq L_{\ell_1}^t \cup L_{\ell_2}^t \cup L_{\ell_3}^t$. At most 3 stars are eliminated. Note that this is equivalent to the previous case (x vs. S_ℓ^t).
6. $u_i = S_\ell^t$ and $v_i \in L_j^s$ for some $\ell, j \in [m]$ and $t, s \in [5]$. Let $S_\ell = \{a_{\ell_1}, a_{\ell_2}, a_{\ell_3}\}$. The adversary replies with v_i . Then, $V_{i-1} \setminus V_i = V_{i-1} \setminus \mathcal{C}(v_i, S_\ell^t) \subseteq L_{\ell_1}^t \cup L_{\ell_2}^t \cup L_{\ell_3}^t$. At most 3 stars are eliminated. Again, note that this is equivalent to the previous case (x vs. S_ℓ^t), provided $t \neq s$ or $a_j \notin S_\ell$. If $t = s$ and $a_j \in S_\ell$, then at most two stars are eliminated.
7. $u_i = a_j^t$ and $v_i \in L_\ell^s$ for some $j, \ell \in [m]$ and $t, s \in [5]$. The adversary replies with a_j^t . Then $V_{i-1} \setminus V_i = V_{i-1} \setminus \mathcal{C}(a_j^t, v_i) \subseteq L_\ell^s$, that is, at most one star is eliminated. When $s = t$ and $j = \ell$ then only v_i is eliminated. In any case, at most one star is (partially) eliminated.
8. $\{u_i, v_i\} \in L$. Let $v_i \in L_j^t$ for some $j \in [n], t \in [5]$. The adversary replies with u_i . Then $V_{i-1} \setminus V_i = V_{i-1} \setminus \mathcal{C}(u_i, v_i) \subseteq L_j^t$. (In particular, if $u_i \in L_j^t$, then only v_i is eliminated.) At most one star is (partially) eliminated.

Note that each query described above eliminates at most three stars, either entirely or partially. Moreover, all stars that are eliminated belong to one of the five copies of the sets A . More importantly, since there is no cover set of size k for the corresponding instance of the problem, the algorithm cannot eliminate all $3k$ stars from one copy in k queries (restricted to those that affect this copy). Hence, after $5k + 4$ rounds, there is at least one star (say, L_j^t centered at a_j^t) that may hide the target, that is, $L_j^t \subseteq V_{5k+4}$.

The strategy for the second phase is very easy. In every round of this phase, the adversary replies with a vertex that is closer to a_j^t (or any vertex if both vertices that are queried are at the same distance from a_j^t). Clearly, at most one vertex of L_j^t is eliminated in each round. Hence, since the star consists of $5(m - k) - 2$ vertices, after $5(m - k) - 4$



additional rounds, at least two vertices are still left in V_{5m} and so the game is not over yet. This finishes the proof that $\text{pq}(G) \geq 5m + 1$, and we are done. \square

Since both our search problems are in \mathcal{NP} (the strategy length is trivially bounded from above by the order of the graph; see also Observation 5), Lemma 15 implies immediately Theorem 4.

References

- [1] Natalie C. Behague, Anthony Bonato, Melissa A. Huggan, Trent G. Marbach, and Brittany Pittman. The localization capture time of a graph. *Theoretical Computer Science*, 911:80–91, 2022.
- [2] Yosi Ben-Asher, Eitan Farchi, and Ilan Newman. Optimal search in trees. *SIAM J. Comput.*, 28(6):2090–2102, 1999.
- [3] Michael Ben-Or and Avinatan Hassidim. The bayesian learner is optimal for noisy binary search (and pretty good for quantum as well). In *FOCS*, pages 221–230, 2008.
- [4] Béla Bollobás. The diameter of random graphs. *Transactions of the American Mathematical Society*, 267(1):41–52, 1981.
- [5] Béla Bollobás. *Random graphs*. Cambridge University Press, 2001.
- [6] Béla Bollobás, Dieter Mitsche, and Paweł Prałat. Metric dimension for random graphs. *The Electronic Journal of Combinatorics*, 20(4):#P1, 2013.
- [7] Anthony Bonato and William B Kinnersley. Bounds on the localization number. *Journal of Graph Theory*, 94(4):579–596, 2020.
- [8] Anthony Bonato and Prałat Paweł. *Graph searching games and probabilistic methods*. Chapman and Hall/CRC, 2017.
- [9] Bartłomiej Bosek, Przemysław Gordinowicz, Jarosław Grytczuk, Nicolas Nisse, Joanna Sokół, and Małgorzata Śleszyńska-Nowak. Centroidal localization game. *The Electronic Journal of Combinatorics*, 25(4):#P4.62, 2018.
- [10] Bartłomiej Bosek, Przemysław Gordinowicz, Jarosław Grytczuk, Nicolas Nisse, Joanna Sokół, and Małgorzata Śleszyńska-Nowak. Localization game on geometric and planar graphs. *Discrete Applied Mathematics*, 251:30–39, 2018.
- [11] Renato Carmo, Jair Donadelli, Yoshiharu Kohayakawa, and Eduardo Sany Laber. Searching in random partially ordered sets. *Theoretical Computer Science*, 321(1):41–57, 2004.
- [12] James Carraher, Ilkyoo Choi, Michelle Delcourt, Lawrence H Erickson, and Douglas B West. Locating a robber on a graph via distance queries. *Theoretical Computer Science*, 463:54–61, 2012.
- [13] Ferdinando Cicalese, Tobias Jacobs, Eduardo Sany Laber, and Caio Dias Valentim. The binary identification problem for weighted trees. *Theoretical Computer Science*, 459:100–112, 2012.



- [14] Ferdinando Cicalese, Balázs Keszegh, Bernard Lidický, Dömötör Pálvölgyi, and Tomáš Valla. On the tree search problem with non-uniform costs. *Theoretical Computer Science*, 647:22–32, 2016.
- [15] Yuval Dagan, Yuval Filmus, Ariel Gabizon, and Shay Moran. Twenty (simple) questions. In *STOC*, pages 9–21, 2017.
- [16] Dariusz Dereniowski. Edge ranking of weighted trees. *Discrete Applied Mathematics*, 154(8):1198–1209, 2006.
- [17] Dariusz Dereniowski, Adrian Kosowski, Przemysław Uznański, and Mengchuan Zou. Approximation strategies for generalized binary search in weighted trees. In *ICALP*, pages 84:1–84:14, 2017.
- [18] Dariusz Dereniowski, Aleksander Lukaszewicz, and Przemysław Uznanski. Noisy searching: simple, fast and correct. [arXiv:2107.05753](https://arxiv.org/abs/2107.05753).
- [19] Dariusz Dereniowski, Stefan Tiegel, Przemysław Uznanski, and Daniel Wolleb-Graf. A framework for searching in graphs in the presence of errors. In *SOSA@SODA*, pages 4:1–4:17, 2019.
- [20] Andrzej Dudek, Sean English, Alan Frieze, Calum MacRury, and Paweł Prałat. Localization game for random graphs. *Discrete Applied Mathematics*, 309:202–214, 2022.
- [21] Andrzej Dudek, Alan Frieze, and Wesley Pegden. A note on the localization number of random graphs: diameter two case. *Discrete Applied Mathematics*, 254:107–112, 2019.
- [22] Ehsan Emamjomeh-Zadeh and David Kempe. A general framework for robust interactive learning. In *NIPS*, pages 7085–7094, 2017.
- [23] Ehsan Emamjomeh-Zadeh, David Kempe, and Vikrant Singhal. Deterministic and probabilistic binary search in graphs. In *STOC*, pages 519–532, 2016.
- [24] Uriel Feige, Prabhakar Raghavan, David Peleg, and Eli Upfal. Computing with noisy information. *SIAM J. Comput.*, 23(5):1001–1018, 1994.
- [25] Florent Foucaud, Ralf Klasing, and Peter J Slater. Centroidal bases in graphs. *Networks*, 64(2):96–108, 2014.
- [26] Archontia C. Giannopoulou, Paul Hunter, and Dimitrios M. Thilikos. Lifo-search: A min-max theorem and a searching game for cycle-rank and tree-depth. *Discret. Appl. Math.*, 160(15):2089–2097, 2012.
- [27] F. Harary and R.A. Melter. On the metric dimension of a graph. *Ars Combin.*, 2:191–195, 1976.
- [28] Svante Janson, Tomasz Łuczak, and Andrzej Ruciński. *Random graphs*, volume 45. John Wiley & Sons, 2011.
- [29] Michał Karoński and Alan Frieze. *Introduction to Random Graphs*. Cambridge University Press, 2016.
- [30] Richard M. Karp and Robert Kleinberg. Noisy binary search and its applications. In *SODA*, pages 881–890, 2007.



- [31] Eduardo Sany Laber, Ruy Luiz Milidiú, and Artur Alves Pessoa. On binary searching with nonuniform costs. *SIAM J. Comput.*, 31(4):1022–1047, 2002.
- [32] Tak Wah Lam and Fung Ling Yue. Optimal edge ranking of trees in linear time. *Algorithmica*, 30(1):12–33, 2001.
- [33] Lyuben Lichev, Dieter Mitsche, and Paweł Prałat. Localization game for random geometric graphs. *European Journal of Combinatorics*, 108:103616, 2023.
- [34] Joseph W.H. Liu. The role of elimination trees in sparse factorization. *SIAM Journal on Matrix Analysis and Applications*, 11(1):134–172, 1990.
- [35] Kazuhisa Makino, Yushi Uno, and Toshihide Ibaraki. On minimum edge ranking spanning trees. *J. Algorithms*, 38(2):411–437, 2001.
- [36] Dieter Mitsche and Juanjo Rué. On the limiting distribution of the metric dimension for random forests. *European Journal of Combinatorics*, 49:68–89, 2015.
- [37] Shay Mozes, Krzysztof Onak, and Oren Weimann. Finding an optimal tree searching strategy in linear time. In *SODA*, pages 1096–1105, 2008.
- [38] Jaroslav Nešetřil and Patrice Ossona de Mendez. Tree-depth, subgraph coloring and homomorphism bounds. *European Journal of Combinatorics*, 27(6):1022–1041, 2006.
- [39] Suzanne Seager. Locating a backtracking robber on a tree. *Theoretical Computer Science*, 539:28–37, 2014.
- [40] P.J. Slater. Leaves of trees. In *Proc. Sixth Southeastern Conf. Combin., Graph Theory, Computing*, number 14 in *Congressus Numer.*, pages 549–559, 1975.

