

This is the peer reviewed version of the following article:

Gavoille C., Klasing R., Kosowski A., Kuszner Ł., Navarra A., On the complexity of distributed graph coloring with local minimality constraints, *Networks*, Vol. 54, Iss. 1 (2009), pp. 12-19,

which has been published in final form at <https://doi.org/10.1002/net.20293>. This article may be used for non-commercial purposes in accordance with Wiley Terms and Conditions for Use of Self-Archived Versions. This article may not be enhanced, enriched or otherwise transformed into a derivative work, without express permission from Wiley or by statutory rights under applicable legislation. Copyright notices must not be removed, obscured or modified. The article must be linked to Wiley's version of record on Wiley Online Library and any embedding, framing or otherwise making available the article or pages thereof by third parties from platforms, services and websites other than Wiley Online Library must be prohibited.

On the Complexity of Distributed Graph Coloring with Local Minimality Constraints*

Cyril Gavoille[†] Ralf Klasing[†] Adrian Kosowski^{†‡}

Łukasz Kuszner[‡] Alfredo Navarra[§]

Abstract

Distributed Greedy Coloring is an interesting and intuitive variation of the standard Coloring problem. Given an order among the colors, a coloring is said to be *greedy* if there does not exist a vertex for which its associated color can be replaced by a color of lower position in the fixed order without violating the property that neighboring vertices must receive different colors. We consider the problems of *Greedy Coloring* and *Largest First Coloring* (a variant of greedy coloring with strengthened constraints) in the Linial model of distributed computation, providing lower and upper bounds and a comparison to the $(\Delta+1)$ -Coloring and *Maximal Independent Set* problems, with Δ being the maximum vertex degree in G .

Keywords: Distributed Computing, Graph Coloring, Greedy Algorithm, Randomization

*The research was partially funded by the State Committee for Scientific Research (Poland) Grant 4 T11C 047 25, by the Future and Emerging Technologies Unit of EC (IST priority — 6th FP), under contract no. FP6-021235-2 (project “ARRIVAL”), the ANR-project “ALADDIN”, the project “CEPAGE” of INRIA, and by European projects COST Action 293 “Graphs and Algorithms in Communication Networks” (GRAAL) and COST Action 295 “Dynamic Communication Networks” (DYNAMO). Some of the results of this paper were announced in [11, 16].

[†]LaBRI - Université Bordeaux 1 - CNRS, 351 cours de la Libération, 33405 Talence cedex, France. E-mail: {gavoille,klasing}@labri.fr

[‡]Department of Algorithms and System Modeling, Gdańsk University of Technology, Narutowicza 11/12, 80952 Gdańsk, Poland. Email: {kosowski,kuszner}@sphere.pl

[§]Dipartimento di Matematica e Informatica, Università degli Studi di Perugia, Via Vanvitelli 1, 06123 Perugia, Italy. Email: navarra@dipmat.unipg.it

1 Introduction

To *color* the vertices of a graph $G = (V, E)$ means to give each vertex a positive integer color value in such a way that no two adjacent vertices get the same color. In many practical considerations, it is desirable to minimize the number of colors used.

Many applications ranging over code assignment in wireless networks [3], scheduling problems [10, 23], track assignment in railway optimization [5–7] and so forth, can be solved by means of minimum coloring.

If at most k colors are used, the result is called a *k-coloring*. The smallest possible positive integer k for which there exists a k -coloring of G is called the *chromatic number* $\chi(G)$. It has to be remembered that even in a centralized setting, approximating $\chi(G)$ within a factor of $|V|^{1-\varepsilon}$ is an NP-hard problem, for any $\varepsilon > 0$ [30].

In the context of distributed computing, the performance of a graph coloring algorithm on a system graph G is characterized by at least two main parameters: the number of colors used by the algorithm to color the graph G and the number of rounds required to obtain a coloring. Designing a fast distributed algorithm (i.e., an algorithm running within $o(D)$ rounds where D is the diameter of the graph G) which always uses a number of colors in some way bounded from above with respect to $\chi(G)$ appears to be difficult; e.g., in [22] it is proved that coloring trees of diameter D and maximum degree Δ requires $\Omega(D)$ rounds even if we allow the algorithm to use $\sqrt{\Delta}$ colors. For this reason, it is natural to pose the problem of constructing distributed algorithms having properties analogous to certain centralized graph coloring heuristics, which are known to work well in practice. The class of greedy algorithms considered herein is of special significance due to the elegance of their formulation, and the number of graph classes for which they always produce optimal or near-optimal results.

1.1 Preliminaries: Greedy Coloring in a Centralized Setting

For a given graph G and a sequence K of all its vertices, $K = (v_1, v_2, \dots, v_n)$, we will use the term *greedy coloring* to describe the following procedure of locally minimal color assignment:

algorithm Greedy-Color(G, K):

for $v := v_1$ **to** v_n **do**

 give vertex v the smallest possible color not used by any
 of the already colored neighbors of v ;

Different graph coloring algorithms are obtained by choosing the sequence K in a specific way and then applying the Greedy-Color procedure. Below we briefly recall some of the types of sequences most often applied in practice (cf. [17, 18]).

- *General Greedy* (G) sequence: K is an arbitrarily chosen sequence of vertices.
- *Largest-First* (LF) sequence: K is formed by arranging the vertices of graph G in non-ascending order of degrees.
- *Smallest-Last* (SL) sequence: K is formed by iteratively removing a vertex of minimal degree from the graph and placing it at the end of K .

All the considered algorithms obviously lead to correct colorings of the graph, but the converse does not hold — not every coloring of a graph can be obtained by applying a specific algorithm. We will call a coloring of a graph an *A-coloring* if it can be obtained by means of greedy coloring with a sequence of some type A .

Observe that all G-colorings have the much desired local minimality property described by Grundy [13], namely, no single vertex may have its color value decreased without affecting the color of some other (neighboring) vertex. As a direct consequence, all G-colorings use no more than $\Delta + 1$ colors, with Δ being the maximum vertex degree in G . LF-colorings and SL-colorings are special types of G-colorings, thus they inherit this property.

For graph classes found in practice greedy colorings obtained according to specific sequences may admit even stronger bounds [18, 25, 29]. For example, any SL-coloring

of a planar graph uses no more than 6 colors, whereas any LF-coloring is optimal or within a fixed number of colors of the optimum for numerous graph classes, including complete k -partite graphs, caterpillars, crowns, and bipartite wheels [18].

1.2 Model of Distributed Computation

We consider restricted variants of the vertex coloring problem in a distributed network, assuming the so-called Linial model of computation, which is widely used in previous research on the subject [4, 21, 22, 27]. Such a distributed network consists of a set V of processors and a set E of bidirectional communication links between pairs of processors. It can be modeled by an undirected graph $G = (V, E)$. We denote $n = |V|$.

Vertices are identified by means of unique labels. Each vertex has its local state, described by a certain number of integer variables. The system functions in so-called *synchronized rounds*, consisting of three steps: a vertex first reads its own local state variables and the local state variables of all its neighbors, then performs an arbitrary amount of local computations, and finally updates its local state variables accordingly.

Although local computations are unbounded, the case of randomized algorithms, i.e, algorithms that can make use of a so-called *coin-flip* function, is usually separately studied. Section 4 is devoted to such a variant.

In all further considerations we assume that two global parameters are known to all vertices: some constant-factor upper bounds on the number of vertices n and on the maximum vertex degree Δ . This assumption is used only to provide a simple mechanism for executing subroutines of known complexity with respect to n and Δ and waiting a known number of rounds for their completion.

For convenience of notation, we will assume that the special local state variable c always stores the outcome of the algorithm; for example, in a coloring process, $c(v)$ is the color value assigned to vertex v . The algorithm is considered to be complete when the values of all variables c are correctly set and the algorithm will not modify them in any subsequent round.

For each vertex v define its *neighborhood* $N(v) = \{u : \{u, v\} \in E\}$ and *vertex degree* $\deg_G(v) = |N(v)|$. The maximum degree among all vertices in G is denoted by $\Delta = \max_{v \in V} \{\deg_G(v)\}$. In order to distinguish among neighbors of higher degree, we will use the symbol $N_{\geq}(v) = \{u \in N(v) : \deg(u) \geq \deg(v)\}$ and similarly $N_{>}(v) = \{u \in N(v) : \deg(u) > \deg(v)\}$. The *distance- d neighborhood* $N_d(v)$ of vertex v is defined as the set of all vertices at a distance between 0 and d from v . For any subset of vertices $S \subseteq V$, we denote the subgraph of G induced by vertex set S as $G[S]$. The length of the shortest cycle in graph G is known as its *girth* and denoted by $g(G)$.

1.3 Problem Definitions

In this paper we consider two variants of the graph coloring problem in a distributed setting, those of obtaining a G -coloring and of obtaining an LF-coloring of the system graph, denoted G -COL and LF-COL respectively. As mentioned in the Subsection 1.1, G -COL and LF-COL are refinements of the problem of finding a $(\Delta + 1)$ -coloring of the system graph G (simply denoted COL), and thus are not easier in the sense of computation time. In fact, G -COL and LF-COL are also not easier than the problem of finding a maximal independent set in G (denoted MIS), since for any G -coloring of G the set of all vertices having color 1 is clearly a maximal independent set.

Nevertheless, it is possible to put forward a definition of G -COL and LF-COL which demonstrates the local nature of the imposed constraints; for completeness we provide local formulations of COL and MIS as well. For a set of vertices $S \subseteq V$, the symbol $c(S)$ is used to denote the set of values $\{c(v) : v \in S\}$.

Definition 1. *The considered distributed problems are defined by the following constraints on the local variable c at any vertex v :*

$$(\Delta + 1)\text{-Coloring (COL):} \quad c(v) \in \{1, \dots, \Delta + 1\} \setminus c(N(v)).$$

$$\text{Maximal Independent Set (MIS):} \quad c(v) \in \{0, 1\} \wedge c(v) = 1 \Leftrightarrow c(N(v)) = \{0\}.$$

$$\text{Greedy Coloring (G-COL):} \quad c(v) = \min \{1, \dots, \Delta + 1\} \setminus c(N(v)).$$

$$\text{Largest-First Coloring (LF-COL):} \quad c(v) = \min \{1, \dots, \Delta + 1\} \setminus c(N_{\geq}(v)).$$

The proof of the equivalence of the above definitions with the prior characterizations is straightforward. For the **G-COL** problem, consider any **G**-coloring c of graph G , and an arbitrarily chosen vertex v . Since at the time of coloring some of the vertices from $N(v)$ are already colored and v obtains the minimum possible color, we have $c(v) \leq \min \{1, \dots, \Delta + 1\} \setminus c(N(v))$, but also $c(v) \notin c(N(v))$ by the legality of the coloring, thus $c(v) = \min \{1, \dots, \Delta + 1\} \setminus c(N(v))$. Conversely, given a set of color values fulfilling $c(v) = \min \{1, \dots, \Delta + 1\} \setminus c(N(v))$ we can always construct a corresponding sequence K for the **Greedy-Color** procedure simply by ordering vertices according to non-decreasing values of $c(v)$. For the definition of **LF-COL** the argument is analogous; an appropriate sequence K can be constructed by ordering vertices according to non-increasing values of $\deg(v)$, breaking ties according to non-decreasing values of $c(v)$.

As a side note, it is interesting to observe that the problem of finding an **SL**-coloring of graph G does not admit any local definition. Indeed, when G is a ring of even length, any such coloring uses exactly 2 colors. Taking into account that the 2-coloring of a ring requires $\Omega(n)$ rounds (cf. e.g. [22]), this means that finding a distributed **SL**-coloring of a graph may also require $\Omega(n)$ rounds; such a problem is of little interest in a distributed setting. The same also holds for well-known algorithms with dynamic sequences, such as **DSATUR** [17].

1.4 State-of-the-art Results

In terms of n , the fastest distributed algorithm for **MIS** is $2^{O(\sqrt{\log n})}$ [27]. The same bound holds for **COL**, taking into account the simple algorithm which finds a $(\Delta + 1)$ -coloring of an arbitrary graph by direct reduction to one iteration of any algorithm for **MIS** (see e.g. [15]). The current best lower bound is only $\Omega(\log^* n)$ for **COL** [22] and $\Omega\left(\sqrt{\frac{\log n}{\log \log n}}\right)$ for **MIS** [19]. The distributed time complexity of **COL** and **MIS** is thus widely open.

Recently, it has been proved that **COL** and **MIS** on graphs of arboricity $o(\sqrt{\log n})$ can be solved in $o(\log n)$ time [2], while in growth-bounded graphs they can be solved in optimal $O(\log^* n)$ time [28]. Some additional time bounds are obtained when

taking into account the value of parameter Δ . For general graphs, the best upper bound for COL and MIS is $O(\Delta \log \Delta + \log^* n)$ rounds [20]. All the above mentioned algorithms are deterministic; using randomization, it is also shown in [20] that an expected $O(\Delta \log \log n)$ rounds are enough for COL.

For the general graph coloring problem some extremely fast algorithms have been described. Linial [22] gave an algorithm working in $O(\log^* n)$ time but using $O(\Delta^2)$ colors. Algorithms having strong bounds on the number of colors usually only work for some specific graph classes. For example in [12] a technique for coloring triangle-free graphs using $O(\Delta/\log \Delta)$ colors was proposed, but the algorithm may fail for some instances of the problem (i.e., for some triangle-free graphs). Practical performance aspects of many algorithms for COL, including algorithms with mechanisms for economizing on the number of used colors, were studied in [9].

To the best of our knowledge, the first distributed approach to greedy graph coloring was proposed by Panconesi and Rizzi [26] who used a forest decomposition technique to achieve a coloring fulfilling the constraints of G-COL in $O(\Delta^2 + \log^* n)$ time. Recently an algorithm motivated by sequential LF-coloring was described in [14]. Analysis shows that it runs in $O(\Delta^2 \log n)$ time. The solution obtained by this algorithm is always greedy (solving the G-COL problem), but does not satisfy the constraints of the LF-COL problem for some instances.

1.5 Our Contribution

We provide lower and upper bounds on the time complexity of Greedy Coloring (G-COL) and Largest First Coloring (LF-COL) with respect to Coloring (COL) and Maximal Independent Set (MIS).

A summary of the results is contained in Table 1. The obtained lower and upper bounds for the G-COL and LF-COL problems are expressed in terms of parameters n and Δ . In particular, we prove a lower bound of $\Omega\left(\frac{\log n}{\log \log n}\right)$ for G-COL and $\Omega(\sqrt{n})$ for LF-COL, an improvement upon the current MIS-derived lower bounds [19]. We note that our lower bounds also apply for randomized algorithms (cf. Section 4).

The rest of the paper is organized as follows. The next section provides lower

Lower bounds (deterministic and randomized)

| COL | MIS | G-COL | LF-COL |
|-------------------------|--|---|----------------------------|
| $\Omega(\log^* n)$ [21] | $\Omega\left(\sqrt{\frac{\log n}{\log \log n}}\right)$ [19] | $\Omega\left(\frac{\log n}{\log \log n}\right)$ [Thm 5] | $\Omega(\sqrt{n})$ [Thm 6] |
| | $\Omega\left(\frac{\log \Delta}{\log \log \Delta}\right)$ [19] | | $\Omega(\Delta)$ [Thm 6] |

Upper bounds (deterministic algorithms)

| COL | MIS | G-COL | LF-COL |
|---|---|---|---|
| $2^{O(\sqrt{\log n})}$ [1, 27] | $2^{O(\sqrt{\log n})}$ [1, 27] | $2^{O(\sqrt{\log n})}$ [Thm 8] | $O(\sqrt{n} \cdot \mathcal{T}_{\text{MIS}})$ [Thm 12] |
| $O(\Delta \log n)$ [1] | $O(\Delta + \mathcal{T}_{\text{COL}})$ [Prop 9] | $O(\Delta + \mathcal{T}_{\text{COL}})$ [Prop 9] | $O(\Delta \cdot \mathcal{T}_{\text{MIS}})$ [Thm 11] |
| $O(\Delta \log \Delta + \log^* n)$ [20] | | | |

Upper bounds (randomized algorithms)

| COL | MIS | G-COL | LF-COL |
|---|--|--|--|
| $O(\log n)$ [15, 24] | $O(\log n)$ [24] | $2^{O(\sqrt{\log n})}$ [Prop 13] | $O(\sqrt{n} \log n)$ [Prop 14] |
| $O(\Delta \log \log n)$ [20] | $O(\Delta + \mathcal{T}_{\text{COL}}^R)$ [Prop 13] | $O(\Delta + \mathcal{T}_{\text{COL}}^R)$ [Prop 13] | $O(\Delta \log \Delta \log n)$ [Prop 14] |
| $O(\Delta \log \Delta + \log^* n)$ [20] | | | |

Table 1: The time complexity of Greedy Coloring and LF-Coloring with respect to other well-known problems, $(\Delta + 1)$ -Coloring and Maximal Independent Set, in the distributed setting. For a problem P , the notation \mathcal{T}_{P} (resp. $\mathcal{T}_{\mathsf{P}}^R$) describes a known upper bound on the complexity of an algorithm (resp. randomized algorithm) for solving P .

bounds for the considered problems. Upper bound results for deterministic algorithms can be found in Section 3, while a discussion concerning upper bound results for randomized algorithms can be found in Section 4. Finally, Section 5 provides concluding remarks.

2 Lower Bounds

2.1 The G-COL Problem

For a given graph G , let $C_G(v)$ denote the set of all possible colors which may be assigned to vertex $v \in V$, taken over all greedy colorings of G . For trees, we have the following property.

Lemma 1. *Let T be a tree and v some vertex of T such that the maximum distance from v to another vertex of T is d . Then $\max C_T(v) \leq d + 1$.*

Proof. Consider an arbitrary greedy coloring of T . If a vertex v_c receives some color $c > 1$, then it must be adjacent to a vertex v_{c-1} which is assigned color $c - 1$. By induction we easily prove that v_c must be the endpoint of a path in T with c vertices. Since by assumption the longest path of T with one endpoint in v has $d + 1$ vertices, clearly the color assigned to v in the coloring cannot exceed $d + 1$. \square

Lemma 2. *Suppose that there exists an n -vertex graph G such that for some ℓ we have bounds on its girth $g(G) \geq \ell$ and chromatic number $\chi(G) > \ell/2$. Then, for any distributed algorithm for the G-COL problem there exist graphs of at most n vertices which require no less than $\ell/2 - 1$ rounds to color.*

Proof. Suppose that there exists a distributed algorithm A which for all graphs of at most n vertices produces a greedy coloring c_A in at most d rounds. Algorithm A must be able to assign for any vertex $v \in V$ a color $c_A(v) \in C_G(v)$, using information about the graph structure at distance at most d only. Thus, if for two graphs $G = (V, E)$ and $G' = (V', E')$ with distinguished vertices $v \in V$, $v' \in V'$ we have $G[N_d(v)] = G'[N_d(v')]$, then the coloring of graph G produced by algorithm A has the property that $c_A(v) \in C_G(v) \cap C_{G'}(v')$.

Now, let G be the graph of girth $g(G) \geq \ell$ described in the assumption of the lemma. Let $v \in V$ be arbitrarily chosen. We now apply the proven property for graphs G and $G'_v \equiv G[N_{\frac{\ell}{2}-1}(v)]$ with vertices v and $v' \equiv v$, obtaining $c_A(v) \in C_G(v) \cap C_{G'_v}(v)$. However, the graph G'_v is clearly a tree (since it is acyclic and connected) and all vertices of G'_v are at a distance of at most $\ell/2 - 1$ from v . Hence

by Lemma 1 we obtain $\max C_{G'_v}(v) \leq \ell/2$, and we conclude that for graph G , $c_A(v) \leq \ell/2$. Since v was arbitrarily chosen, we have $c_A(v) \leq \ell/2$ for all $v \in V$. We have thus obtained a coloring of G using at most $\ell/2$ colors, whereas by assumption the chromatic number $\chi(G)$ is larger than $\ell/2$, a contradiction. \square

Lemma 3 ([8]). *For all $n, k \in \mathbb{N}$ ($4 \leq k \leq n$) there exists an n -vertex graph G , such that $\chi(G) \geq k$ and $g(G) \geq \frac{1}{4} \frac{\log n}{\log k}$.*

Corollary 4. *For all values of $n \geq 2^{16}$ there exists a graph G of order n , such that $\chi(G) \geq \frac{\log n}{\log \log n}$ and $g(G) \geq \frac{1}{4} \frac{\log n}{\log \log n}$.*

Proof. For any given value of $n \geq 2^{16}$, put $k = \left\lceil \frac{\log n}{\log \log n} \right\rceil$ in Lemma 3. We immediately obtain that there exists a graph G of order n such that the following conditions are fulfilled:

$$\chi(G) \geq k = \left\lceil \frac{\log n}{\log \log n} \right\rceil \geq \frac{\log n}{\log \log n},$$

$$g(G) \geq \left\lceil \frac{1}{4} \frac{\log n}{\log k} \right\rceil \geq \frac{1}{4} \frac{\log n}{\log \log n - \log \log \log n + 1} \geq \frac{1}{4} \frac{\log n}{\log \log n},$$

which completes the proof. \square

Combining Corollary 4 with Lemma 2 (putting $l = \frac{1}{4} \frac{\log n}{\log \log n}$) we immediately obtain that for all values of $n \geq 2^{16}$, no distributed algorithm can solve the G-COL problem in less than $\frac{1}{8} \frac{\log n}{\log \log n} - 1$ rounds for all graphs of order at most n . Thus, we have the following theorem.

Theorem 5. *The distributed time complexity of G-COL is $\Omega\left(\frac{\log n}{\log \log n}\right)$.*

2.2 The LF-COL Problem

Theorem 6. *The distributed time complexity of LF-COL is $\Omega(\sqrt{n})$ and $\Omega(\Delta)$.*

Proof. Consider a family of graphs $\{G_d\}_{d=4,5,6,\dots}$ having $n(G_d) = \frac{5}{2}d^2 - \frac{1}{2}d + 1$ and $\Delta(G) = 2d$, whose representative is depicted in Figure 1. Vertices v_0, v_1, \dots, v_d induce a path of length d . Some additional components are connected to particular vertices to ensure that vertex v_i obtains a color $d - i + 1$ in each LF-coloring of G_d .




Figure 1: A graph which requires $\Omega(d)$ time to LF-color in the distributed model.

Each of these additional components K_r depicts a complete graph with r vertices, and a bold line between such a component and v_i illustrates that each of the vertices of K_r is connected to v_i . Similarly, when two components K_{r_1} and K_{r_2} are connected, each vertex from K_{r_1} is connected to each vertex from K_{r_2} , thus forming a clique $K_{r_1+r_2}$. We have $\deg(v_i) = d + i$, hence the vertices of the path appear in the LF sequence in the order $v_d, v_{d-1}, \dots, v_1, v_0$. Moreover, we have $|N_{>}(v_i)| = d - i$, and it is easy to obtain inductively that in any LF-coloring of G_d the set of colors used in $N_{>}(v_i)$ is $\{1, 2, \dots, d - i\}$, hence the only possible color for v_i in an LF-coloring is $d - i + 1$. However, if vertex v_d were to be removed from the graph, the colors of all other vertices of the path would decrease by 1. Thus, we have shown that the color of v_0 depends on the existence of vertex v_d : if v_d exists, v_0 must obtain color $d + 1$, otherwise it must obtain color d . As vertices v_d and v_0 are at a distance of d from each other, and information in our model can propagate only at the speed of one vertex per round, the coloring cannot be completed in less than d rounds, and the claim follows. \square

3 Upper Bounds for Deterministic Algorithms

3.1 The G-COL Problem

We recall after [1,27] that a (j, k) -decomposition of a graph $G = (V, E)$ is a partition $\mathcal{C} = \{C_1, C_2, \dots\}$ of V such that the following conditions are fulfilled:

- each subgraph $G[C_i]$, called a *cluster*, is connected and of diameter at most j ,
- the so called *cluster graph*, having vertex set \mathcal{C} and edges connecting those clusters $C_i, C_j \in \mathcal{C}$ for which there exist vertices $v_i \in C_i, v_j \in C_j$ such that $\{v_i, v_j\}$ is an edge of G , is vertex colored with at most k colors.

Lemma 7. *Given a (j, k) -decomposition of a graph, there exists a distributed $O(j \cdot k)$ time algorithm for solving the G-COL problem.*

Proof. Once the (j, k) -decomposition is given, we have a situation in which the clustered graph is already colored (perhaps not greedily). The algorithm then proceeds according to the assigned colors: first clusters of color 1 are processed in parallel, then clusters of color 2 are processed in parallel, and so forth. Inside each cluster, a leader is elected in order to collect all the information from the related cluster. This operation clearly requires $O(j)$ rounds to retrieve all the information about the cluster. The leader then greedily assigns a suitable color to each vertex of its cluster respecting the greedy coloring property, i.e., each vertex gets the smallest color possible with respect to its already colored neighbors from other clusters. Again this requires $O(j)$ rounds. Note that clusters of color 1 have no constraints with respect to the other clusters. In the case of clusters of color 2, the greedy coloring may begin only after waiting $O(k)$ steps for all the neighbors from clusters of color 1 to be colored. Consequently, a coloring of the last clusters is complete after $O(j \cdot k)$ rounds. \square

The following theorem is obtained directly from Lemma 7, taking into account the results of [27] where a $(2^{O(\sqrt{\log n})}, 2^{O(\sqrt{\log n})})$ -decomposition of any n -vertex graph is provided in $2^{O(\sqrt{\log n})}$ distributed time.

Theorem 8. *There exists a distributed algorithm for the G-COL problem running in $2^{O(\sqrt{\log n})}$ time.*

Proposition 9. *There exists a distributed $O(\Delta + \mathcal{T}_{\text{COL}})$ algorithm for G-COL, where \mathcal{T}_{COL} denotes a known upper bound on the execution time of an algorithm for the COL problem in G .*

Proof. Suppose that a $(\Delta + 1)$ -coloring of graph G is already provided. This induces a partition of the vertex set into independent sets $V = IS_1 \cup IS_2 \cup \dots \cup IS_{\Delta+1}$. It is easy to see that in the i -th round we can simultaneously assign the minimum possible color to all vertices from IS_i , taking into account the constraints imposed by the colors of vertices from $IS_1 \cup \dots \cup IS_{i-1}$. Thus, a greedy coloring of the graph can be obtained $\Delta + 1$ rounds after the initial $(\Delta + 1)$ -coloring is known to be complete. \square

3.2 The LF-COL Problem

Before discussing the details of the distributed implementation of the LF algorithm, we present an equivalent characterization of a correct LF-coloring. For a given coloring of G , let $IS_{(j,k)} \in V$, for any $1 \leq j \leq \Delta$, $1 \leq k \leq \Delta + 1$, denote the independent set of vertices of G of degree j and colored with color k . We define $H_{(j,k)} \subseteq G$ as the subgraph induced by the set of all vertices $v \in V$ such that $\deg_G(v) = j$ and $v \notin \left(\bigcup_{k_i < k} IS_{(j,k_i)} \right) \cup N \left(\bigcup_{j_i > j} IS_{(j_i,k)} \right)$.

Lemma 10. *Given an assignment of colors $c : V(G) \rightarrow \mathbb{N}$, if for all j, k the set $IS_{(j,k)}$ is a maximal independent set in $H_{(j,k)}$, then c is an LF-coloring of G .*

Proof. Observe that if a coloring c of G fulfills the assumption of the lemma, then it is identical to the coloring c' obtained using the greedy algorithm with the largest-first sequence of vertices: $K = (IS_{(\Delta,1)}, IS_{(\Delta,2)}, \dots, IS_{(\Delta,\Delta+1)}, IS_{(\Delta-1,1)}, IS_{(\Delta-1,2)}, \dots, IS_{(\Delta-1,\Delta)}, \dots, IS_{(1,1)}, IS_{(1,2)})$, where the elements of each independent set may be enumerated in arbitrary order. Indeed, suppose that for all vertices u which appear in sequence K before some fixed vertex v both colorings are identical, $c(u) = c'(u)$. Putting $j = \deg_G(v)$, for all $j_i < c(v)$, $IS_{(j,k_i)}$ is a maximal independent set in $H_{(j,k_i)}$, $v \in V(H_{(j,k_i)})$, and $v \notin IS_{(j,k_i)}$, hence $IS_{(j,k_i)} \cup \{v\}$ is not an independent set in G . This means that v has at least one neighbor $u \in IS_{(j,k_i)}$ which appears earlier in K , and $c'(u) = k_i$, so $c'(v) \neq k_i$. In this way we obtain $c'(v) \geq c(v)$. On the other hand, all vertices u which appear before v in K and have color $c'(u) = c(v)$ either belong to the same independent set $IS_{(j,c(v))}$ as v , or to some independent set




Figure 2: Illustration of the time ordering of independent set construction.

$IS_{(j_i, c(v))}$, $j_i > j$, and $v \notin N(IS_{(j_i, c(v))})$. Consequently, color $c(v)$ is the smallest legal color for v in the greedy coloring, so we have $c'(v) = c(v)$, which completes the proof by an inductive argument. \square

We now propose a distributed algorithm which defines the maximal independent sets $IS_{(j,k)} \subseteq H_{(j,k)}$. Let r be a known upper bound on the number of rounds required to compute an independent set in any subgraph of G . Then the execution of the proposed algorithm is divided into $\Delta + 1$ steps, each of which lasts r rounds. In the i -th step, $1 \leq i \leq \Delta + 1$, we compute at once all of the independent sets $IS_{(j,k)}$ such that $1 \leq j \leq \Delta$, $1 \leq k \leq \Delta + 1$, and $j - k = \Delta - i$. Thus, in step 1 we compute only a maximal independent set $IS_{(\Delta,1)}$ in graph $H_{(\Delta,1)}$, i.e. in the subgraph of G induced by all vertices of degree Δ . In step 2 we compute a maximal independent set $IS_{(\Delta-1,1)}$ in the subgraph of G induced by all vertices of degree $\Delta - 1$, and at the same time a maximal independent set $IS_{(\Delta,2)}$ in the subgraph of G induced by all vertices of degree Δ not belonging to $IS_{(\Delta,1)}$, and so on. An illustration of the time ordering of the independent set construction is shown in Fig. 2. By Lemma 10, when all vertices have been assigned to some independent set, the result can be interpreted as a distributed LF-coloring of the graph. The time complexity of the algorithm is determined by $\Delta + 1$ steps of an algorithm for the MIS problem, hence we have the following theorem.

Theorem 11. *There exists a distributed $O(\Delta \cdot \mathcal{T}_{\text{MIS}})$ algorithm for LF-COL, where \mathcal{T}_{MIS} denotes a known upper bound on the execution time of an algorithm for the MIS problem in graphs of order at most n and degree at most Δ .*

Theorem 12. *There exists a distributed $O(\sqrt{n \cdot \mathcal{T}_{\text{MIS}}})$ algorithm for LF-COL, where \mathcal{T}_{MIS} denotes a known upper bound on the execution time of an algorithm for the MIS problem in graphs of order at most n and degree at most Δ .*

Proof. Consider a partition of the vertex set $V(G) = V_1 \cup V_2$, where V_1 contains all vertices of degree at least a , and V_2 contains all vertices of degree less than a , for some value of parameter a . Let H be the spanning subgraph of G with all edges having at least one endpoint of degree at least a , $H = G \setminus E(G[V_2])$. Let $P = (v_1 v_2 \dots v_d) \subseteq H$ be a shortest path in H connecting some two vertices v_1 and v_d . In P we must have at least $d/4$ vertices which belong to V_1 and whose neighborhoods are pairwise disjoint in H , hence also in G . Since each of these vertices is of degree at least a , we obtain $a \cdot d/4 \leq n$, which means that the diameter of each of the connected components of H is at most $4n/a$.

The coloring of graph G is obtained by first coloring all vertices from V_1 , and then all vertices from V_2 . The former stage can be performed by electing a leader in each of the connected components of H , computing a centralized LF-coloring of all vertices from V_1 within this component, and disseminating the coloring to all vertices. In view of the obtained bound on the diameter, this step takes $O(n/a)$ time. In the latter stage, the coloring of V_2 is easily completed using an approach similar to that described by Theorem 11 in $O(a \cdot \mathcal{T}_{\text{MIS}})$ time, since all vertices are of degree less than a and obtain color at most a . The overall complexity of the algorithm is therefore $O(n/a + a \cdot \mathcal{T}_{\text{MIS}})$, and the proof of the claim is complete when we put $a = \sqrt{n/\mathcal{T}_{\text{MIS}}}$. \square

4 Notes on Randomized Algorithms

The introduction of randomization consists of allowing local computations of vertices to involve a random coin-flip function, which returns a value 0 or 1 (a so-called *random bit*) with equal probability. We consider randomized algorithms that always stop with a correct result, whereas the time complexity of an algorithm is its *expected* running time.

Although randomized solutions to some problems may be significantly faster than the best known distributed approaches (e.g. MIS in Table 1), certain lower time bounds related to the speed of dissemination of information in the network still apply. In particular, the arguments used when proving lower bounds in Section 2 are still valid: if the distance d -neighborhoods of a vertex v in some two system graphs G_1 and G_2 containing v are identical, and the sets of permissible values of color $c(v)$ are disjoint for graphs G_1 and G_2 , then for any coloring algorithm, for at least one of the graphs G_1, G_2 , the probability of obtaining a correct solution within d rounds cannot exceed $1/2$. Hence, by Markov's inequality, the expected execution time of any algorithm is $\Omega(d)$. In this way we obtain that all the lower bounds in Table 1 also hold for expected execution times in the randomized model.

On the other hand, deterministic algorithms can also be applied in the randomized model. Hence, all upper complexity bounds in Table 1 which are expressed in terms of n and Δ still hold. In particular, the G-COL problem can still be solved in $2^{O(\sqrt{\log n})}$ time. Upper bounds which include bounds on the execution time of other algorithms need to be approached more carefully; we show the following simple results.

Proposition 13. *There exists a distributed randomized $O(\Delta + \mathcal{T}_{\text{COL}}^R)$ expected time algorithm for G-COL, where $\mathcal{T}_{\text{COL}}^R$ denotes the complexity of a randomized algorithm for the COL problem in G .*

Proof. The $O(\Delta + \mathcal{T}_{\text{COL}})$ -time algorithm for G-COL given by Proposition 9 is easily adapted to allow for any randomized subroutine for the COL problem. Indeed, the initial $(\Delta + 1)$ -coloring is used only to define independent sets $\{IS_i : 1 \leq i \leq \Delta + 1\}$, and instead of waiting for the COL algorithm to complete, we can start the greedy coloring phase even before the independent sets are fully defined (for example, in round $(\Delta + 1)k + i$, $k \in \mathbb{N}$, we activate all vertices from set IS_i , none of whose neighbors belong to IS_i). \square

Proposition 14. *There exist distributed randomized algorithms for LF-COL running in $O(\Delta \log \Delta \log n)$ and $O(\sqrt{n} \log n)$ expected time.*

Proof. The deterministic subroutine for MIS applied in the algorithms for LF-COL (Theorems 11 and 12) can be replaced by a randomized subroutine, provided that this algorithm for MIS has the property that at every stage of execution the partial solution described by local variables c of those vertices which have already completed the algorithm induces a (not necessarily maximal) independent set. The randomized distributed algorithm for MIS proposed by Luby [24] has this property. The complexity of this algorithm is given as $O(\log n)$, and the time distribution of executions of the Luby algorithm is dominated by the negative binomial distribution (a direct corollary of [24] Thm 1). When computing an LF-coloring, the subroutine for MIS is called independently $O(\Delta^2)$ times, and thus by a simple calculation we have that the slowest of the iterations of MIS will almost certainly complete in $O(\log n \log \Delta)$ time. We may therefore use the value $O(\log n \log \Delta)$ (or $O(\log^2 n)$ for simplicity) in place of \mathcal{T}_{MIS} in Theorems 11 and 12, which completes the proof. \square

5 Conclusion

The number of colors used by most distributed algorithms for $(\Delta + 1)$ -coloring, such as Johansson's algorithm [15], is close to Δ even if the graph is bipartite. This is not surprising, since such algorithms have no mechanism for economizing on the number of colors. Distributed greedy coloring (G-COL) is a natural approach for optimizing the number of colors. We have shown that such greedy coloring can be obtained within a time bound as good as the best known $(\Delta + 1)$ -coloring algorithm [27]. However, and maybe surprisingly, no polylog randomized algorithm for greedy coloring is known, unlike the case of $(\Delta + 1)$ -coloring.

References

- [1] B. Awerbuch, A.V. Goldberg, M. Luby, and S.A. Plotkin, Network decomposition and locality in distributed computation, 30th IEEE Symp Foundations



- Comput Sci (FOCS), IEEE, 1989, pp. 364–369.
- [2] L. Barenboim and M. Elkin, Sublogarithmic distributed MIS algorithm for sparse graphs using Nash-Williams decomposition, 27th Ann ACM Symp Principles Distrib Comput (PODC), ACM Press, 2008, pp. 25–34.
- [3] R. Battiti, A.A. Bertossi, and M.A. Bonuccelli, Assigning codes in wireless networks: bounds and scaling properties, *Wireless Networks* 5 (1999), 195–209.
- [4] P. Chaudhuri, Algorithms for some graph problems on a distributed computational model, *Informat Sciences* 43 (1987), 205–228.
- [5] S. Cicerone, G. D’Angelo, G. Di Stefano, D. Frigioni, and A. Navarra, Robust algorithms and price of robustness in shunting problems, 7th Workshop Algorithmic Approaches Transportation Modeling Optim Syst (ATMOS), 2007, pp. 175–190.
- [6] S. Cornelsen and G. Di Stefano, Track assignment, *J Discr Algorithms* 5 (2007), 250–261.
- [7] E. Dahlhaus, P. Horak, M. Miller, and J.F. Ryan, The train marshalling problem, *Discr Appl Math* 103 (2000), 41–54.
- [8] P. Erdős, Graph theory and probability, *Can J Math* 11 (1959), 34–38.
- [9] I. Finocchi, A. Panconesi, and R. Silvestri, An experimental analysis of simple, distributed vertex coloring algorithms, *Algorithmica* 41 (2004), 1–23.
- [10] M. Garey and D. Johnson, *Computers and intractability*, W.H. Freeman and Company, 1979.
- [11] C. Gavoille, R. Klasing, A. Kosowski, and A. Navarra, On the complexity of distributed greedy coloring, 21st Int Symp Distrib Comput (DISC), Vol. 4731 of *Lecture Notes in Computer Science*, 2007, pp. 482–484.
- [12] D.A. Grable and A. Panconesi, Fast distributed algorithms for Brooks-Vizing colorings, *J Algorithms* 37 (2000), 85–120.

- [13] P.M. Grundy, Mathematics and games, *Eureka* 2 (1939), 6–8.
- [14] J.C. Hansen, M. Kubale, Ł. Kuszner, and A. Nadolski, Distributed Largest-First algorithm for graph coloring, 10th Eur Conference Parallel Comput (Euro-Par), Vol. 3149 of *Lecture Notes in Computer Science*, 2004, pp. 804–811.
- [15] Ö. Johansson, Simple distributed $(\Delta + 1)$ -coloring of graphs, *Informat Process Lett* 70 (1999), 229–232.
- [16] A. Kosowski and Ł. Kuszner, On greedy graph coloring in the distributed model, 12th Eur Conference Parallel Comput (Euro-Par), Vol. 4128 of *Lecture Notes in Computer Science*, 2006, pp. 592–601.
- [17] A. Kosowski and K. Manuszewski, *Graph Colorings* Vol. 352 of *Contemporary Mathematics* chapter Classical Coloring of Graphs, pp. 1–20, AMS 2004.
- [18] M. Kubale, Introduction to computational complexity and algorithmic graph coloring, GTN, Gdańsk, 1998.
- [19] F. Kuhn, T. Moscibroda, and R. Wattenhofer, What cannot be computed locally!, 23rd ACM Symp Principles Distrib Comput (PODC), ACM Press, 2004, pp. 300–309.
- [20] F. Kuhn and R. Wattenhofer, On the complexity of distributed graph coloring, 25th Ann ACM Symp Principles Distrib Comput (PODC), ACM Press, 2006, pp. 7–15.
- [21] N. Linial, Legal coloring of graphs, *Combinatorica* 6 (1986), 49–54.
- [22] N. Linial, Locality in distributed graph algorithms, *SIAM J Comput* 21 (1992), 193–201.
- [23] Z. Lotker and A. Navarra, Managing random sensor networks by means of grid emulation, 5th Int IFIP-TC6 Networking Conference, Vol. 3976 of *Lecture Notes in Computer Science*, 2006, pp. 856–867.

- [24] M. Luby, A simple parallel algorithm for the maximal independent set problem, SIAM J Comput 15 (1986), 1036–1053.
- [25] S. Olariu and J. Randall, Welsh-Powell opposition graphs, Informat Process Lett 31 (1989), 43–46.
- [26] A. Panconesi and R. Rizzi, Some simple distributed algorithms for sparse networks, Distrib Comput 14 (2001), 97–100.
- [27] A. Panconesi and A. Srinivasan, On the complexity of distributed network decomposition, J Algorithms 20 (1996), 356–374.
- [28] J. Schneider and R. Wattenhofer, A log-star distributed maximal independent set algorithm for growth-bounded graphs, 27th Ann ACM Symp Principles Distrib Comput (PODC), ACM Press, 2008, pp. 35–44.
- [29] J.S. Turner, Almost all k -colorable graphs are easy to color, J Algorithms 9 (1988), 63–82.
- [30] D. Zuckerman, Linear degree extractors and the inapproximability of max clique and chromatic number, 38th ACM Symp Theory Comput (STOC), ACM Press, 2006, pp. 681–690.