

Available online at www.sciencedirect.com



International Journal of HEAT and MASS

PERGAMON

International Journal of Heat and Mass Transfer xxx (2003) xxx-xxx

www.elsevier.com/locate/ijhmt

Study of free convective heat transfer from horizontal conic

W.M. Lewandowski *, S. Leble

Department of Apparatus and Chemical Machinery, Gdańsk University of Technology, ul. G. Narutowicza 11/12, 80-952 Gdańsk, Poland

Received 16 January 2003; received in revised form 2 April 2003

Abstract

2

3 4

5

6

7

8

9

10

11

12

13

16

17

19

21

22

25

26

27

31

32

33

34

35

Theoretical and experimental considerations of free convective heat transfer from horizontal isothermal conic in unlimited space are presented. In the theoretical part of the paper we introduced the curvilinear coordinate system compatible with conical surface and gravity field. The equations of Navier-Stokes and Fourier-Kirchhoff were simplified in this local orthogonal system. The resulting equation have been solved by asymptotic series in the vicinity of horizontal element of the cone. The final Nusselt-Rayleigh relation as a function of the conic base angle was verified experimentally. The experimental study was performed in water and air for conics with the angles equal to $\alpha = 0$ (vertical round plate), 30° , 45° and 60° and diameter of the base D=0.1 m. The experimental results are in a good accordance (maximum within +8.7%) with the theory. © 2003 Published by Elsevier Ltd.

1. Introduction

The results of theoretical and experimental study of 20 free convective heat transfer from conical surfaces were published and they are very useful to determine convective heat losses from conical fragments of apparatus in industrial or energetic installations, electronic equip-24 ment, architectonic objects and so on by engineers and designers. Unfortunately available dates are not complete. There are some information on vertical faced down or up cones [1–6] but for the horizontal ones we have found the only paper, written by Oosthuizen [7]. In 29 the Churchill's review paper [8] among about 120 results devoted to free convection four positions are concerned conical (only vertical) surfaces. Oosthuizen's paper deal only with the experimental study.

Hence the paper presents theoretical solution of the natural convective heat transfer problem from the isothermal surface of a horizontal conic. We also show the experimental verification of the obtained analytical formulas. The experiments were performed in water and air for conics with the base angle: $\alpha = 0^{\circ}$, 30° , 45° and 60° .

40

45

47

49

50

54 55

56

The phenomenon of convective fluid flow pattern for the configuration to be considered is complicated, because of the gravity field breaks the axis symmetry in comparison with vertical cones (Fig. 1a). In our first attempts we used of the cylindrical coordinate system successive in the case of horizontal cylinder (Fig. 1b) for the hypoeutectic stream line description (Fig. 1c). However, more profound study and the visualization (Fig. 2a) had been shown a failure of this first attempt.

This is the reason why we decided to introduce the special curvilinear coordinate system (ϵ, ϵ_m) based on the stream line curves S_i , shown in Fig. 2b and described in details together with continuous maps, transformations and final solution in papers [9,10]. We would like to stress that each curve S_i is not plain, by other words it is not conic. The variety of the curves cover the conic surface and parameterized by $\epsilon_m = \max(\epsilon)$.

* Corresponding author. Tel.: +48-58-347-24-10; fax: +48-58-

2. The coordinate system and physical model

The isothermal lateral conic surface in Cartesian 57 coordinates is described by the equation 58

0017-9310/03/\$ - see front matter © 2003 Published by Elsevier Ltd. doi:10.1016/S0017-9310(03)00307-7

E-mail address: ewarad@chem.pg.gda.pl (W.M. Lewandowski).

Nomenclature thermal diffusivity (m²/s) S curve, being the convective fluid flow function defined by Eq. (46) streamlines on the lateral surface of the a control surface, Fig. 5 and Eq. (21) (m²) horizontal conic (dimensionless) A coefficient in Nusselt-Rayleigh relation Eq. TCtemperature (°C) or (K) (30) (dimensionless) $T_{\rm w}$ wall temperature (°C) specific heat at constant pressure (J/(kg K)) T_{∞} bulk fluid temperature (°C) C_p Ddiameter of the cone base (m) ΔT temperature difference (K) dA_{i} control surface of heated wall, Fig. 5 and Uvoltage of the heater (V) WEq. (22) (m^2) velocity (m/s) coefficient in Eq. (31) coordinate (m) Ex f = y''(0) coefficient in the Taylor expansion of $y(\epsilon)$ constants in Eqs. (27)–(30) (dimensionless) X_i Fcoefficient in Eq. (31) dimensionless boundary layer thickness (di $y(\epsilon)$ acceleration due to gravity (m/s2) mensionless) g g = y'(0) coefficient in the Taylor expansion of $y(\epsilon)$ coordinate (m) coefficient in Eq. (31) coefficient in the Taylor expansion of $y(\epsilon)$ Gheat transfer coefficient (W/(m² K) h coordinate (m) Н length of the horizontal conic (m) function of the *Y* (dimensionless) Н coefficient in Eq. (31) Greek symbols Ι current of the heater (A) base angle of the conic (deg) constant defined by integral (52) (dimenβ average volumetric thermal expansion coefficient (1/K) constant in the relation (26) (dimensionless) K boundary layer thickness (m) $=\frac{hR}{1}, =\frac{hD}{1}$ Nusselt number (dimensionless) Nu angle defined in Fig. 2 (deg) arbitrary point of the conical surface M distance between curves S (Fig. 5) (m) pressure (N/m²) p thermal conductivity of the fluid (W/(m K))Pfunction defined by Eq. (46) kinematic viscosity (m²/s) ν $r = \rho_0 K^{1/3}$ dimensionless radius coordinate (dimenradius defined in Fig. 3 (m) ρ sionless) density of the fluid (kg/m³) ρ_{f} R radius of the cone (m) vector normal to the curve S (m) heat flow (W) vector tangent to the curve S (m) τ $Ra = \frac{g\beta\Delta TR^3}{} = \frac{g\beta\Delta TD^3}{}$ Rayleigh number (dimension-Θ nondimensional temperature [–] lateral surface of the conic unit vector, tangent to the curve S (dimensionless)

$$x^{2} + y^{2} - z^{2} \cot^{2}(\alpha) = 0, \quad 0 \le z \le H$$
 (1)

60 or by ρ , ε , z, where $x = \rho \sin(\varepsilon)$, $y = \rho \cos(\varepsilon)$ (Fig. 3). The 61 base angle α is a parameter of the conical surface which 62 varied from $\alpha = \pi/2$ —horizontal cylinder to $\alpha = 0$ —63 round vertical plate.

At arbitrary point M_i of the lateral conical surface Σ one may distinguish two tangent vectors $\bar{\tau}_{\rho}$ and $\bar{\tau}_{\epsilon}$ and normal $\bar{\sigma}$ to the surface.

$$\bar{\tau}_{\rho} = \frac{\partial \bar{r}}{\partial \rho}, \bar{\tau}_{\epsilon} = \frac{\partial \bar{r}}{\partial \epsilon} \quad \text{where } \bar{r} = (x, y, z) \in \Sigma,$$
 (2)

$$\bar{\sigma} = \bar{\imath} \sin \alpha \sin \epsilon + \bar{\jmath} \sin \alpha \cos \epsilon - \bar{k} \cos \alpha. \tag{3}$$

Decomposition of the gravity with respect to these coordinates gives the normal component of gravity force $g_{\sigma} = g \sin \alpha \sin \epsilon$, $\bar{g} = (-g, 0, 0) = -\bar{\imath}g$.




Fig. 1. Free convective fluid flow pattern described by boundary layer thickness (black lines) and stream lines close heated surface and in a plume (gray lines) for: (a) vertical cones, (b) horizontal cylinder and (c) horizontal conic.



76

77


78 79

80

100

101

103






Fig. 2. Result of the visualization of the stream lines on the horizontal, isothermal conic transferred heat by free convection (a) and the model of the phenomenon described by curvilinear coordinate system (ε, l) with stream line curves S_i (b).

Let us now define a tangent component of the gravity. After normalization this component takes the form

$$\begin{split} \bar{s} &= \frac{\bar{g} - (\bar{g}, \bar{\sigma})\bar{\sigma}}{g\sqrt{1 - \sin^2\alpha\sin^2\epsilon}} \\ &= \frac{-\bar{\imath}(1 - \sin^2\alpha\sin^2\epsilon) + \bar{\jmath}\sin^2\alpha\sin\epsilon\cos\epsilon - \bar{k}\cos\alpha\sin\alpha\sin\epsilon}{\sqrt{1 - \sin^2\alpha\sin^2\epsilon}}. \end{split}$$




Fig. 3. Coordinate systems: Cartesian, curvilinear and local for the conic.




Fig. 4. The illustration of the curve S construction: it is defined as the vector \bar{s} is tangent at every point of the curve S.

This unit vector \bar{s} defines the curve S on the surface (Fig. 4). Hence the gravity component along $\bar{s} \times \bar{\sigma}$ is zero. That is why we solve the equations: Navier–Stokes, Fourier-Kirchhoff and continuity in these two characteristic directions $\bar{\sigma}$ and \bar{s} .

We use assumptions typical for natural convection [9]:

- fluid is incompressible and its flow is laminar, 81
- inertia forces are negligibly small in comparison with 82 83 viscosity ones,
- the mass density ρ_f , kinematic viscosity v and volumetric expansion β in the boundary layer and undis- 85 turbed region (index ∞) are constant,
- tangent to the heated surface component of the veloc- 87 ity inside the boundary layer is significantly larger 88 than normal one $W_s \gg W_\sigma$. By this assumption two 89 marginal regions are excluded: the first where the 90 boundary layer arises $\epsilon = -\epsilon_{\rm m}$ and the second where 91 it is transferred into the free buoyant plum $\epsilon = \epsilon_{\rm m}$.
- temperature of the lateral conical surface $T_{\rm w}$ is con-94
- thicknesses of the thermal and hydraulic boundary 95 96 layers are the same.

Finally the Navier–Stokes equations may be written 97

$$v\frac{\partial^2 W_s}{\partial \sigma^2} - g_s \beta (T - T_\infty) - \frac{1}{\rho_f} \frac{\partial p}{\partial s} = 0, \tag{5}$$

$$-g_{\sigma}\beta(T-T_{\infty}) - \frac{1}{\rho_{\rm f}}\frac{\partial p}{\partial \sigma} = 0.$$
 (6)

The coordinates σ and s are local ones along the vectors $\bar{\sigma}$ and \bar{s} .

We evaluate the normal and tangent components of 102 gravity as

$$g_{\sigma} = \bar{\sigma} \cdot \bar{g} = -g \sin \alpha \sin \epsilon, \tag{7}$$

$$g_s = g\sqrt{1 - \sin^2 \alpha \sin^2 \epsilon}. (8)$$



106 We assumed that relation for temperature distribu-107 tion inside boundary layer can be used as solution of Fourier–Kirchhoff equation [10,11]

$$\Theta = \frac{T - T_{\infty}}{T_{w} - T_{\infty}} = \left(1 - \frac{\sigma}{\delta}\right)^{2} \quad \text{or} \quad T - T_{\infty} = \Delta T \left(1 - \frac{\sigma}{\delta}\right)^{2}.$$
(9)

110 Plugging (7)–(9) into (5) and (6) gives

$$v\frac{\partial^2 W_s}{\partial \sigma^2} - g\beta \Delta T \left(1 - \frac{\sigma}{\delta}\right)^2 \sqrt{1 - \sin^2 \alpha \cdot \sin \epsilon} - \frac{1}{\rho_f} \frac{\partial p}{\partial s} = 0.$$
(10)

$$-g\beta\Delta T\sin\alpha\sin\epsilon\left(1-\frac{\sigma}{\delta}\right)^2 - \frac{1}{\rho_{\rm f}}\frac{\partial p}{\partial\sigma} = 0. \tag{11}$$

- 113 Integration of Eq. (11) for the boundary condition
- $\sigma = \delta, \; p_{\sigma} = p_{\infty(\sigma \, \geqslant \, \delta)}$ gives a formula for the pressure 114
- distribution in a boundary layer directed tangent to the
- 116 heating surface.

$$p_{\sigma} = -p_{\infty(\sigma \geqslant \delta)} - \rho_{\rm f} g \beta \Delta T \sin \alpha \sin \epsilon \left(\sigma - \frac{\sigma^2}{\delta} + \frac{\sigma^3}{3\delta^2} - \frac{\delta}{3} \right). \tag{12}$$

- 118 Pressure $p_{\infty(\sigma \geqslant \delta)}$ represents the excess of pressure
- 119 over the hydrostatic pressure, on the border of the
- 120 boundary layer, which, as it was shown in the paper [11],
- 121 is approximately constant.
- 122 Differentiating of Eq. (12) with respect to s along the
- 123 curve S (for the complete derivation of the curve equation
- look [9]), parameterized by the minimum value ρ_0 of ρ

$$\rho = \rho_0(\cos \epsilon)^{-\cos^2 \alpha} \tag{13}$$

126 gives

$$\frac{\partial p}{\partial s} = -\rho_{\rm f} g \beta \Delta T \sin \alpha \frac{(\cos \epsilon)^{\cos^2 \alpha + 1}}{\rho_0 \sqrt{1 - \sin^2 \epsilon \sin^2 \alpha}} \left[\cos \epsilon \left(\sigma - \frac{\sigma^2}{\delta} + \frac{\sigma^3}{3\delta^2} - \frac{\delta}{3} \right) + \sin \epsilon \left(\frac{\sigma^2}{\delta} - \frac{2\sigma^3}{3\delta^3} - \frac{1}{3} \right) \frac{\mathrm{d}\delta}{\mathrm{d}\epsilon} \right]. \tag{14}$$

Downloaded from mostwiedzy.pl The parametrization of the curve S by ρ_0 in (13) is equivalent to the parametrization by

$$\epsilon_{\rm m} = \arcsin \rho_0 / R - \pi / 2. \tag{15}$$

Plugging of the equality (14) into Eq. (10) leads to

$$v\frac{\partial^{2}W_{s}}{\partial\sigma^{2}} + \rho_{f}g\beta\Delta T \left\{ -\left(1 - \frac{\sigma}{\delta}\right)^{2}\sqrt{1 - \sin^{2}\alpha\sin\epsilon} + \frac{\sin\alpha(\cos\epsilon)^{\cos^{2}\alpha+1}\cos\epsilon}{\rho_{0}\sqrt{1 - \sin^{2}(\epsilon)\sin^{2}(\alpha)}} \left(\sigma - \frac{\sigma^{2}}{\delta} + \frac{\sigma^{3}}{3\delta^{2}} - \frac{\delta}{3}\right) + \sin\epsilon\left(\frac{\sigma^{2}}{\delta^{2}} - \frac{2\sigma^{3}}{3\delta^{3}} - \frac{1}{3}\right)\frac{d\delta}{d\epsilon} \right\} = 0.$$
(16)

A double integration of Eq. (16) for the boundary conditions $W_s = 0$ at $\sigma = 0$, δ and mean value evaluation through boundary layer gives: 135

$$\overline{W}_{s} = \frac{1}{\delta} \int_{0}^{\delta} W_{s} d\sigma$$

$$= \frac{g\beta\Delta T \delta^{2}(\cos\epsilon)^{\cos^{2}\alpha+1}}{v\sqrt{1-\sin^{2}\epsilon\sin^{2}\alpha}} \left(-\frac{1-\sin^{2}\epsilon\sin^{2}\alpha}{40(\cos\epsilon)^{\cos^{2}\alpha+1}} + \frac{\sin\alpha\cos\epsilon\delta}{180\rho_{0}} + \frac{\sin\alpha\sin\epsilon}{72\rho_{0}} \frac{d\delta}{d\epsilon} \right)$$
(17)

The account the law of energy conservation

$$dQ = -\rho_f c_p (\overline{T - T_\infty}) d(A\overline{W_s}), \tag{18}$$

where A is the cross-section area of the boundary layer (see Fig. 5), after the substitution of the mean value of 140 the temperature: $(\overline{T - T_{\infty}}) = \frac{\Delta T}{3}$ yields: 141

137

148

149

150

151

$$dQ = -\frac{1}{3}\rho_{\rm f}c_p\Delta T\,d(A\overline{W_s}). \tag{19}$$

The heat flux described by Eq. (19) should be equal to the heat flux determined by the Newton's equation 144 145

$$dQ = -\lambda \left(\frac{\partial \Theta}{\partial \sigma}\right)_{\sigma=0} \Delta T \, dA_k, \tag{20}$$

where dA_k is the control surface of the conic (see Fig. 5).

The simplifying assumption of the temperature profile inside boundary layer (9), the dimensionless temperature gradient on the heated surface may be evaluated as

$$\left(\frac{\partial \Theta}{\partial \sigma}\right)_{\sigma=0} = -\frac{2}{\delta}$$




Fig. 5. Presentation of the elementary control surfaces: A and dA_k , defined by Eq. (21) and (22) for the coordinate curves $S(\rho_0)$ and $S(\rho_0 + d\rho_0)$ and the distance $d\xi$ between them.



MOST WIEDZY

183

188

191

192

195

198

199

200

207 208

W.M. Lewandowski, S. Leble | International Journal of Heat and Mass Transfer xxx (2003) xxx-xxx

$$\frac{1}{6\lambda}\rho_{\rm f}c_p\delta\,\mathrm{d}\left(A\overline{W_{\rm t}}\right) = -\mathrm{d}A_k. \tag{21}$$

155 The definitions of the cross-sectional area and the con-

156 trol surface A and dA_k are:

$$A = \mathrm{d}\xi \delta = \frac{-(\cos \epsilon)^{1-\cos^2 \alpha} \, \mathrm{d}\rho_0 \delta}{\cos \alpha \sqrt{1-\sin^2 \alpha \sin^2 \epsilon}},\tag{22}$$

$$dA_k = d\xi d\tau = \frac{-(\cos \epsilon)^{-2 \cdot \cos^2 \alpha} \rho_0 d\epsilon d\rho_0}{\cos \alpha},$$
 (23)

159 where

$$d\xi = \left| \left[\bar{\sigma} \times \bar{\tau} \right] d\bar{r} \right| = \frac{-(\cos \epsilon)^{1 - \cos^2 \alpha} d\rho_0}{\cos \alpha \sqrt{1 - \sin^2 \alpha \sin^2 \epsilon}}, \tag{24}$$

161 Substituting Eqs. (17), (22) and (23) in Eq. (21) and

162 evaluating the differentials one have

$$X_{3}(\delta\delta'' + 3\delta'^{2}) + (4X_{2} + X_{3}')\delta\delta' + X_{2}'\delta^{2} + 3X_{1}\rho_{0}\delta'$$

+ $X_{1}'\rho_{0}\delta = \frac{\rho_{0}^{2}X_{4}}{K\delta^{3}},$ (25)

164 where

$$K = \frac{Ra_R}{240R^3} = \frac{\rho_\Gamma c_p}{240\lambda} \frac{g\beta\Delta T}{v}, \quad Ra_R = \frac{g\beta\Delta TR^3}{va}$$
 (26)

$$X_1 = -(\cos \epsilon)^{1 - \cos^2 \alpha},\tag{27}$$

$$X_2 = \frac{2}{9} \frac{(\cos \epsilon)^{3 + \cos^2 \alpha} \sin \alpha}{(1 - \sin^2 \alpha \sin^2 \epsilon)},$$
(28)

$$X_3 = \frac{5}{9} \frac{(\cos \epsilon)^{2 + \cos^2 \alpha} \sin \alpha \sin \epsilon}{(1 - \sin^2 \alpha \sin^2 \epsilon)},\tag{29}$$

$$X_4 = (\cos \epsilon)^{-2\cos^2 \alpha}. (30)$$

Eq. (25) is the nonlinear ordinary differential equation to be considered as the basic one for free convection heat transfer along the arbitrary curve *S* which family covers the whole surface of isothermal horizontal conic.

3. Analytical approximate solution of the resulting equation

The resulting equation of the physical model could be solved by a simple numerical method. We, however, would apply analytical method to construct approximate formulas for the boundary layer thickness δ as a function of variables ϵ and ρ_0 . Let us underline that our choice of the coordinate system allows to consider ρ_0 as a parameter. Rescaling in (25) $y(\epsilon) = \delta K^{1/3}$, $r = \rho_0 K^{1/3}$ yields:

$$y^{4}(\epsilon)E\frac{\partial\frac{\partial y(\epsilon)}{\partial \epsilon}}{\partial \epsilon} + 3y^{3}(\epsilon)E\frac{\partial y(\epsilon)^{2}}{\partial \epsilon} + y^{3}(\epsilon)\frac{\partial y(\epsilon)}{\partial \epsilon}G$$
$$+ y^{5}(\epsilon)H + y^{4}(\epsilon)F$$
$$= r^{2}(1 - \sin^{2}\alpha\sin^{2}\epsilon)\cos^{-2\cos^{2}\alpha}\epsilon. \tag{31}$$

where the coefficients are defined by

$$E = X_3(1 - \sin^2 \alpha \sin^2 \epsilon) = \frac{5}{9} \cos^{2 + \cos^2 \alpha} \epsilon \sin \alpha \sin \epsilon, \quad (32)$$

$$G = [y(4X_2 + X_3') + 3X_1r](1 - \sin^2 \alpha \sin^2 \epsilon)$$

$$= 3(\cos^{1-\cos^2 \alpha} \epsilon)r(\cos^2 \epsilon + \cos^2 \alpha - \cos^2 \epsilon \cos^2 \alpha)$$

$$+ \frac{8}{9}(\cos^{3+\cos^2 \alpha} \epsilon \sin \alpha)y(\epsilon), \tag{33}$$

$$H = X_2'(1 - \sin^2 \alpha \sin^2 \epsilon)$$

$$= \frac{2}{9} \frac{\sin \epsilon \sin \alpha}{\sin^2 \alpha \sin^2 \epsilon - 1} \cos^{2 + \cos^2 \alpha} \epsilon (\sin^2 \epsilon \cos^4 \alpha + 3\cos^2 \alpha + \cos^2 \epsilon),$$
(34)

$$F = X_1' r (1 - \sin^2 \alpha \sin^2 \epsilon)$$

$$= \frac{r \sin^2 \alpha (1 - \sin^2 \alpha \sin^2 \epsilon)}{\cos^{\cos^2 \alpha} \epsilon} \sin \epsilon.$$
 (35)

We consider an asymptotic solution as a power series in the vicinity of the point $\epsilon=0$. This point is the singularity point of the equation: the coefficient by the second derivative is equal to zero when $\epsilon=0$. The formal Taylor series expansion is

$$y(\epsilon) = \sum_{i=0}^{\infty} c_i \epsilon^i = Y + g\epsilon + f\epsilon^2/2 + \cdots$$

The coefficients of the expansion we determine directly from the differential equation (31) in the point $\epsilon=0$. The equation gives connection of all coefficients with the first one Y=y(0). This unique parameter is defined via the boundary condition $y(\epsilon_{\rm m})=0$ in the point $\epsilon=\epsilon_{\rm m}=\arccos(\rho_0/R)$.

Let us evaluate the first derivative of $y(\epsilon)$ at the point $(\epsilon = 0)$. We start from Eq. (31) and solve it with respect to:

$$g = \left[\frac{\partial y(\epsilon)}{\partial \epsilon}\right]_{\epsilon=0} = \frac{9r^2}{(27r + 8(\sin \alpha)Y)Y^3}.$$
 (36)

Next we should evaluate the second derivative of $y(\epsilon)$ 203 at the point $\epsilon = 0$. For this aim we differentiate Eq. (36) 204 and then solve the result with respect to: 205

$$f = \left[\frac{\partial \frac{\partial y(\epsilon)}{\partial \epsilon}}{\partial \epsilon}\right]_{\epsilon=0}$$

$$= -9 \frac{423r^4(\sin \alpha)Y + 729r^2(r^3 + rY^8 \sin^2 \alpha + (\sin \alpha)Y^9)}{Y^7(27r + 13(\sin \alpha)Y)(27r + 8(\sin \alpha)Y)^2}$$

$$-9 \frac{16Y^9(\sin^2 \alpha)(Y + r \sin \alpha)(4(\sin \alpha)Y + 27r)}{Y^7(27r + 13(\sin \alpha)Y)(27r + 8(\sin \alpha)Y)^2}.$$
(37)

Details of the derivation of (36) and (37) are shown in papers [9,10].

Now we introduce the boundary condition at the 209 edge of the cone, where the boundary layer arises 210

245 246

256

257

 $y(-\epsilon_{\rm m})=0.$

- Here we restrict ourselves by parabolic approxima-
- 212 tion for the asymptotic expansion of the solution v of the
- differential equation of the boundary layer (31) in the
- 215 form

$$y(\epsilon) = Y + g\epsilon + \frac{1}{2}f\epsilon^2. \tag{39}$$

- 217 Eq. (38) for the parameter Y is algebraic equation of
- 218 high order, which has no explicit solution. So we expand
- 219 the equation in Taylor series with respect to the variable
- $z = Y \sin \alpha / r$. In the region $(1/2)Y \sin \alpha \ll r$ one have in
- the first approximation

$$g = \frac{1}{3} \frac{r}{\Upsilon^3},\tag{40}$$

$$f = -\frac{1}{3} \frac{r^2}{Y^3}. (41)$$

- 224 After substitution of (40) and (41) into Eq. (39) it
- 225 simplifies

$$Y^{8} - \frac{1}{3}r\arccos(\rho_{0}/R)Y^{4} - \frac{1}{6}r^{2}\arccos^{2}(\rho_{0}/R) = 0.$$
 (42)

- Introducing the new variable $Z = Y^4$ one goes to the
- 228 second-order equation $Z^2 - (1/3)r \arccos(\rho_0/R)Z$
- $(1/6)r^2 \arccos^2(\rho_0/R) = 0.$ 229
- 230 Solution has two roots, the first one is negative, hence
- 231 non-physical and the second is positive, hence

$$Y = Z^{1/4} = \sqrt[4]{\frac{1}{2} \left(\frac{1}{6} + \frac{1}{6}\sqrt{7}\right) r[\pi - 2\arcsin(\rho_0/R)]}.$$
 (43)

Downloaded from mostwiedzy.pl Finally the boundary layer thickness is

$$\delta(\epsilon) = \left(\frac{240\rho_0 R^3}{Ra}\right)^{1/4} \left(\sqrt[4]{\frac{1}{12}(1+\sqrt{7})[\pi-2\arcsin(\rho_0/R)]} + \frac{\epsilon}{3\left(\frac{1}{12}(1+\sqrt{7})[\pi-2\arcsin(\rho_0/R)]\right)^{3/4}} - \frac{\epsilon^2}{6\left(\frac{1}{12}(1+\sqrt{7})[\pi-2\arcsin(\rho_0/R)]\right)^{7/4}}\right). \tag{44}$$

4. Integral heat transfer coefficient for practical applications

The solution (44) is local. However for practical applications one use the mean value of heat transfer coefficient, that is defined as the integral of the local value over the whole body surface.

From Eq. (20) it follows that the local value of heat 3 transfer coefficient is

$$h = \frac{2\lambda}{\delta}.\tag{45}$$

The expression for boundary layer thickness (44) may be rewritten as

$$\delta(\epsilon) = R\left(\frac{240(\cos\epsilon_{\rm m})}{Ra}\right)^{1/4} a(\epsilon_{\rm m}) \cdot P\left(\frac{\epsilon}{\epsilon_{\rm m}}\right),\tag{46}$$

248

$$a(\epsilon_{\rm m}) = \sqrt[4]{\frac{1}{6}(1+\sqrt{7})\epsilon_{\rm m}},$$

$$\begin{split} P\bigg(\frac{\epsilon}{\epsilon_{\rm m}}\bigg) &= 1 + \frac{\epsilon}{\frac{1}{2}(1+\sqrt{7})\epsilon_{\rm m}} - \frac{\epsilon^2}{\frac{1}{6}(1+\sqrt{7})^2\epsilon_{\rm m}^2} \\ &= \bigg(1 + \frac{\epsilon}{3a^4} - \frac{\epsilon^2}{6a^8}\bigg). \end{split}$$

Taking into account above given transformations of 251 boundary layer thickness the local heat transfer coefficient h and it's dimensionless form Nu are: 253

$$Nu = \frac{h \cdot R}{\lambda} = \frac{2}{\left(\cos \epsilon_{\rm m}\right)^{1/4} a(\epsilon_{\rm m}) P\left(\frac{\epsilon}{\epsilon_{\rm m}}\right)} \left(\frac{Ra}{240}\right)^{1/4}.$$
 (47)

The mean value of Nusselt number for whole lateral surface of horizontal conic S can be expressed by the relation:

$$Nu_{\rm m} = \frac{2}{S} \left(\frac{Ra}{240}\right)^{1/4} \int_0^{\pi/2} \int_{-\epsilon_{\rm m}}^{\epsilon_{\rm m}} \frac{1}{\left(\cos \epsilon_{\rm m}\right)^{1/4} a(\epsilon_{\rm m}) P\left(\frac{\epsilon}{\epsilon_{\rm m}}\right)} \cdot dA_k. \tag{48}$$

Control surface of the cone dA_k is described with the use of ρ_0 (13) and $d\rho_0$ as the functions of ϵ_m (15): 260

$$dA_k = \cos \alpha \cdot (\cos \epsilon)^{-2 \cdot \cos^2 \alpha} \cdot R^2 \cdot \sin \epsilon_m$$

$$\cdot (\cos \epsilon_m)^{2 \cos^2 \alpha - 1} d\epsilon_m d\epsilon. \tag{49}$$

Plugging (49) into (48) leads to final relation 262

$$Nu_{\rm m} = C_R \cdot Ra^{1/4},\tag{50}$$

where 264

$$C_R = \frac{2}{\pi} (\cos \alpha)^2 \left(\frac{1}{240}\right)^{1/4} J \tag{51}$$

266

$$J = \int_{0}^{\pi/2} \left(\frac{\sin \epsilon_{\rm m} (\cos \epsilon_{\rm m})^{2\cos^{2} \alpha - 1}}{(\cos \epsilon_{\rm m})^{1/4} a(\epsilon_{\rm m})} \right) \times \left(\int_{-\epsilon_{\rm m}}^{\epsilon_{\rm m}} \frac{(\cos \epsilon)^{-2 \cdot \cos^{2} \alpha} d\epsilon}{P\left(\frac{\epsilon}{\epsilon_{\rm m}}\right)} \right) d\epsilon_{\rm m}.$$
 (52)

For practical application the obtained solution re-268 quires evaluation of the double integral over the surface 269 J (52) which we made numerically. These calculations were performed for the following numbers of integration 271

272

273

274

275


276

277

steps: n = 300, for the internal integral and p = 150, for the external one. The model of the boundary layer (44) is simplified, the direct corollary of this is the deviation of the asymptotic behavior of the local Nusselt number at the vicinity of the point $-\epsilon_{\rm m}$, where the boundary layer arises. The integral (52) is hence divergent in this point. To regularize this discrepancy we integrate from the starting step -147 in all calculations. The results of the integral evaluations are: J = 7.9359, 10.337, 14.885 and 25.692 for $\alpha = 0$, 30°, 45° and 60°, respectively, and next: $C_R = 0.6478, 0.6270, 0.6019$ and 0.5194 for $\alpha = 0, 30, 45$ and 60 degrees for the radius of the cone base R as a characteristic linear dimension in Nusselt-Rayleigh relation (47) and (26). For comparison with experimental results elaborated with the use of the diameter D = 2R as the characteristic linear dimension one can obtain: $C_D = \sqrt[4]{2} \cdot C_R = 0.763, 0.746, 0.716 \text{ and } 0.618 \text{ for } \alpha = 0,$ 30°, 45° and 60° respectively.

5. Experimental apparatus

The experimental studies were performed in two setups using two fluids: distilled water and air. The both set-ups consist of a Plexiglas tank in a form of a rectangular prism of the volume 150 dm³ for the water as a test fluid and 200 dm³ for the air. The visualization of convective flow structures was performed in the water only while the quantitative experiments were made both in the water and in the air for four cones: $\alpha = 0$ (vertical round plate), $\pi/6$, $\pi/4$ and $\pi/3$. The investigated samples, excluding the vertical round plate ($\alpha = 0$), consist of two identical copper cones of the base diameter D = 0.1 m, that were joined in pairs according with Fig. 6 by the epoxy-resin (DISTAL). Each cone couple was suspended in a horizontal position by the use of nylon fishing twine of the diameter 0.1mm. In this way the heat losses through the base or supports were eliminated. We assumed that the heat losses through electric wiring were negligible small. The electric resistor as a source of heat was placed symmetrically inside the cavity of each sample. The concept of performed experimental measurement of a convective heat flux and the construction of the round vertical plate of the diameter D = 0.07 m were different in comparison with the cone case. The vertical plate of the sandwich layer construction consisted of two circular copper plates and epoxy-resin circular plate, of known thickness and heat conduction coefficient, between them was used in experiments. In this case the back heat losses flux was measured independently from temperature differences on both sides of epoxide plate with respect to Fourier equation. The thermal coefficient of conductivity for the laminate (copper-epoxy-resin-copper) was experimentally determined at a specially constructed stand. More details for this case one can found in our previous paper [14].






Fig. 6. Arrangement of the experimental apparatus and tested conic (enlarged detail "a").

The surface of the cones were polished and next covered by chromium (electroplating) because the radiative heat losses have to be also taken into account in the experiments performed in the air. In calculations the emissive coefficient for the polished chromium was taken from the physical constants tables.

At the top of the tanks a cooler with thermostatic water of temperature equal to surrounding ±0.1 K was mounted. To measure the surface temperature $T_{\rm w}$ of the cones six transistors of the type BL 8473 were used. The transistors inserted through the opening of diameter 1 mm drilled from the base were glued by epoxy-resin to the surface of the cone. Also six transistors measured the fluid temperature in the undisturbed region T_{∞} . The temperatures of cone surfaces and fluids were calculated as a average value of all the particular transistors $T_{w,i}$ and $T_{\infty,i}$. The output signals from the transistors were processed by a computer program.

Experimental determination of Nusselt number was accomplished with an accuracy of ±6.6% for the water and ±5.6% for the air. The accuracy of Rayleigh numbers evaluation were $\pm 4.3\%$ (water) and $\pm 2.1\%$ (air).

6. Experimental results

Experimental results obtained for the water (dark points) and the air (white points) for the cones of the

325

326

327

328

329

330

331

332

333

334

335

337

338

339

340

342

343

344

345

346

373

374

376

377

378

379

380

381

382

383

384

385

386

387

 $\times \cdots$

389 390

391

392

393

394

395

396

397

398

399

400

401

402

403

404

405

406

407

408

409

410

411

412

413

414

415

416

417

418

419

420

421

422

423

350

351

352

353

354

355

356




Fig. 7. Comparison of the theoretical results (brown lines) with the experiments (black line) performed in the air (white points) and the water (dark points).

base angle $\alpha = 30^{\circ}$, 45° and 60° and analytical solution (grey lines) are presented in Fig. 7. By using the least square method the experimental data have been correlated by Nusselt-Rayleigh relation $Nu_D = C \cdot Ra_D^n$ for given value of the exponent n = 1/4. The results of these approximations together with the present solutions and literature data have been shown in Table 1. and in the frames in Fig. 7.

The Nusselt-Rayleigh formulas in Table 1 are valid for the range of the performed experimental studies: 6× $10^5 < Ra < 2 \times 10^8$ for air and $1 \times 10^7 < Ra < 2 \times 10^8$ for water which was obtained at wall-to-liquid temperature differences 9 K $\leq \Delta T \leq 43$ K for air and 0.7 K \leq $\Delta T \leq 9$ K for water.

The experimental results are presented once more in Fig. 8 in the form of $C = Nu_D/Ra_D^{1/4}$ vs. α so as the very point in the Fig. 8 is now the average of the results for all cases shown in frames in Fig. 7. These points together with literature data [14-17] were approximated by the second-order spline curve (grey line) described mathematically by the expression placed in the lower frame. The black line of Fig. 8 is also the second-order spline line but for the theoretical results, obtained by numerical evaluation of the integral (52).

As one can see the theoretical solution is convergent with experiments for vertical round plate $\alpha = 0^{\circ}$ and for horizontal cone of the base angle $\alpha \le 60^{\circ}$. For the cones of the base angle α between 60° and 90° (horizontal cylinder) there is a divergences. It is a consequence of the use of the simplified asymptotic method of solution of Eq. (44).

The constants in Nusselt-Rayleigh experimental correlations recalculated for D as a characteristic linear dimension: $C_{\text{exp}} = 0.749$ for $\alpha = 30^{\circ}$, $C_{\text{exp}} = 0.742$ for $\alpha = 45^{\circ}$ and $C_{\rm exp} = 0.677$ for $\alpha = 60^{\circ}$, differs from the solutions: $C_{\text{theor}} = 0.746$ for $C_{\rm theor} = 0.716$ for $\alpha = 45^{\circ}$ and $C_{\rm theor} = 0.618$ for $\alpha = 60^{\circ}$ of about: +0.4% for $\alpha = 30^{\circ}$, +3.5% for $\alpha = 45^{\circ}$ and -8.2% and +8.7% for $\alpha = 60^{\circ}$. This comparison can be regarded as a positive result of verification of obtained solution.

7. Conclusions

The results of the own experimental measurements and literature data of the free convective heat transfer in unlimited space of water and air from horizontal conics for the range of temperature differences 9 K $\leq \Delta T \leq 43$ K for air and 0.7 K $\leq \Delta T \leq 9$ K for water and Rayleigh $6\times10^5 < Ra < 2\times10^8$ numbers air $1 \times 10^7 < Ra < 2 \times 10^8$ for water are presented by the spline curve of the second-order for the base angle of the cone $0 \le \alpha \le 90$ deg. The spline function has the form: $C_{\text{exp}} = 0.672 + 3.959 \times 10^{-9} \alpha - 5.836 \times 10^{-5} \alpha^2.$

The theory elaborated in this paper is based on the typical for natural convection assumptions and cover all conditions described above. The resulting differential equation of the theory (25) is one-dimensional in the coordinate system that was specially constructed to account the geometry of horizontal cones and the gravitational field.

The obtained approximate solution describes convective heat transfer over horizontal isothermal conic in unlimited space. The structure of boundary layer that define the heat transfer and streamlines near the conical surface is described by the Taylor series near the points at $\epsilon = 0$. In this paper we present the solution based only on the first three terms of series. The approximate method of solution of the differential equation for boundary layer thickness in principle does not allow to obtained the correct description of the thickness in the vicinity of the starting point $\epsilon = -\epsilon_{\rm m}$. The consequence of this is the divergence of the integral (52) that define the mean value of heat transfer coefficient. For all the cases of conic angles α we used universal approach of regularization of the integral.



Table 1
Comparison of own and literature theoretical and experimental results of free convective heat transfer from horizontal cones

Case	Criterial relations	Notes
$\alpha=0^{\rm o}$ round vertical plate	$Nu = 0.763 \cdot Ra^{1/4}$ $Nu = 0.587 \cdot Ra^{1/4}$ $Nu = 0.655 \cdot Ra^{1/4}$ $Nu = 0.699 \cdot Ra^{1/4}$	Present solution Experiment of vertical round plate of diameter $D = 0.07$ m, water, [14] Experiment of vertical round plate of diameter $D = 0.07$ m, air, [14] Numerical calculations, FLUENT/UNS program for round plate and air, [14]
$\alpha = 30^{\circ}$	$Nu = 0.746 \cdot Ra^{1/4}$ $Nu = 0.771 \cdot Ra^{1/4}$ $Nu = 0.727 \cdot Ra^{1/4}$ $Nu = 0.749 \cdot Ra^{1/4}$	Present solution Experiment in air for $D = 0.1$ m Experiment in water for $D = 0.1$ m Mean experimental correlation elaborated for air and water
$\alpha=45^{\circ}$	$Nu = 0.716 \cdot Ra^{1/4}$ $Nu = 0.745 \cdot Ra^{1/4}$ $Nu = 0.738 \cdot Ra^{1/4}$ $Nu = 0.742 \cdot Ra^{1/4}$	Present solution Experiment in air for $D = 0.1$ m Experiment in water for $D = 0.1$ m Mean experimental correlation elaborated for air and water
$\alpha=60^{\circ}$	$Nu = 0.618 \cdot Ra^{1/4}$ $Nu = 0.685 \cdot Ra^{1/4}$ $Nu = 0.669 \cdot Ra^{1/4}$ $Nu = 0.677 \cdot Ra^{1/4}$	Present solution Experiment in air for $D=0.1$ m Experiment in water for $D=0.1$ m Mean experimental correlation elaborated for air and water
$\alpha=90^{\circ}$ horizontal cylinder	$Nu = 0.480 \cdot Ra^{1/4}$ $Nu = 0.518 \cdot Ra^{1/4}$ $Nu = 0.599 \cdot Ra^{1/4}$	Experimental results of horizontal cylinders [15] Experimental results of horizontal cylinders [16,17] for $Pr \to \infty$ Experimental results of horizontal cylinders [16,17] for $Pr \to 0v$




Fig. 8. Comparison of the own and literature experimental results described by $C_D = Nu_D/Ra_D^{1/4}$ (points and gray line) with analytical solution (black line).

Eventually the discrepancy in the result of calculations is connected with this. We plan to improve this point of the theory by matching of two asymptomatic for both singular points $\epsilon=0$, $\epsilon=-\epsilon_m$. The algorithm described in the article allows to account arbitrary number of such terms in the Taylor series near the points at $\epsilon=0$ and hence improve the heat transfer description.

8. Uncited references	
[12,13]	432
Acknowledgements	433
This research was supported by Scientific Research of the Chemistry Faculty Gdańsk University of Technology.	434 435
References	436
 Md. Alamgir, Over-all heat transfer from vertical cones in laminar free convection an approximate method, J. Heat Transfer Trans. ASME 101 (1979) 174–176. W.M. Lewandowski, S. Szymański, P. Kubski, E. Radziemska, H. Bieszk, Natural convective heat transfer from isothermal conic, Int. J. Heat Mass Transfer 42 (1999) 1895–1907. W.M. Lewandowski, P. Kubski, S. Szymański, H. Bieszk, T. Wilczewski, E. Radziemska, T. Seramak, Natural convective heat transfer from conical surfaces, in: V UK National Conference on Heat Transfer, 1997. 	437 438 439 440 441 442 443 444 445 446 447



448

449

450

452

453

455

456

458

459

461

462

463

465

466

467

454

457

460

464

- [4] W.E. Stewart, Asymptotic calculation of free convection in laminar three-dimensional systems, Int. J. Heat Mass Transfer 14 (1971) 1013-1031.
- 451 [5] R.G. Hering, Laminar free convection from non isothermal cone at low Prandtl numbers, Int. J. Heat Mass Transfer 8 (1965) 1333-1337.
 - [6] P.H. Oosthuizen, E. Donaldson, Free convective heat transfer from vertical cones, J. Heat Transfer Trans. ASME (1972) 330-331.
 - [7] P.H. Oosthuizen, Free convective heat transfer from horizontal cones, J. Heat Transfer Trans. ASME (1973) 409-410.
 - [8] S.W. Churchill, Free convection around immersed bodies, 2.5 Single-Phase Convective Heat Transfer, in: 2.5 Single-Phase Convective Heat Transfer, Hemisphere Publishing Corporation, Washington, DC, 1983.
 - [9] S. Leble, W.M. Lewandowski, Analytical description of heat transfer by free convection from isothermal horizontal conic in unlimited space, MPS: Applied Mathematics/ 0301006.

[10] S. Leble, W.M. Lewandowski, A theoretical consideration of a free convective boundary layer on an isothermal 469 horizontal conic, Appl. Math. Model. (submitted).

470

471

472

473

474

476

- [11] W.M. Lewandowski, Natural convection heat transfer from plates of finite dimensions, Int. J. Heat Mass Transfer 34 (3) (1991) 875-885.
- [12] H.B. Squire, in: S. Goldstein (Ed.), Modern Developments in Fluid Dynamics, Clarendon Press, Oxford, 1938, or in 475 Dover, New York, 1965.
- [13] E.R.G. Eckert, Heat and Mass Transfer, McGraw-Hill 477 478 Book Company, New York, 1959, pp. 312.
- 479 [14] W.M. Lewandowski, E. Radziemska, Heat transfer by free 480 convection from an isothermal vertical round plate in 481 unlimited space, Appl. Energy 68 (2001) 187-201.
- [15] U.T. Morgan, The overall convective heat transfer from 482 smooth circular cylinders, Adv. Heat Transfer 11 (1975) 483 199-264. 484
- [16] S.W. Churchill, H.H.S. Chu, Correlating equations for 485 laminar and turbulent free convection from a horizontal 486 cylinder, Int. J. Heat Mass Transfer 18 (1975) 1049-1053. 487
- [17] B. Gebhart, Natural convection flows and stability, Adv. 488 Heat Transfer 9 (1973) 273-346. 489

